

ATHLETES FOOT- tolnaftate spray
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Distribution, Inc. Athlete's Foot Spray Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use

on children under 2 years of age unless directed by a doctor

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with pin

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol denat., aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylalkonium hectorite, talc

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Tinactin® active ingredient

MAXIMUM STRENGTH

athlete's foot spray

Tolnaftate 1%

Antifungal

Cures and Prevents Most Athlete's Foot

POWDER SPRAY | GOES ON DRY

Relieves Itching and Burning

NET WT 4.6 OZ (130 g)



NDC 41250-205-90

Compare to Tinactin®
active ingredient*

MAXIMUM STRENGTH
athlete's
foot spray

Tolnaftate 1%
Antifungal

Cures and Prevents Most Athlete's Foot

POWDER SPRAY | GOES ON DRY

Relieves Itching and Burning

NET WT 4.6 OZ (130 g)

Drug Facts**Active ingredient**

Tolnaftate 1%.....Antifungal

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame**Do not use** on children under 2 years of age unless directed by a doctor**When using this product** ■ avoid contact with the eyes

■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with pin

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol denat., aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylkonium hectorite, talc

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com



PID 413530



DOT 2P : 20590 6E F5

ATHLETES FOOT

tolnaftate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-205
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
ISOBUTANE (UNII: BXR49TP611)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

SORBITAN MONOOLEATE (UNII: 06XEA2VD56)

STEARALKONIUM HECTORITE (UNII: O LX698AH5P)

TALC (UNII: 7SEV7J4R1U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-205-90	130 g in 1 CAN; Type 0: Not a Combination Product	10/26/2004	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	10/26/2004	

Labeler - Meijer Distribution Inc (006959555)

Revised: 12/2018

Meijer Distribution Inc