

**POVIDONE IODINE GEL SWABSTICK- povidone iodine gel swabstick gel
Dynarex Corporation**

Povidone Iodine Gel Swabstick NDC 67777-418

Active Ingredient

Povidone-Iodine 10%

Purpose

Antiseptic

Use(s)

- For preparation of the skin prior to surgery
- First aid to help prevent infection in minor cuts, scrapes, and burns
- For venipuncture skin preparation

Warnings

For External Use Only

Do not use

- In the eyes or over large areas of the body
- Longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- Deep or puncture wounds
- Animal bites
- Serious burns

Stop use and ask a doctor if

Condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (800-222-1222) right away.

Directions

- Tear at notch • Remove applicator • Use only once

As a first aid antiseptic:

- Clean affected area
- Apply 1 to 3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

For preoperative patient skin preparation:

- Clean area
- Apply to operative site prior to surgery

For Venipuncture skin preparation:

- Hold the swabstick at an angle and begin scrubbing in a circular motion over a 1-inch area, directly over the venipuncture site. Continue this for a minimum of 30 seconds.
- After scrubbing for 30 seconds, and using the same applicator, begin at the venipuncture site and move gradually outward in concentric circles to form a total prepped area measuring at least 3 inches in diameter.
- Allow site to dry for approximately 30 seconds.
- If the patient bend the arm, or if prepared site is touched with the fingers or with any other non-sterile object, the complete preparation must be repeated.

Other Information

- Store at room temperature 15°-30°C (59°-86°F)
- Avoid excessive heat


Inactive Ingredients

Demineralized Water, Disodium Phosphate Anhydrous, Glycerin, Natrozone HHR

Questions and Comments?

1-888-369-2739 M-F, 9-5 EST

Label



1209 Povidone-Iodine Gel Swabstick

POVIDONE IODINE GEL SWABSTICK

povidone iodine gel swabstick gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-418
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE (4000 MPa.S AT 1%) (UNII: ZYD53NBL45)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape	FREEFORM	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-418-01	10 in 1 CASE	11/25/2022	
1	NDC:67777-418-02	50 in 1 BOX		
1		0.3 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	11/25/2022	

Labeler - Dynarex Corporation (008124539)

Revised: 2/2024

Dynarex Corporation