

DURAFLEX- ascorbic acid, calcium, glucosamine sulfate, chondroitin sulfate, msm and cat claw. tablet
PD-Rx Pharmaceuticals, Inc.

HEALTH CLAIM:

DURAFLEX TABLETS - Dietary Supplement

Supplement Facts		
Serving Size - 2 tablets		
Servings Per Container - 30		
	Amount per Serving	% Daily Value*
Vitamin C (as ascorbic acid)	120mg.	200%
Calcium (from dibasic calcium phosphate)	98mg.	10%
Glucosamine Sulfate - Potassium Salt	750mg.	**
Chondroitin Sulfate - Sodium Salt	300mg.	**
MSM	250mg.	**
Cat's Claw (bark)	40mg.	**

* Daily value not established
Other Ingredients: cellulose, stearic acid, silicon dioxide, croscarmellose sodium, magnesium stearate, ethylcellulose.

OTHER INGREDIENTS: cellulose, stearic acid, silicon dioxide, croscarmellose sodium, magnesium stearate, ethylcellulose.

DESCRIPTION:

duraflex is formulated to help support healthy, mobile joint function and connective tissue, and therefore, support the comfortable freedom of movement often lost as we

age. When taken daily over time, duraflex helps protect cartilage from occasional overexertion and physical activity as it provides the nourishment your body needs to support cartilage, lubricate, and strengthen your joints. duraflex has key dietary ingredients, including: Glucosamine; Chondroitin; Methylsulfonylmethane (MSM). With daily use, benefits may be felt in as little as four weeks.†

† The above statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

WARNING AND PRECAUTIONS

Pregnant or lactating women should consult a doctor using any product. Avoid product if you have allergies to shellfish. Consult doctor before use if you have, or have had, thyroid or prostate disorders, diabetes, hypoglycemia, asthma, or if you are on a sodium restricted diet or if you are taking ANY MEDICATIONS OR REMEDIES such as blood thinners or daily aspirin. Discontinue use and consult your doctor before use if any adverse reactions occur, such as gastrointestinal discomfort, allergic reaction, any skin irritation, fatigue, dizziness, pain, hair loss, irregular heartbeat, or changes in blood pressure or mood. NOT INTENDED FOR USE BY PERSONS UNDER THE AGE OF 18.

WARNING: If you are pregnant, nursing a baby, recovering from recent surgery or have a heart or circulatory condition, consult a physician before using this product.

ADVERSE REACTIONS

ALLERGEN WARNING: CONTAINS SHELLFISH

DOSAGE & ADMINISTRATION

duraflex tablet dosage- Take 4 tablets daily for 1-2 months, then reduce dosage to a minimum of 2 tablets daily to maintain comfortable movement

HOW SUPPLIED HEALTH CLAIM:

duraflex Dietary Supplement

tablets are brown

Bottles of 60 tablets NDC 43063-965-60

Bottles of 120 tablets NDC 43063-965-98‡

duraflex is a registered trademark of PD-Rx Pharmaceuticals, Inc. Oklahoma City, OK 73127 405-942-3040

STORAGE AND HANDLING:

Tamper-Evident Feature- This bottle is sealed with a tamperevident safety seal for your protection. Do not use if this seal is missing or broken.

PACKAGE LABEL:

duraflex is formulated to help support healthy, mobile joint function and connective tissue, and therefore, support the comfortable freedom of movement often lost as we age. When taken daily over time, duraflex helps protect cartilage from occasional overexertion and physical activity as it provides the nourishment your body needs to support cartilage, lubricate, and strengthen your joints. duraflex has key dietary ingredients, including: **Glucosamine Chondroitin; Methylsulfonylmethane (MSM)**. With daily use, benefits may be felt in as little as four weeks.


The above statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease. **Tamper Evident Feature** - This bottle is sealed with a tamper-evident safety seal for your protection. Do not use if this seal is missing or broken. **ALLERGEN WARNING: Contains shellfish**

WARNING: Pregnant or lactating women should consult a doctor before using any product. Avoid product if you have allergies to shellfish. Consult doctor before use if you have, or have had, thyroid or prostate disorders, diabetes, hypoglycemia, asthma, or if you are on a sodium restricted diet or if you are taking ANY MEDICATIONS OR REMEDIES such as blood thinners or daily aspirin. Discontinue use and consult your doctor if any adverse reactions occur, such as gastrointestinal discomfort, allergic reaction, any skin irritation, fatigue, dizziness, pain, hair loss, irregular heartbeat, or changes in blood pressure or mood. **NOT INTENDED FOR USE BY PERSONS UNDER THE AGE OF 18.**

WARNING: If you are pregnant, nursing a baby, recovering from recent surgery or have a heart or circulatory condition, consult a physician before using this product.



NDC 43063-965-60



duraflex®

Developed by Physicians & Pharmacists

**MSM
CHONDROITIN
GLUCOSAMINE**

**EASY-TO-SWALLOW
60 TABLETS**

TAMPER EVIDENT- DO NOT USE IF
SAFETY SEAL IS BROKEN OR MISSING FROM BOTTLE.

Supplement Facts

	Amount per Serving	% Daily Value*
Serving Size - 2 tablets Servings Per Container - 30		
Vitamin C (as ascorbic acid)	120mg	200%
Calcium (from dibasic calcium phosphate)	90mg	10%
Glucosamine Sulfate - Potassium Salt	750mg	**
Chondroitin Sulfate - Sodium Salt	300mg	**
MSM	250mg	**
Cat's Claw (bark)	40mg	**

* Daily value not established

Other ingredients: cellulose, stearic acid, silicon dioxide, croscarmellose sodium, magnesium stearate, ethylcellulose.

duraflex tablet dosage - Take 4 tablets daily for 1 - 2 months, then reduce dosage to a minimum of 2 tablets daily to maintain comfortable movement.

duraflex is a registered trademark of PD-Rx Pharmaceuticals, Inc. Oklahoma City, OK 73127 • 405-942-3040

GTIN: 10343063965603
SNO: C21E390000
EXP: 12/2022
LOT: C21E39

v.1.20.0

DURAFLEX

ascorbic acid, calcium, glucosamine sulfate, chondroitin sulfate, msm and cat claw. tablet

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:43063-965
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	60 mg
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP) (CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS - UNII:L11K75P92J)	DIBASIC CALCIUM PHOSPHATE DIHYDRATE	49 mg
CHONDROITIN SULFATE SODIUM (BOVINE) (UNII: 8QTV3D8T8W) (CHONDROITIN SULFATE (BOVINE) - UNII:6IC1M3OG5Z)	CHONDROITIN SULFATE (BOVINE)	150 mg
DIMETHYL SULFOXIDE (UNII: YOW8V9698H) (DIMETHYL SULFOXIDE - UNII:YOW8V9698H)	DIMETHYL SULFOXIDE	125 mg
CAT'S CLAW (UNII: 9060PRM18Q) (CAT'S CLAW - UNII:9060PRM18Q)	CAT'S CLAW	175 mg

Inactive Ingredients

Ingredient Name	Strength
GLUCOSAMINE SULFATE POTASSIUM CHLORIDE (UNII: 15VQ11I66N)	375 mg
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	
SILICON DIOXIDE (UNII: ETJ7Z 6XB4)	

CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:43063-965-60	60 in 1 BOTTLE, PLASTIC		
2	NHRIC:43063-965-98	120 in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		07/16/2021	

Supplement Facts		
Serving Size :	Serving per Container :	
	Amount Per Serving	% Daily Value
color		
scoring	1	
size (solid drugs)	21 mm	
shape		

Labeler - PD-Rx Pharmaceuticals, Inc. (156893695)

Registrant - PD-Rx Pharmaceuticals, Inc. (156893695)

Establishment			
Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(43063-965)

Revised: 7/2021

PD-Rx Pharmaceuticals, Inc.