

CVS STOMACH RELIEF- bismuth subsalicylate tablet

CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Digestive Relief 48 Chewable Tablets Drug Facts

Drug Facts

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and anti-diarrheal

Uses

relieves

- traveler's diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink including
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- bloody or black stool
- an ulcer
- a bleeding problem

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears occurs or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately. 1-800-222-1222.

Directions

- chew or dissolve tablets in mouth. Do not swallow tablets whole.
- **adults and children 12 years and older:** 2 tablets (1 dose) every 1/2 hour or 4 tablets (2 dose) every hour as needed for diarrhea
- 2 tablets (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each tablets contains:** salicylate 102 mg
- store at room temperature
- avoid excessive heat

Inactive ingredients

D&C Red# 27 lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sorbitol, sucralose.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

NDC 51316-124-48

Compare to active ingredient in **Pepto-Bismol® Chewables***

Stomach Relief

Chewable tablets

Bismuth subsalicylate, Upset Stomach Reliever / Antidiarrheal

5- symptom digestive relief

- Upset stomach,
 - Nausea,
 - Heartburn,
 - Indigestion,
 - Diarrhea
- Original flavor

48 chewable tablets

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF STRIP UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Dist.by

***This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of PEPTO-BISMOL® Chewables.**



CVS STOMACH RELIEF

bismuth subsalicylate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-124
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 (UNII: 2LRS185U6K)	

magnesium stearate (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	16mm
Flavor		Imprint Code	RP124
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-124-48	48 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/06/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part335	08/06/2021	

Labeler - CVS (062312574)

Revised: 9/2023

CVS