

# **STOOL SOFTENER PLUS LAXATIVE- docusate sodium, sennosides tablet QUALITY CHOICE (Chain Drug Marketing Association)**

-----

## **DRUG FACTS**

### **Active Ingredients (in each tablet)**

Docusate Sodium 50 mg  
Sennosides 8.6 mg

### **Purpose**

Stool softener  
Laxative

### **Purpose**

Stool softener  
laxative

### **Uses**

- relieves occasional constipation (irregularity)
- generally causes bowel movement in 6- 12 hours.

### **Warnings**

#### **Do not use**

- If you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

#### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks.

#### **Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative.  
These may indicate a serious condition.

#### **If pregnant or breastfeeding,**

ask a health professional before use.

#### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

- Take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and older	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

### Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg LOW SODIUM
- store at 25°C (77°); excursions permitted between 15°-30°C (59°-86°F)

### Inactive Ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide.

### Questions or comments?

call **1-800-935-2362 Monday-Friday 9AM-5PM EST**

### Principal Display Panel

**\*\*Compare to the Active Ingredients in Senokot-S®**

**Stool Softener Plus Laxative**

Stool Softener • Laxative

Docosate Sodium, 50 mg | Sennosides, 8.6 mg  
Provides Gentle Relief of: Occasional Constipation

Tablets

†This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot-S®

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT**

**INFORMATION.**

Distributed by C.D.M.A., Inc©

43157 W. 9 Mile Rd

Novi, MI 48376-0995

[www.qualitychoice.com](http://www.qualitychoice.com)

**Product Label**

NDC 63868-878-60

**\*\*Compare to the  
Active Ingredients  
in Senokot-S®**



# Stool Softener Plus Laxative

## Stool Softener • Laxative

**Docusate Sodium 50 mg | Sennosides 8.6 mg**  
**Provides Gentle Relief of: Occasional Constipation**

**60** Tablets

actual size



KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot-S®.

### Questions or comments? Call 1-800-935-2362 Monday-Friday 9AM-5PM EST

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)  
 ■ each tablet contains: sodium 6 mg LOW SODIUM  
 ■ each tablet contains: calcium 30 mg

### Other information

### Drug Facts (continued)

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

### Directions

■ take preferably at bedtime or as directed by a doctor  
 (1-800-222-1222) right away.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center.

**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**Ask a doctor before use if you have**  
 ■ stomach pain ■ nausea ■ vomiting  
 ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Do not use** ■ if you are now taking mineral oil, unless directed by a doctor  
 ■ laxative products for longer than 1 week unless directed by a doctor

### Warnings

**Uses**  
 ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 6-12 hours

**Active ingredients (in each tablet)**  
 Docusate sodium 50 mg.....Laxative  
 Sennosides 8.6 mg.....Stool softener

### Drug Facts

### Purpose

**QUALITY CHOICE Stool Softener**



Distributed by C.D.M.A., Inc.®  
 43157 W 9 Mile Rd  
 Novi, MI 48375  
 www.qualitychoice.com  
 Questions: 800-935-2362



PLD-E599A  
 FC006161

Lot No.:

Exp. Date:

**STOOL SOFTENER PLUS LAXATIVE**

docusate sodium, sennosides tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-878
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	PSD22
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-878-60	1 in 1 BOX	10/30/2019	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/30/2019	

**Labeler** - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 5/2024

QUALITY CHOICE (Chain Drug Marketing Association)