MILK OF MAGNESIA ORIGINAL- magnesium hydroxide liquid STRATEGIC SOURCING SERVICES LLC

health mart mom org

Active ingredient (in each 15 mL tablespoonful)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of fluid
- use dosage cup provided
- tbsp = tablespoon

adults and children 12 years and Older (TBSP)

children 6 to 11 years (TBSP)

children under 6 years and (TBSP)

ask a doctor

Other information

- each tablespoon contains: magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

Inactive ingredients

purified water, sodium hypochlorite

package Label

Health Mart.

NDC 62011-0124-1

Compare to the active ingredient in Phillips'® Milk of Magnesia*

DOCTOR RECOMMENDED

Milk of Magnesia

Magnesium Hydroxide Saline Laxative

Overnight relief without cramps, sugar or stimulants

ORIGINAL FLAVOR

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

12 fl oz (355 mL)

272-19112-1 REV 0917

Drug Facts

TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

Active ingredient (in each 15 mL tablespoonful)
Magnesium hydroxide 1200 mg

Purpose Saline laxative

Use • relieves occasional constipation (irregularity)

generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have • kidney disease • a magnesium-restricted diet
• stomach pain, nausea or vomiting

a sudden change in bowel habits that lasts more than 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product.
 These could be signs of a serious condition.
- . you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- shake well before use
- · do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- use dosage cup provided
- . follow each dosage with a full glass (8 oz) of liquid

age	dose
adults and children 12 years and older	2 to 4 tablespoonfuls (TBSP)
children 6 to 11 years	1 to 2 tablespoonfuls (TBSP)
children under 6 years	ask a doctor

0 52569 13518

Other Information

- · each tablespoonful contains: magnesium 500 mg
- · store at room temperature and avoid freezing
- · close cap tightly after use

Inactive Ingredients purified water, socium hypochlorite

"This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Philips" Milk of Magnesia.

MSKESSON

Distributed by McKesson One Post Street San Francisco, CA 94104

Money Back Guarantee

www.healthmart.com/healthmart.brand 972-19112-2 REV1218

MILK OF MAGNESIA ORIGINAL

magnesium hydroxide liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62011-0124

Route of Administration ORAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
I	MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION -	MAGNESIUM	1200 mg
ı	UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	HYDROXIDE	in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			

l	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:62011-0124-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/01/2012	03/01/2025

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Registrant - GCP Laboratories (965480861)

Establishment					
Name	Address	ID/FEI	Business Operations		
GCP Laboratories		965480861	manufacture(62011-0124)		

Revised: 11/2023 STRATEGIC SOURCING SERVICES LLC