LUTETIUM- lutetium pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LUTETIUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

LUTETIUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LUTETIUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

LUTETIUM

30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use: Traditional
homeopathic use.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

LUTETIUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LUTETIUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LUTETIUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

LUTETIUM

100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional homeopathic use. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

LUTETIUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

LUTETIUM

200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use: Traditional
homeopathic use.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients: sucrose

00000

mann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

LUTETIUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

LUTETIUM

500C

sucrose

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional homeopathic use. Keep out of reach of children Directions: Take 5 pellets orally once

00000

Inactive ingredients:

LUTETIUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

LUTETIUM

1M

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional homeopathic use. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

TWIST TO OPEN - USE ONLY IF SEALED

LUTETIUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



LUTETIUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LUTETIUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: • If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

LUTETIUM

lutetium pellet

				ation	

Route of Administration

Product Type

HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-1768

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
L	LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ)	LUTETIUM	6 [hp_C]

Inactive Ingredients

rength

SUCROSE (UNII: C151H8M554)

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:37662- 1768-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022					
2	NDC:37662- 1768-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022					
3	NDC:37662- 1768-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022					

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved homeopathic		10/27/2022					

LUTETIUM

lutetium pellet

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1769			
Route of Administration	ORAL					

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ)	LUTETIUM	12 [hp C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 1769-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022				
2	NDC:37662- 1769-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022				
3	NDC:37662- 1769-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022				

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved homeopathic		10/27/2022					

lutetium pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1774	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ)	LUTETIUM	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1774-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022		
2	NDC:37662- 1774-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022		
3	NDC:37662- 1774-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022		
4	NDC:37662- 1774-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/27/2022	

lutetium pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1775
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ)	LUTETIUM	1 [hp_Q]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
ColorwhiteScoreno score			
Shape	ROUND	Size	1mm
Flavor		Imprint Code	

Contains

I	P	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date		
		NDC:37662- 1775-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/27/2022		

LUTETIUM

lutetium pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1771
---------------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ) LUTETIUM 100 [hp_C]

Inactive Ingredients

mactive mgreaterits		
Ingredient Na	ame	Strength
SUCROSE (UNII: C151H8M554)		

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

. acitagag				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1771-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022	
١,	NDC:37662-	500 in 1 VIAL, GLASS; Type 0: Not a Combination	10/27/2022	

'	177	1-2	Product	10/2//2022	
	NDC 177		3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022	
	NDC 177		10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022	

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	10/27/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

lutetium pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-1773

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ) LUTETIUM 500 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics Color white Score no score Shape ROUND Size 2mm Flavor Imprint Code Contains

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1773-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022		
2	NDC:37662- 1773-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022		
3	NDC:37662- 1773-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022		
	NDC:37662-	10000 in 1 BOTTLE, GLASS; Type 0: Not a	10/27/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/27/2022		

lutetium pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-1772

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ) LUTETIUM 200 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

ColorwhiteScoreno scoreShapeROUNDSize2mmFlavorImprint Code

Contains

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:37662- 1772-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022		
	2	NDC:37662- 1772-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022		
	3	NDC:37662- 1772-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022		
	4	NDC:37662- 1772-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/27/2022		

lutetium pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-1770

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ) LUTETIUM 30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1770-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022	
2	NDC:37662- 1770-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/27/2022	
3	NDC:37662- 1770-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022	
4	NDC:37662- 1770-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/27/2022	

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

unapproved homeopathic	10/27/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1768, 37662-1769, 37662-1770, 37662-1771, 37662-1772, 37662-1773, 37662-1774, 37662-1775)

Revised: 10/2022 Hahnemann Laboratories, INC.