

## **SODIUM BICARBONATE- sodium bicarbonate tablet**

### **Major Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**4624 - Major**

### ***Drug Facts***

#### ***Active ingredient (in each tablet)***

Sodium bicarbonate 10 gr (650 mg)

#### ***Purpose***

Antacid

#### ***Uses***

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

**Do not take** more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor before use if you have** a sodium restricted diet.

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### ***Directions***

- do not use the maximum dosage for more than 2 weeks  tablets may be swallowed whole or dissolved in water prior to use  **adults 60 years of age and over:** 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
- adults under 60 years of age:** 1-4 tablets every 4 hours, not more than 24

tablets in 24 hours

**Other information**

□ each tablet contains: sodium 178 mg

□ store in a dry place at 15° - 30°C (59° - 86°F) □ Retain this carton for important information.

croscarmellose sodium, microcrystalline cellulose, silica, stearic acid and talc

**Questions or comments?**

**(800) 616-2471**

**Unit Dose**

**Sodium Bicarbonate**

**DO NOT USE IF CARTON IS OPENED OR IF A BLISTER UNIT IS TORN, BROKEN, OR SHOWS ANY SIGNS OF TAMPERING.**

Distributed by:

**MAJOR® PHARMACEUTICALS**

Indianapolis, IN 46268

[www.majorpharmaceuticals.com](http://www.majorpharmaceuticals.com)

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

NDC 0904-7261-61

**MAJOR®**


**Unit Dose**

**Sodium Bicarbonate**

**Antacid**

**10 gr (650 mg)**

**100 Tablets**



## SODIUM BICARBONATE

sodium bicarbonate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-7261
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4MONH37)	SODIUM BICARBONATE	650 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z 65AP)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z 6XB4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	CPC;77
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7261-61	10 in 1 BOX, UNIT-DOSE	10/26/2022	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	10/26/2022	

**Labeler** - Major Pharmaceuticals (191427277)

Revised: 10/2022

Major Pharmaceuticals