

**DYE-FREE CHILDRENS LORATADINE- loratadine tablet, chewable
WAL-MART STORES, INC**

DYE-FREE CHILDRENS LORATADINE

Drug Facts

Active Ingredient (in each chewable tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing.

| | |
|--------------------------------------|--|
| adults and children 6 years and over | chew 2 tablets daily; not more than 2 chewable |
|--------------------------------------|--|

| | |
|--|--|
| years and over | tablets in 24 hours |
| children 2 to under 6 years of age | chew 1 tablet daily; not more than 1 chewable tablet in 24 hours |
| children under 2 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other Information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive Ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

Call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-888-287-1915**.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 79903-933-30

equate™

Compare to
Children's Claritin®
Chewables active
ingredient*

childrens Non-Drowsy**
LORATADINE CHEWABLE
Tablets USP, 5mg
Antihistamine

24
HOURS

Dye-Free

AGES 2+ YEARS

Indoor & Outdoor Allergies

Grape Flavored

30 Chewable Tablets

The chewable tablets are to be chewed before swallowing.

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

**When taken as directed.

See Drug Facts Panel.



1023
 DISTRIBUTED BY: Walmart Inc.,
 Bentonville, AR 72716
 PRODUCT OF INDIA
 Tableted in USA with Domestic &
 Imported Ingredient
 *This product is not manufactured or
 distributed by Bayer Healthcare LLC,
 owner of the registered trademark
 Claritin®.
 Satisfaction guaranteed - Or we'll replace it
 or give you your money back. For questions
 or comments please call 1-888-287-1915.

equate™
childrens
LORATADINE CHEWABLE
 Tablets USP, 5mg
 Indoor & Outdoor Allergies

Dye-Free
Grape Flavored
30 Chewable Tablets
The chewable tablets are to be chewed before swallowing.

equate™

NDC 79661-0063-30



childrens Non-Drowsy**
LORATADINE CHEWABLE
 Tablets USP, 5mg
 Antihistamine



Dye-Free
AGES 2+ YEARS

Indoor & Outdoor Allergies
Grape Flavored



30 Chewable Tablets

The chewable tablets are to be chewed before swallowing.

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

**When taken as directed,
 See Drug Facts Panel



Actual Size

Batch No.

Expiration Date:



5246714

equate™

childrens

LORATADINE CHEWABLE

Tablets USP, 5mg

Indoor & Outdoor Allergies

Dye-Free

Grape Flavored

30 Chewable Tablets

The chewable tablets are to be chewed before swallowing.

Drug Facts

Active ingredient Purpose
(in each chewable tablet)
Loratadine USP, 5 mg Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose
■ itchy, watery eyes
■ sneezing
■ itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

| | |
|---|--|
| ■ chew or crush tablets completely before swallowing. | |
| adults and children 6 years and over | chew 2 tablets daily; not more than 2 chewable tablets in 24 hours |
| children 2 to under 6 years of age | chew 1 tablet daily; not more than 1 chewable tablet in 24 hours |
| children under 2 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? 1-888-287-1915

Keep the carton. It contains important information. See end panel for expiration date.



GLUE - NO COATING



DYE-FREE CHILDRENS LORATADINE

loratadine tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:79903-933 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN) | LORATADINE | 5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| ASPARTAME (UNII: Z0H242BBR1) | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MANNITOL (UNII: 3OWL53L36A) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |

Product Characteristics

| | | | |
|-----------------|----------------------------|---------------------|----------|
| Color | white (white to off-white) | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | GRAPE | Imprint Code | LC5 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:79903-933-30 | 3 in 1 CARTON | 01/01/2021 | |
| 1 | | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| ANDA | ANDA210088 | 01/01/2021 | |

Labeler - WAL-MART STORES, INC (051957769)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------|----------------|---------------|----------------------------|
| Ohm Laboratories Inc. | | 184769029 | manufacture(79903-933) |

Revised: 4/2024

WAL-MART STORES, INC