

**SLEEP AID- diphenhydramine hcl capsule, liquid filled**  
**Allegiant Health**

-----  
**410-Sleep Aid Diphenhydramine HCl 50mg**

**Active ingredient(s)**

Diphenhydramine HCl 50mg

**Purpose**

Nighttime sleep aid

**Use(s)**

for relief of occasional sleeplessness

**Warnings**

**Do not use**

for children under 12 years of age

- with any other products containing diphenhydramine, even one used on skin

**Ask a doctor before use if**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if**

you are taking sedatives or tranquilizers

**When using this product**

avoid alcoholic drinks

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**Pregnancy/Breastfeeding**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

## **Directions**

**Adults and children 12 years and over:** 1 softgel (50mg) at bedtime if needed, or as directed by a doctor

## **Other information**

- do not use if imprinted safety seal under cap is broken or missing or
- do not use if blister unit is torn or open

## **Storage**

store at room temperature 15° to 30°C (59° to 86°F) and avoid excessive heat

## **Inactive ingredients**

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitol sorbitan solution, white ink

## **Questions**

## **Principal Display Panel**



**Drug Facts**

**Active ingredient (in each softgel)**  
Diphenhydramine HCl 50mg ..... Nighttime sleep aid

**Use** for relief of occasional sleeplessness

**Warnings**  
 Do not use ■ for children under 12 years of age ■ with any other products containing diphenhydramine, even one used on skin  
 Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland  
 Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product avoid alcoholic drinks

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
 ■ adults and children 12 years and over: 1 softgel (50mg) at bedtime if needed, or as directed by a doctor

**Other information**  
 ■ store at room temperature 15° to 30°C (59° to 86°F) and a void excessive heat  
 ■ do not use if imprinted safety seal under cap is broken or missing  
 ■ you may report side effects to 1-888-952-0050

**Inactive ingredients** FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitol sorbitan solution, white ink

\*This product is not manufactured or distributed by Chatham, Inc., owner of the registered trademark Unisom®.

LB1760 R0721

X002G7NZG7

HealthAzz SleepAid, Dip...eeping, Non Habit-Forming

Lot:  
Exp:

UNVARNISHED

# SLEEP AID

diphenhydramine hcl capsule, liquid filled

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69168-410
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69168-410-09	10 in 1 CARTON; Type 0: Not a Combination Product	11/09/2020	
2	NDC:69168-410-03	250 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/09/2020	
3	NDC:69168-410-32	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	11/09/2020	

