# FORTICEPT ANTIFUNGAL BALM- tolmaftate liquid Cosco International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Drug Facts**

# Active Ingredient/Purpose

Tolnaftate 1% w/w.....Antifungal

## Uses

Proven clinically effective in the treatment and prevention of most athlete's foot (tinea pedis), ringworm (tinea corporis), and jock itch (tinea cruris).

# Warnings

# For external use only

**Do not use** Ion children under 2 years of age unless directted by a doctor.

**When using this product** avoid contact with eyes.

**Stop use and ask a doctor if** irritation occurs or there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Read all package directions and warnings before use. Use only as directed.
- Clean the affected area with soap and warm water and dry thoroughly.
- Apply a thin layer of FORTICEPT<sup>TM</sup> COOLING BALM over the affected area twice daily (morning and night), or as directed by a doctor.
- For athlete's foot, pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor.
- Intended for use by normally healthy individuals only.
- Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.
- Supervise children in the use of this product.

**Other Information** store between 20° - 25°C (68° - 77°F)

# **Inactive ingredients:**

Acticire®, Capric Caprylic Triglyceride, Dimethicone, Eucalyptus Oil, Glyceryl Behenate, Glyceryl Stearate, Lavender Oil, LexFeel® N5, Methyl Lactate, PEG 40 Hydrogenated Castor Oil, Polyhexanide, Sunflower Oil, Tea Tree Oil, Water



ANTIFUNGAL COOLING BALM

MAXIMUM STRENGTH (TOLNAFTATE 1%)

### Menthol Tea Tree & Eucalyptus

- Overnight Formula
- Helps Cure and Prevent Fungal Infections
- Protective Barrier Stays on All Night

# Relieves itching & burning

Cures and prevents most:

Athlete's Foot Ringworm Jock Itch

NET WT 1oz./30g

#### FORTICEPT™ ANTIFUNGAL COOLING BALM

#### **Drug Facts** Active Ingredient **Purpose** Tolnaftate 1% w/w Antifunga

USA WWW.FORTICEPT.COM

8th FLOOR NEW YORK, NY 10005

STR.

30 WALL

Proven clinically effective in the treatment and prevention of most athlete's foot (tinea pedis), ringworm (tinea corporis), and jock itch (tinea cruris).

#### Warnings

For external use only

Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with eyes.

Stop use and ask a doctor if irritation occurs there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch). **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control

#### Directions

- Read all package directions and warnings before use. Use only as directed.
- Clean the affected area with soap and warm water and dry thoroughly.
- Apply a thin layer of FORTICEPT $^{\text{TM}}$  COOLING BALM over the affected area twice daily (morning and night), or as directed by a doctor.
- For athlete's foot, pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer,
- Intended for use by normally healthy individuals only.
- Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.
- Supervise children in the use of this product.

Other Information store between 20° - 25°C (68° - 77°F)

#### Inactive Ingredients

Acticire<sup>®</sup>, Capric Caprylic Triglyceride, Dimethicone, Eucalyptus Oil, Glyceryl Behenate, Glyceryl Stearate, Lavander Cil, LexFeel<sup>®</sup> N5, Methyl Lactate, PEG 40 Hydrogenated Castor Oil, Polyhexanide, Sunflower Oil, Tea Tree Oil, Water

For questions, please call:

+1 212 709-8133

MADE IN USA





FORTICEPT™ is registered Trade Mark of Lidan, Inc. all rights reserved 2016 PATENT PENDING



ANTIFUNGAL COOLING BALM

MAXIMUM STRENGTH (TOLNAFTATE 1%)

### Menthol Tea Tree & Eucalyptus

- Overnight Formula
- Helps Cure and Prevent Fungal Infections
- Protective Barrier Stays on All Night

# Relieves itching & burning

Cures and prevents most:

Athlete's Foot Ringworm Jock Itch

NET WT 2oz./60g

### FORTICEPT™ ANTIFUNGAL COOLING BALM

#### **Drug Facts** Active Ingredient Purpose Tolnaftate 1% w/w

USA WWW.FORTICEPT.COM

NY 10005

8th FLOOR NEW YORK,

30 WALL STR.

Proven clinically effective in the treatment and prevention of most athlete's foot (tinea pedis), ringworm (tinea corporis), and jock itch (tinea cruris).

#### Warnings

For external use only
Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes.

Stop use and ask a doctor if irritation occurs there is no improvement within 4. weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Read all package directions and warnings before use. Use only as directed.
- Clean the affected area with soap and warm water and dry thoroughly.
- Apply a thin layer of FORTICEPT<sup>™</sup> COOLING BALM over the affected area twice daily (morning and night), or as directed by a doctor.
- For athlete's foot, pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor.
- Intended for use by normally healthy individuals only.
- Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.
- Supervise children in the use of this product.

Other Information store between 20° - 25°C (68° - 77°F)

#### Inactive Ingredients

Acticire®, Capric Caprylic Triglyceride, Dimethicone, Eucalyptus Oil, Glyceryl Behenate, Glyceryl Stearate, Lavender Oil, LexFeel® N5, Methyl Lactate, PEG 40 Hydrogenated Castor Oil, Polyhexanide, Sunflower Oil, Tea Tree Oil, Water

PATENT PENDING

For questions, please call: +1 212 709-8133

MADE IN USA



FORTICEPT™ is registered Trade Mark of Lidan, Inc. all rights reserved 2016

# FORTICEPT ANTIFUNGAL BALM

tolmaftate liquid

#### **Product Information** HUMAN OTC DRUG Product Type Item Code (Source) NDC:52261-0100 **Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety **Ingredient Name Basis of Strength** Strength tolnaftate (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) to lna fta te 10 g in 1000 g

Inactive Ingredients			
Ingredient Name	Strength		
water (UNII: 059QF0KO0R)	415.7 g in 1000 g		
sunflower oil (UNII: 3W1JG795YI)	158.225 g in 1000 g		
dimethicone (UNII: 92RU3N3Y1O)	150 g in 1000 g		
DIHEPTYL SUCCINATE (UNII: 057N7SS26Y)	80 g in 1000 g		

glyceryl monostearate (UNII: 230 O U9 XXE4)	65 g in 1000 g
GLYCERYL DIBEHENATE (UNII: R8 WTH25YS2)	50 g in 1000 g
peg-40 castor oil (UNII: 4ERD2076EF)	25 g in 1000 g
polyglyceryl-10 oleate (UNII: 55C81W76DH)	24.675 g in 1000 g
POLIHEXANIDE HYDRO CHLO RIDE (UNII: 4XI6 112496)	10 g in 1000 g
methyl lactate, (-)- (UNII: 0379G9C44S)	4 g in 1000 g
tea tree oil (UNII: VIF565UC2G)	2.5 g in 1000 g
eucalyptus oil (UNII: 2R04ONI662)	1.8 g in 1000 g
GLYCERYL CAPRATE (UNII: 197M6 VFC1W)	1.05 g in 1000 g
ACACIA DECURRENS FLO WER (UNII: 8 PHF3LSM61)	1.05 g in 1000 g

	Packaging			
ı	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
ı	1 NDC:52261-0100-0	30 g in 1 TUBE; Type 0: Not a Combination Product	05/04/2016	
	2 NDC:52261-0100-1	60 g in 1 TUBE; Type 0: Not a Combination Product	05/04/2016	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part333C	05/04/2016			

# Labeler - Cosco International, Inc. (016433141)

# Registrant - Cosco International, Inc. (016433141)

Establishment			
Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		0 16 433141	manufacture(52261-0100), label(52261-0100), pack(52261-0100)

Revised: 5/2016 Cosco International, Inc.