

**DERMOPLAST FIRST AID- benzethonium chloride and benzocaine spray**  
**Advantice Health, LLC**

-----  
**Dermoplast ® First Aid**

**Drug Facts**

<b>Active ingredients</b>	<b>Purposes</b>
Benzethonium chloride 0.2%	First aid antiseptic
Benzocaine 20%	Topical analgesic

**Uses**

first aid for the temporary relief of pain and itching and to help prevent infection in minor cuts, scrapes and burns

**Warnings**

**For external use only**

**Flammable** do not use near heat, flame, or fire or while smoking

**Allergy alert:** do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

**Do not use**

- in the eyes
- over large areas of the body

**When using this product**

- avoid contact with eyes. Do not spray in the face or mouth.
- use only as directed
- intentional misuse by deliberately concentrating or inhaling the contents can be harmful or fatal
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- itching, rash or irritation develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison

Control Center right away.

### **Directions**

- clean the affected area

Adults and children 2 years of age and older	apply a small amount to affected area 1 to 3 times daily
Children under 2 years of age	consult a doctor

- to use this product, hold the can 6 to 12 inches away from the affected area. Direct spray nozzle towards skin and press button to activate spray.
- to apply to face, spray in palm of hand and gently apply

### **Other information**

- avoid contact with leather, fabric and upholstery to prevent possible staining or discoloration
- store at 20-25°C (68-77° F)

### **Inactive ingredients**

aloe vera gel (decolorized), cyclomethicone, dipropylene glycol, isobutane, SD alcohol 40-B (73% v/v), tocopheryl acetate (vitamin E acetate)

### **Questions?**

**1-800-345-0032**

Mon - Fri 8AM- 5PM EST

**Dermoplast.com**

Distributed by Advantice Health, LLC

Cedar Knolls, NJ 07927

### **PRINCIPAL DISPLAY PANEL - 78 g Can Label**

Dermoplast®  
Antiseptic & Pain  
Relieving Spray

HOSPITAL STRENGTH

FIRST AID  
ANTIBACTERIAL SPRAY

KILLS 99% OF GERMS  
To Prevent Infection

For Minor Cuts, Scrapes & Burns

Disinfects  
Burns &  
Wounds

Provides  
Fast  
Pain Relief

Soothing  
Aloe &  
Vitamin E

NET WT. 2.75 oz (78 g)

**Drug Facts (continued)**

**Directions**  
 ■ clean the affected area

Adults and children 2 years of age and older	apply a small amount to affected area 1 to 3 times daily
Children under 2 years of age	consult a doctor

■ to use this product, hold the can 6 to 12 inches away from the affected area. Direct spray nozzle towards skin and press button to activate spray. ■ to apply to face, spray in palm of hand and gently apply

**Other information** ■ avoid contact with leather, fabric and upholstery to prevent possible staining or discoloration ■ store at 20-25°C (68-77°F)

**Inactive ingredients**  
 aloe vera gel (decolorized), cyclomethicone, dipropylene glycol, isobutane, SD alcohol 40-B (73% v/v), tocopheryl acetate (vitamin E acetate)

**Questions?** 1-800-345-0032  
 Mon - Fri 8AM- 5PM EST  
 Dermoplast.com

©2019 Distributed by Advantice Health, LLC  
 Cedar Knolls, NJ 07927

DOT 2P M5735 81-6701-03

**FPO UPC**  
**8 51409 00724 0**

0 00000 00000 0

TYPE LIMIT

# Dermoplast®

Antiseptic & Pain Relieving Spray

HOSPITAL STRENGTH

## FIRST AID

ANTIBACTERIAL SPRAY

**KILLS 99% OF GERMS**  
 To Prevent Infection

**For Minor Cuts, Scrapes & Burns**

<b>+</b> Disinfects Burns & Wounds	<b>🎯</b> Provides Fast Pain Relief	<b>💧</b> Soothing Aloe & Vitamin E
---------------------------------------	---------------------------------------	---------------------------------------

**NET WT. 2.75 oz (78 g)**  
 TYPE LIMIT

**Drug Facts**

**Active ingredients..... Purpose**  
 Benzethonium chloride 0.2% ..... First aid antiseptic  
 Benzocaine 20% ..... Topical analgesic

**Uses** first aid for the temporary relief of pain and itching and to help prevent infection in minor cuts, scrapes and burns

**Warnings**  
**For external use only**  
**Flammable** do not use near heat, flame, or fire or while smoking  
**Allergy alert:** do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.  
**Do not use** ■ in the eyes ■ over large areas of the body  
**When using this product** ■ avoid contact with eyes. Do not spray in the face or mouth. ■ use only as directed ■ intentional misuse by deliberately concentrating or inhaling the contents can be harmful or fatal ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.  
**Ask a doctor before use if you have** ■ deep or puncture wounds ■ animal bites ■ serious burns  
**Stop use and ask a doctor if** ■ condition worsens or symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days ■ itching, rash or irritation develops  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DERMOPLAST FIRST AID			
benzethonium chloride and benzocaine spray			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:16864-670
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	2 mg in 1 g
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16864-670-01	78 g in 1 CAN; Type 0: Not a Combination Product	01/01/2010	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2010	

**Labeler** - Advantice Health, LLC (192527062)

Revised: 12/2024

Advantice Health, LLC