

**GOOD SENSE READY TO USE LAXATIVE- sodium phosphate, dibasic, unspecified form and sodium phosphate, monobasic, unspecified form enema**  
**Good Sense**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**GOOD SENSE® READY TO USE ENEMA  
LAXATIVE**

***Drug Facts***

<b><i>Active ingredients (in each 118mL delivered dose)</i></b>	<b><i>Purpose</i></b>
Dibasic Sodium Phosphate 7 g	Saline laxative
Monobasic Sodium Phosphate 19 g	Saline laxative

**Use**

- relieves occasional constipation
- this product generally produces bowel movement in 1 to 5 minutes

**Warnings**

**Dosage warning**

**Using more than one enema in 24 hours can be harmful.**

**For rectal use only.**

**Do not use**

- on children under 2 years of age

**Ask a doctor before use if you**

- have already used a laxative for more than 3 days
- have kidney disease, have heart problems, or are dehydrated
- are 55 years of age or older
- are on a sodium-restricted diet
- have abdominal pain, nausea, or vomiting
- have a sudden change in bowel habits lasting more than 2 weeks

**Ask a doctor or pharmacist before use if you** are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**When using this product**

- **do not use more than directed. Serious side effects may occur from**

**excess dosage**

- do not use for more than 3 days, without asking a doctor

**Stop use and ask a doctor if**

- you have rectal bleeding
- you have no bowel movement within 30 minutes of enema use
- you have symptoms of dehydration (thirstiness, dizziness, vomiting, urinating less often than normal)

These symptoms may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

**Directions (or as directed by a doctor)****Single daily dosage (per 24 hours)**

**Do not use if taking another sodium phosphate product.**

**Do not use more unless directed by a doctor. See Warnings.**

Adults and children 12 years of age and older	1 bottle once daily
Children 2 to under 12 years of age	Use Pediatric Enema
Children under 2 years of age	DO NOT USE

**Other information**

- **each 118 ml contains** sodium 4.3 g
- store at 15 to 30°C (59 to 86°F)
- additional liquids by mouth are recommended while using this product
- **Tamper Evident:** DO NOT USE IF TOP OR BOTTOM FLAP OF CARTON IS TORN OR MISSING.

**Inactive ingredients**

benzalkonium chloride, disodium EDTA, purified water

**Questions or comments?**

**866-323-0107**

Distributed by:  
Perrigo Direct, Inc.

Peachtree City, GA 30269

**PRINCIPAL DISPLAY PANEL - 133 mL Bottle Carton**

NDC 50804-004-01

GOODSENSE®

Latex Free

Ready To Use  
Enema

Saline  
Laxative

- For Relief Of  
Occasional  
Constipation
- Pre-Mixed
- Soft, Flexible  
Pre-Lubricated  
Tip

Compare to active ingredients of  
Fleet® Enema Saline\*

ONE UNIT 4.5 FL. OZ.  
(133mL)

Tamper Resistant  
Do not use if top or bottom flap  
is torn or missing.

# GOODSENSE. Ready To Use Enema

**CAUTION:**  
REMOVE  
PROTECTIVE  
SHIELD  
BEFORE  
INSERTING

PL9100B  
V15

**CARTON SEALED  
FOR SAFETY  
DO NOT USE  
IF TOP OR  
BOTTOM FLAP  
IS TORN OR  
MISSING.**

GOODSENSE.

GOODSENSE.

NDC 50804-004-01

GOODSENSE.

GOODSENSE.

**POSITIONING:**  
**Left-side position:** Lie on left side with knees bent and arms resting comfortably.




**Knee-chest position:** Kneel, then lower head and chest forward until left side of face is resting on surface with left arm folded comfortably.



## How To Use This Enema

**REMOVE PROTECTIVE SHIELD BEFORE INSERTING.**

Hold bottle upright, grasping bottle cap with fingers. Grasp protective shield with other hand and pull gently to remove.



### ADMINISTERING ENEMA:

- With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. Doing so helps relax muscles around anus.
- Do not force enema tip into rectum. Stop using if tip is hard to insert. Forcing the tip into the rectum can cause injury (especially if you have hemorrhoids). If enema tip causes rectal bleeding or pain, get immediate medical care.
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty bottle completely, as it contains more liquid than needed.
- Remove tip from rectum and stay in position until urge to evacuate is strong (usually 1 to 5 minutes). If no urge is felt after 5 minutes of using, try to empty bowel. Call a doctor promptly if no liquid comes out of the rectum after 30 minutes because dehydration could occur.



**Latex Free**

# Ready To Use Enema

## Saline Laxative

- For Relief Of Occasional Constipation
- Pre-Mixed
- Soft, Flexible Pre-Lubricated Tip



Compare to active ingredients of  
**Fleet® Enema Saline\***

ONE UNIT 4.5 FL. OZ.  
(133mL)

# Ready To Use Enema

### Drug Facts

**Active ingredients Purpose**  
(in each 118mL delivered dose)

Dibasic Sodium Phosphate 7 g	Saline laxative
Monobasic Sodium Phosphate 19 g	Saline laxative

### Use

- relieve occasional constipation
- this product generally produces bowel movement in 1 to 5 minutes

### Warnings

**Dosage warning:** Using more than one enema in 24 hours can be harmful.

### For rectal use only.

#### Do not use

- on children under 2 years of age

#### Ask a doctor before use if you

- have already used a laxative for more than 3 days
- have kidney disease, have heart problems, or are dehydrated
- are 55 years of age or older
- are on a sodium-restricted diet
- have abdominal pain, nausea, or vomiting
- have a sudden change in bowel habits lasting more than 2 weeks

**Ask a doctor or pharmacist before use if you are taking any other drug.** Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

#### When using this product

- do not use more than directed. Serious side effects may occur from excess dosage
- do not use for more than 3 days, without asking a doctor

#### Stop use and ask a doctor if

- you have rectal bleeding
- you have no bowel movement within 30 minutes of enema use
- you have symptoms of dehydration (thirstiness, dizziness, vomiting, urinating less often than normal)

These symptoms may indicate a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

Distributed by:  
Perrigo Direct, Inc.  
Peachtree City, GA 30269  
www.PerrigoDirect.com  
1-866-323-0107  
GoodSense® is a registered trademark of L. Perrigo Company.

\* This product is not manufactured or distributed by C.B. Fleet Company Inc., owner of the registered trademark Fleet®.

### Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

**Directions (or as directed by a doctor)**  
Single daily dosage (per 24 hours)  
Do not use if taking another sodium phosphate product.  
Do not use more unless directed by a doctor. See Warnings.

Adults and children 12 years of age and older	1 bottle once daily
Children 2 to under 12 years of age	Use Pediatric Enema
Children under 2 years of age	DO NOT USE

### Other information

- each 118 ml contains sodium 4.3 g
- store at 15 to 30°C (59 to 86°F)
- additional liquids by mouth are recommended while using this product
- Tamper Evident:** DO NOT USE IF TOP OR BOTTOM FLAP OF CARTON IS TORN OR MISSING.

### Inactive ingredients

benzalkonium chloride, disodium EDTA, purified water

### Questions or comments?

866-323-0107

**Complete Enema In A Disposable Squeeze Bottle With Soft, Flexible Pre-Lubricated Tip.**

Protective Shield Prevents Contamination  
Comfortable, Lubricated Tip For Ease Of Insertion

One-Way Safety Valve Controls Flow And Prevents Reflux

Soft, Easy To Use Bottle



**Bottle, cap and shield are NOT MADE WITH NATURAL RUBBER LATEX**

Allergic reaction to materials containing Latex is a growing and serious medical problem.

## GOOD SENSE READY TO USE LAXATIVE

sodium phosphate, dibasic, unspecified form and sodium phosphate, monobasic, unspecified form enema

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-004
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM</b> (UNII: GR686LBA74) (PHOSPHATE ION - UNII:NK08V8K8HR, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM	7 g in 133 mL
<b>SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM</b> (UNII: 3980JIH2SW) (PHOSPHATE ION - UNII:NK08V8K8HR, SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM	19 g in 133 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-004-01	1 in 1 CARTON	12/04/2018	
1		133 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:50804-004-02	2 in 1 CARTON	12/04/2018	
2		133 mL in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/04/2018	

**Labeler** - Good Sense (076059836)

## Establishment

Name	Address	ID/FEI	Business Operations
Natureplex LLC		062808196	MANUFACTURE(50804-004)

Revised: 7/2021

Good Sense