

TRUE LIDO GEL PATCH- lidocaine hcl patch
Singular Dreamer, Ltd dba True Marker

Active Ingredient

Purposes

Lidocaine 4.00%Topical Anesthetic

Uses

For the temporary relief of pain.

Warnings

- **For External Use only**
- **Do not use:** ● More than 1 patch at a time ● On wounds or damaged skin ● With a heating pad ● If you are allergic to any ingredients of this product
- **When using this product:** ● Use only as directed ● Avoid contact with eyes, mucous membranes or rashes ● Do not bandage tightly
- If pregnant or breast-feeding, ask a health professional before use.
- **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adult and children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application
- **Children under 12 years of age:** Consult a doctor.

Other Information

- Store at controlled room temperature 20° - 25°C (68° - 77°F)
- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Inactive Ingredients

Dihydroxyaluminum aminoacetate, Edetate disodium, Glycerin, Kaolin, Methylparaben, Polyacrylic acid, Polysorbate 80, Polyvinylpyrrolidone K90, Propylene glycol, Propylparaben, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments

Call 1-(888) 811-2634

Product label

The image shows a yellow box for True Lido Gel Patch. The front of the box features the product name "True Lido Gel Patch" in large green letters, with "(Lidocaine HCL 4%, Patch)" underneath. A green arrow-shaped logo is positioned above the product name. The text "Topical Analgesic Patches" is written in a rounded box. The NDC number "NDC: 83035-1131-01" is printed in the top left. The "true marker" logo is in the bottom right. The side of the box is labeled "True Lido Gel Patch" vertically. The top flap of the box also displays the product name and "Topical Analgesic Patches". The bottom flap shows "15 patches" and the "true marker" logo. The back of the box contains detailed product information, including a "Drug Facts" table, "Directions", "Other Information", and "Inactive Ingredients". A barcode is located at the bottom left of the back panel, and a box for "LOT:" and "EXP:" is at the bottom right. The manufacturer information "Manufactured for: Singular Dreamet, Ltd dba True Marker Glendale, CA 91205" is printed at the bottom right.

True Lido Gel Patch
(Lidocaine HCL 4%, Patch)

Topical Analgesic Patches

NDC: 83035-1131-01

15 patches

true marker

True Lido Gel Patch
(Lidocaine HCL 4%, Patch)

true marker

True Lido Gel Patch
(Lidocaine HCL 4%, Patch)

Drug Facts

Active Ingredient	Purpose
Lidocaine 4%	Topical anesthetic

Uses
For temporary relief of pain.

Warnings
For external use only.

Do not use: • More than 1 patch at a time • On wounds or damaged skin • With a heating pad • If you are allergic to any ingredients of this product

When using this product: • Use only as directed • Avoid contact with eyes, mucous membranes or rashes • Do not bandage tightly

Stop use and ask a doctor if: • Localized skin reaction occur, such as rash, itching, redness, irritation, pain, swelling and blistering • Condition worsens • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adult and children 12 years of age and over:
• Clean and dry affected area
• Remove film from patch and apply to the skin
• Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
• Remove patch from the skin after at most 8-hour application
Children under 12 years of age: Consult a doctor.

Other Information
• Store at controlled room temperature 20° - 25°C (68° - 77°F)
• Avoid storing product in direct sunlight
• Protect product from excessive moisture

Inactive Ingredients
Dihydroxyaluminum aminoacetate, Edetate disodium, Glycerin, Kaolin, Methylparaben, Polyacrylic acid, Polysorbate 80, Polyvinylpyrrolidone K90, Propylene glycol, Propylparaben, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments
Call 1-(888)-811-2634

Manufactured for: Singular Dreamet, Ltd dba True Marker Glendale, CA 91205

LOT:
EXP:

The image shows the label for True Lido Gel Patch. It features the product name "True Lido Gel Patch" in large green letters, with "(Lidocaine HCL 4%, Patch)" underneath. A green arrow-shaped logo is positioned above the product name. The text "Topical Analgesic Patches" is written in a rounded box. The NDC number "NDC: 83035-1131-01" is printed in the top left. The "true marker" logo is in the bottom right. The label contains detailed product information, including a "Drug Facts" table, "Directions", "Other Information", and "Inactive Ingredients". The manufacturer information "Manufactured for: Singular Dreamet, Ltd dba True Marker Glendale, CA 91205" is printed at the bottom right.

True Lido Gel Patch
(Lidocaine HCL 4%, Patch)

Topical Analgesic Patches

NDC: 83035-1131-01

true marker

True Lido Gel Patch
(Lidocaine HCL 4%, Patch)

Drug Facts

Active Ingredient	Purpose
Lidocaine 4%	Topical anesthetic

Uses
For temporary relief of pain.

Warnings
For external use only.

Do not use: • More than 1 patch at a time • On wounds or damaged skin • With a heating pad • If you are allergic to any ingredients of this product

When using this product: • Use only as directed • Avoid contact with eyes, mucous membranes or rashes • Do not bandage tightly

Stop use and ask a doctor if: • Localized skin reaction occur, such as rash, itching, redness, irritation, pain, swelling and blistering • Condition worsens • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adult and children 12 years of age and over:
• Clean and dry affected area
• Remove film from patch and apply to the skin
• Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
• Remove patch from the skin after at most 8-hour application
Children under 12 years of age: Consult a doctor.

Other Information
• Store at controlled room temperature 20° - 25°C (68° - 77°F)
• Avoid storing product in direct sunlight
• Protect product from excessive moisture

Inactive Ingredients
Dihydroxyaluminum aminoacetate, Edetate disodium, Glycerin, Kaolin, Methylparaben, Polyacrylic acid, Polysorbate 80, Polyvinylpyrrolidone K90, Propylene glycol, Propylparaben, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments
Call 1-(888)-811-2634

Manufactured for: Singular Dreamet, Ltd dba True Marker Glendale, CA 91205

true marker

TRUE LIDO GEL PATCH

lidocaine hcl patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83035-1131
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C00X)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83035-1131-1	15 in 1 BOX	05/28/2024	11/01/2024
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/28/2024	11/01/2024

Labeler - Singular Dreamer, Ltd dba True Marker (129504103)**Registrant** - Singular Dreamer, Ltd dba True Marker (129504103)

