MECLIZINE HYDROCHLORIDE- meclizine hydrochloride tablet, chewable Walgreen Company

5172C-Walgreen

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

Do not give to children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- ullet to prevent motion sickness take first dose 1/2 hour to 1 hour before activity
- to treat motion sickness, take at first sign of symptoms
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

store in a dry place at 15° - 30°C (59° - 86°F)

croscarmellose sodium, crospovidone, FD&C red #40 lake, french vanilla flavor, lactose, magnesium stearate, raspberry flavor, silica, sodium saccharin, stearic acid.

1-800-925-4733

Tamper Evident: Do not use if outer carton is open or if blister is open or torn.

Important: Keep carton for future reference.

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by MedTech Products Inc., owner of the registered trademark Dramamine®.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com © 2022 Walgreen Co.

MADE IN INDIA

NDC 0363-5172-07

Compare to the active ingredient in Dramamine® All Day Less Drowsy††

Motion Sickness Relief

MECLIZINE HCl 25 mg / ANTIEMETIC

All Day Relief

Less Drowsy Formula

Chewable

Helps prevent nausea, dizziness & vomiting due to motion sickness

All-day relief of motion sickness

For adults & children 12 years & up

Raspberry flavor

12 Chewable Tablets



Motion Sickness Relief

MECLIZINE HCI 25 mg / ANTIEMETIC

All Day Relief

Less Drowsy Formula

Chewable

- Helps prevent nausea, dizziness
 & vomiting due to motion sickness
- · All-day relief of motion sickness
- · For adults & children 12 years & up







ACTUAL SIZE

Raspberry flavor

PAPER MULLI-LOSS

W30RG1122-F

This product is not manufactured or distributed by MedTech

Our pharmacists recommend the Walgreens brand. We invite you to

ITEM 833796 W00000-0000-0



CINGS 1 -800-926-008-1

croscarmellose sodium, crospovidone, PD&C red #40 lake, french vanilla flavor, lactose, magnesium stearate, raspberry flavor, silica, sodium saccharin, stearic acid.

Linactive ingredients

store in a dry place at 15° – 30°C (59° – 86°F)

по тыпотта по Отне

a doctor

1 to 2 tablets once daily, or as directed by

- sign of symptoms adults and children 12 years and over:
 - dose ½ hour to 1 hour before activity to treat motion sickness, take at first
 - to prevent motion sickness take first dose ¼ hour to 1 hour before activity

Directions

doctor before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

If pregnant or breast-feeding, ask a

Drug Facts (continued)

vehicle or operating machinery

- increase drowsiness • be careful when driving a motor
- alcohol, sedatives, and tranquilizers may
 - drowsiness may occur
 avoid alcoholic drinks

When using this product

Ask a doctor or pharmacist before use it you are taking sedatives or tranquilizers.

brostate gland

- trouble urinating due to an enlarged
 - djancoma
 - a breathing problem such as emphysema or chronic bronchitis
- Ask a doctor before use if you have

Ask a doctor before use if you have

Warnings Do not give to children under 12 years of age unless directed by a doctor.

USE for prevention and treatment of these symptoms associated with motion sickness:

• vomiting
• vomiting

Medizine HCL 25 mg.....Antiemetic

Active ingredient Purpose (in each tablet)

Drug Facts

for future reference.

is open or it blister is open or torn.

MECLIZINE HYDROCHLORIDE

meclizine hydrochloride tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-5172
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII: 3L5TQ84570)	MECLIZ INE HYDROCHLORIDE	25 mg	

Inactive Ingredients		
Ingredient Name	Strength	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
VANILLA (UNII: Q74T35078H)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
RASPBERRY (UNII: 4N14V5R27W)		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
CROSPOVIDONE (UNII: 2S7830E561)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		

Product Characteristics			
Color	pink	Score	2 pieces
Shape	ROUND	Size	9mm
Flavor	VANILLA, RASPBERRY	Imprint Code	5172
Contains			

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363- 5172-07	1 in 1 CARTON	03/22/2023	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/22/2023	

Labeler - Walgreen Company (008965063)

Revised: 2/2024 Walgreen Company