

**CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride tablet
SAFEWAY**

**Indoor and Outdoor Allergies
Allergy Relief**

Cetirizine Hydrochloride Tablets, USP 10mg

Antihistamine

**24 Hour Relief of:
Sneezing
Runny Nose
Itchy, Watery Eyes
Itchy Throat or Nose**

Active ingredient (in each tablet)

Cetirizine HCl 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over
one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over
ask a doctor

children under 6 years of age
ask a doctor

consumers with liver or kidney disease
ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- contains no ingredient made from a gluten-containing grain (Wheat, barley or rye)

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions?

call **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

Principal Display Panel

COATING
FREE AREA

700000003309
20000004334

Drug Facts (continued)
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product:

- drowsiness may occur
- avoid alcoholic drinks
- avoid, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

code # :
size :1+3/4 X 1+3/4 X 3+3/8
ref # :PP180604B
material :.016 SBS

COATING
FREE AREA

200000004334
700000003309

Drug Facts (continued)
Directions
Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms; ask a doctor.
Children under 6 years of age: ask a doctor.
Consumers with liver or kidney disease: ask a doctor.

Other information
■ store between 20° and 25°C (68° and 77°F)
■ contains no ingredient made from a gluten-containing grain (wheat, barley or rye)

Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

Questions? Call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST.

Scan here
for more
information



**Compare to
Zyrtec® Tablets**
active ingredient*
NDC 21130-640-03

Quality Guaranteed

Indoor & Outdoor Allergies

Allergy Relief

**CETIRIZINE
HYDROCHLORIDE**
TABLETS, USP 10 mg

Antihistamine

ALLERGY

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose



Actual Size

30 TABLETS

* This product is not manufactured or distributed by McNeil Consumer Health Care, Division of McNeil-PPC Inc., distributor of Zyrtec® Tablets.

MADE IN INDIA 30 32234

N 21130 76303 1

Lot
Exp.

COATING
FREE AREA

Do not use if imprinted foil inner seal on bottle is broken or missing.

Important: Read the directions and warnings before use. Keep the carton, it contains important information.

Drug Facts
Active ingredient (in each tablet)
Cetirizine HCl 10 mg.

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Purpose
Antihistamine

Principal Display Panel



NDC 21130-640-09

Indoor & Outdoor Allergies

Allergy Relief

CETIRIZINE HYDROCHLORIDE TABLETS, USP 10 mg
 Antihistamine
 24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

ALLERGY

90 TABLETS

Do not use if imprinted foil inner seal on bottle is broken or missing.

Important: Read the directions and warnings before use. Keep the carton, it contains important information.

Drug Facts

Active ingredient (in each tablet) Antihistamine

Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

pregnant or breast-feeding:

- if breast-feeding, not recommended
- if pregnant, ask a health professional before use

(CONTINUED ON BACK OF LABEL)

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0099
1-888-723-3929

LOVE IT OR IT'S ON US*

2000000044441
7000000003399

LOT
EXP

RD 23018

MADE IN INDIA

Inside (adhesive side)

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over

one 10 mg tablet once daily. Do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over

ask a doctor

children under 6 years of age

ask a doctor

consumers with liver or kidney disease

ask a doctor

Other information

- store between 20° to 25° C (68° to 77° F)
- contains no ingredient made from a gluten-containing grain (wheat, barley or rye)

Inactive ingredients

cellulose, croscarmellose sodium, hydroxypropyl cellulose, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions?

call 1-877-776-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

how2recycle.info





CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-640
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XB4)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)

Product Characteristics

Color	white (White to off-white)	Score	2 pieces
Shape	RECTANGLE (rounded off rectangular)	Size	9mm
Flavor		Imprint Code	G;4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-640-03	30 in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2023	
2	NDC:21130-640-18	180 in 1 CARTON; Type 0: Not a Combination Product	06/30/2023	
3	NDC:21130-640-09	90 in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209274	06/30/2023	

Labeler - SAFEWAY (009137209)

Revised: 12/2023

SAFEWAY