

**KIEHLS SINCE 1851 DERMATOLOGIST SOLUTIONS SUPER FLUID DAILY UV  
DEFENSE BROAD SPECTRUM SPF 50 PLUS SUNSCREEN ANTIPOLLUTION  
LIGHTWEIGHT FORMULA- avobenzone, homosalate, octisalate, and  
octocrylene lotion  
L'Oreal USA Products Inc.**

-----

## **Drug Facts**

### **Active ingredients**

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

### **Purpose**

Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

For external use only

Flammable until dry. Do not use near fire, flame or heat.

### **Do not use**

on damaged or broken skin

### **When using this product**

keep out of eyes. Rinse with water to remove.

### **Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### **Other information**

- protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, dimethicone, alcohol denat., silica, styrene/acrylates copolymer, butyloctyl salicylate, PEG-30 dipolyhydroxystearate, polymethylsilsesquioxane, tocopherol, phenoxyethanol, PEG-8 laurate, lauryl PEG/PPG-18/18 methicone, sodium chloride, caprylyl glycol, isostearyl alcohol, poly c10-30 alkyl acrylate, p-anisic acid, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, trisodium ethylenediamine disuccinate, sodium dodecylbenzenesulfonate

Our advanced sunscreen, formulated with effective UVA/UVB filters and pollution-deflecting technology, provides protection against environmental aggressors. When used as directed with other sun protection measures (see **Directions**), this lightweight fluid helps prevent early skin aging caused by the sun\* and visibly improves rough skin. Our formula feels gentle on skin, leaving a soft, matte finish and no residue.  
**Dermatologist-tested for safety and suitable for sensitive skin.**

Kiehl's Dermatologist Solutions are highly advanced targeted treatments developed by Kiehl's Since 1851. Relying on our extensive skincare expertise and botanical knowledge, Kiehl's chemists partner with an international team of leading dermatologists to deliver powerful, yet safe skincare solutions.



**KIEHL'S**  
 DERMATOLOGIST  
 SOLUTIONS™

## Super Fluid Daily UV Defense

**SUNSCREEN**

**Broad Spectrum  
 SPF 50+**

**ANTI-POLLUTION**

Advanced UVA/UVB Technology  
 Helps Prevent Early Skin Aging  
 Caused by the Sun\*

**Lightweight Formula  
 for All Skin Types**

**SHAKE WELL**

**Fragrance-Free  
 Non-Comedogenic  
 Paraben-Free**

**1.7 fl. oz. - 50 ml**

\*When used with sun protection measures  
 (see **Directions**)

**FSC LOGO  
 FPO**



KIEHL'S SINCE 1851 LLC  
 NEW YORK, NY 10014  
 Ingredients sourced  
 worldwide, made in U.S.A.  
 Dist. Kiehl's Canada, Montreal H4T 1K5  
 14 rue Royale 75008 Paris - LONDON W6 8AZ  
 TSA 75000 94584 ST OLEN CEDEXER  
 www.kiehls.com  
 2093628



### Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Flammable until dry.** Do not use near fire, flame or heat.

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, dimethicone, alcohol denat., silica, styrene/acrylates copolymer, butyloctyl salicylate, PEG-30 dipolyhydroxystearate, polymethylsilsesquioxane, tocopherol, phenoxyethanol, PEG-8 laurate, lauryl PEG/PPG-18/18 methicone, sodium chloride, caprylyl glycol, isostearyl alcohol, poly C10-30 alkyl acrylate, p-anisic acid, pentaerythrityl tetra-di-*n*-butyl hydroxyhydrocinnamate, trisodium ethylenediamine disuccinate, sodium dodecylbenzenesulfonate

### Questions or comments?

Call toll free 1-800-946-4453

Fmla 665777 15 F.LL Code D276520/1 PAT: patents.kiehls.com

Our advanced sunscreen, formulated with effective UVA/UVB filters and pollution-deflecting technology, provides protection against environmental aggressors. When used as directed with other sun protection measures (see **Directions**), this lightweight fluid helps prevent early skin aging caused by the sun\* and visibly improves rough skin. Our formula feels gentle on skin, leaving a soft, matte finish and no residue.  
**Dermatologist-tested for safety and suitable for sensitive skin.**

Kiehl's Dermatologist Solutions are highly advanced targeted treatments developed by Kiehl's Since 1851. Relying on our extensive skincare expertise and botanical knowledge, Kiehl's chemists partner with an international team of leading dermatologists to deliver powerful, yet safe skincare solutions.



**KIEHL'S**  
 DERMATOLOGIST  
 SOLUTIONS™

## Super Fluid Daily UV Defense

**SUNSCREEN**

**Broad Spectrum  
 SPF 50+**

**ANTI-POLLUTION**

Advanced UVA/UVB Technology  
 Helps Prevent Early Skin Aging  
 Caused by the Sun\*

**Lightweight Formula  
 for All Skin Types**

**SHAKE WELL**

**Fragrance-Free  
 Non-Comedogenic  
 Paraben-Free**

**1.7 fl. oz. - 50 ml**

\*When used with sun protection measures  
 (see **Directions**)

**FSC LOGO  
 FPO**



KIEHL'S SINCE 1851 LLC  
 NEW YORK, NY 10014  
 Ingredients sourced  
 worldwide, made in U.S.A.  
 Dist. Kiehl's Canada, Montreal H4T 1K5  
 14 rue Royale 75008 Paris - LONDON W6 8AZ  
 TSA 75000 94584 ST OLEN CEDEXER  
 www.kiehls.com  
 2093628



<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzene 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
<b>Flammable until dry.</b> Do not use near fire, flame or heat.	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
For sunscreen use:	
<ul style="list-style-type: none"> <li>shake well before use</li> <li>apply liberally 15 minutes before sun exposure</li> <li>reapply at least every 2 hours</li> <li>use a water resistant sunscreen if swimming or sweating</li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>wear long-sleeved shirts, pants, hats and sunglasses</li> <li>children under 6 months of age: Ask a doctor</li> </ul> </li> </ul>	
<b>Other information</b>	
protect the product in this container from excessive heat and direct sun	
<b>Inactive ingredients</b>	
water, dimethicone, alcohol denat., silica, styrene/acrylates copolymer, butyloctyl salicylate, PEG-30 dipolyhydroxystearate, polymethylsilsesquioxane, tocopherol, phenoxyethanol, PEG-8 laurate, lauryl PEG/PPG-18/18 methicone, sodium chloride, caprylyl glycol, isostearyl alcohol, poly C10-30 alkyl acrylate, p-anisic acid, pentaerythrityl tetra-di- <i>n</i> -butyl hydroxyhydrocinnamate, trisodium ethylenediamine disuccinate, sodium dodecylbenzenesulfonate	
<b>Questions or comments?</b>	
Call toll free 1-800-946-4453	

Fmla 665777 15 F.LL Code D276520/1 PAT: patents.kiehls.com

# DAILY UV DEFENSE BROAD SPECTRUM SPF 50 PLUS SUNSCREEN ANTIPOLLUTION LIGHTWEIGHT FORMULA

avobenzene, homosalate, octisalate, and octocrylene lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-812
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (500000 MW)</b> (UNII: 5Z4DPO246A)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)	
<b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>SODIUM DODECYLBENZENESULFONATE</b> (UNII: 554127163Y)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-812-01	1 in 1 CARTON	10/01/2022	
1		125 mL in 1 TUBE; Type 0: Not a Combination Product		
	NDC:49967-812			

2	NDC:49967-812-02	1 in 1 CARTON	10/01/2022	
2		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:49967-812-03	125 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

**Labeler** - L'Oreal USA Products Inc. (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
Dimensional Merchandising Inc.		076693183	manufacture(49967-812) , pack(49967-812)

Revised: 12/2023

L'Oreal USA Products Inc.