# CAREONE ACID REDUCER- famotidine tablet, film coated American Sales Company

-----

# **American Sales Company Acid Relief Drug Facts**

# Active ingredient (in each tablet)

Famotidine 10 mg

# **Purpose**

Acid reducer

### Uses

- · relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

# **Warnings**

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

# Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

# Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

# Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15
   to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- · protect from moisture

# Inactive ingredients

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

### Questions or comments?

1-800-719-9260

# **Principal Display Panel**

Compare to the active ingredient in Pepcid® AC

ORIGINAL STRENGTH

**ACID RELIEF** 

Famotidine Tablets, 10 mg

Acid Reducer

Just one tablet prevents & relieves heartburn due to acid indigestion

See New Warnings
Gluten Free
OUR PHARMACISTS RECOMMEND

Actual Size

30 TABLETS



# 14165 OF C2

### Drug Facts

Active ingredient (in each tablet) Purpose Fam otidine 10 mg......Acid reducer

### Uses

- relieves hear tourn associated with a cid indigestion and sour stom ach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Allergy alert: Do not use if you are allergic to fa motidine or other acid reducers

### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. The se may be signs of a serious condition. See your doctor.
- with other acid reducers

### Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a m ore se rious condition.
- heart burn with lighthea de dn ess, swe ating, or dizziness
- che st pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheade dness
- frequent chest pain
- frequent whe ezing, particularly with heartburn
   un explaine d we ight loss
- na usea or vomiting
- stomach pain kidney dise ase

### Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

### Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- a dults and children 12 years and over:
- to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15 to 60 minutes before e ating food or drinking beverages that cause heartburn
- do notuse more than 2 tablets in 24 hours
- children under 12 years; ask a doctor

### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
   store at 20°-25°C (68°-77°F) protect from moisture

Inactive ingredients carnaubawax, hypromelbse, ir on oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyd extrose, polyethylen e glycol, pre ge la tinized starch, ta lc, titanium dioxide, triac etin

 Do not eat before bedtime • Raise the head of your bed • Avoid
has rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain
lowly and a void big meaks • If overweight, lose weight • Quit smoking Tips for Managing Heartburn • Do not lie flat or bend over after eating • Do not wear tight-fitting clothing around the stomach • Do not eat before bedtime • Raise the head of your bed • Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and cert fruits and vegetables • Eat slowly and a void big meals • If overweight, lose weight • Quit smoking



### Drug Facts (continued)

Questions or comments?1-800-719-9260

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid @ AC.



### **CAREONE ACID REDUCER**

famotidine tablet, film coated

### **Product Information**

**HUMAN OTC DRUG** NDC:41520-901 **Product Type** Item Code (Source)

**Route of Administration** ORAL

# **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength

**FAMOTIDINE** (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8) **FAMOTIDINE** 10 mg

# **Inactive Ingredients**

**Ingredient Name** Strength CARNAUBA WAX (UNII: R12CBM0EIZ)

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

FERRIC OXIDE RED (UNII: 1K09F3G675) FERRIC OXIDE YELLOW (UNII: EX43802MRT) MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics					
Color	PINK	Score	no score		
Shape	ROUND	Size	8mm		
Flavor		Imprint Code	L141		
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:41520-901- 72	1 in 1 CARTON	10/04/2016				
1		60 in 1 BOTTLE; Type 0: Not a Combination Product					
2	NDC:41520-901- 65	30 in 1 CARTON	10/04/2016				
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product					

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA075400	10/04/2016		

# Labeler - American Sales Company (809183973)

Revised: 10/2023 American Sales Company