RHEUM OFFICINALE- rheum officinale pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

RHEUM OFFICINALE 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

RHEUM OFFICINALE 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

RHEUM OFFICINALE 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C./
TWIST TO OPEN - USE ONLY IF SEALE

RHEUM OFFICINALE 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



RHEUM OFFICINALE 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



RHEUM OFFICINALE 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

RHEUM OFFICINALE 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALE

RHEUM OFFICINALE 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



RHEUM OFFICINALE 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



RHEUM OFFICINALE 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

RHEUM OFFICINALE 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C./
TWIST TO OPEN - USE ONLY IF SEALE

RHEUM OFFICINALE 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



RHEUM OFFICINALE 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



RHEUM OFFICINALE 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

RHEUM OFFICINALE 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

memann Labs Inc. 1940 Fourth St. San Rafael, C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

RHEUM OFFICINALE LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE **HPUS**

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

RHEUM OFFICINALE

rheum officinale pellet

Droc		INTARMATIAN
	IUCL	Information

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-1939

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength	
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE ROOT - UNII: A47JP5ZG9M)	RHEUM OFFICINALE ROOT	30 [hp_C]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Item Code Package Description		Marketing End Date		
1	NDC:37662- 1939-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022			
2	NDC:37662- 1939-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022			
3	NDC:37662- 1939-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022			
4	NDC:37662- 1939-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022			

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	11/15/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

rheum officinale pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1938
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE ROOT - UNII: A47JP5ZG9M)

RHEUM OFFICINALE ROOT

12 [hp_C]

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Floudet Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1938-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022		
2	NDC:37662- 1938-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		
3	NDC:37662- 1938-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		

Marketing In	iformation				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		11/15/2022			

RHEUM OFFICINALE

rheum officinale pellet

Droo	luct	Inform	ation
			alion

Route of Administration ORAL

	-		
Active.	Inarac	lient/Active	MAIATV
ACLIVE	ıııdı et	IICIIL/ALLIVE	MUCIELY

Ingredient Name	Basis of Strength	Strength
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE ROOT - UNII: A47JP5ZG9M)	RHEUM OFFICINALE ROOT	100 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor Imprint Code					
Contains					

Packaging				
# Item Code		Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1940-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022	
2	NDC:37662- 1940-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022	
3	NDC:37662- 1940-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022	
4	NDC:37662- 1940-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022	

Marketing Information			
Marketing Category	• • • • • • • • • • • • • • • • • • • •		Marketing End Date
unapproved homeopathic		11/15/2022	

rheum officinale pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1941	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE ROOT - UNII: A47JP5ZG9M)	RHEUM OFFICINALE ROOT	200 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor Imprint Code				
Contains				

P	Packaging				
#	Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 1941-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022		
2	NDC:37662- 1941-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022		
3	NDC:37662- 1941-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		
4	NDC:37662- 1941-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		11/15/2022		

RHEUM OFFICINALE

rheum officinale pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1942
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	trength	
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINA UNII: A47JP5ZG9M)	RHEUM OFFICINALE ROOT	00 [hp_C]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Item Code Package Description		Marketing End Date	
1	NDC:37662- 1942-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022		
2	NDC:37662- 1942-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022		
3	NDC:37662- 1942-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		
4	NDC:37662- 1942-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
unapproved homeopathic		11/15/2022		

rheum officinale pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1943
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE ROOT - UNII: A47JP5ZG9M)	RHEUM OFFICINALE ROOT	1 [hp_M]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

ı	Packaging				
4	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1943-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022		
2	NDC:37662- 1943-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022		
3	NDC:37662- 1943-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		
4	NDC:37662- 1943-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		11/15/2022		

rheum officinale pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1944	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength			
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE FUNII: A47JP5ZG9M)	ROOT - RHEUM OFFICINALE 1 [hp_Q]			

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	

Flavor	Imprint Code	
Contains		

l	P	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1	NDC:37662- 1944-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022			

Marketing Information				
Marketing End Date	Marketing Start Date	Application Number or Monograph Citation	Marketing Category	
	11/15/2022		unapproved homeopathic	
		Citation	unapproved	

rheum officinale pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1937	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE ROOT - UNII: A47JP5ZG9M)	RHEUM OFFICINALE ROOT	6 [hp_C]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:37662- 1937-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/15/2022	
2	NDC:37662- 1937-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022	
3	NDC:37662- 1937-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/15/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/15/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1937, 37662-1938, 37662-1939, 37662-1940, 37662-1941, 37662-1942, 37662-1943, 37662-1944)

Revised: 11/2022 Hahnemann Laboratories, INC.