

B - 12- cyanocobalamin tablet
Marlex Pharmaceuticals Inc

B-12 Cyanocobalamin

Supplement Facts

Serving Size: 1 Tablet

	Amount Per Tablet	% Daily Value
Vitamin B-12 as (Cyanocobalamin).....	1,000mcg.....	41,667%

Active Ingredient (in each tablet)

Vitamin B-12 (as Cyanocobalamin)

Purpose

Dietary Supplement

Uses

Dietary Supplement

Warning:

Do not exceed recommended dosage. Consult your physician before taking this product if you have vascular disease (such as heart disease or history of stroke) or diabetes, are pregnant or nursing, taking medication, facing surgery, have bleeding problems, or undergoing any treatment which may affect the ability of blood to clot

In case of accidental overdose, call a doctor or poison control center immediately. (1-800-222-1222)

Keep out of the reach of children.

Directions

Adults and Children 18 years and over:

1,000 mcg (1 tablet) daily preferably with a meal or as directed by your doctor

Children under 18 years:

Consult your doctor

Other Information:

- Store in a cool, dry place at controlled room temperature 15-30°C (58-86°F)
- Protect from moisture
- Store in original container for better identification
- Use by expiration date on package

Inactive Ingredients:

Dicalcium Phosphate, Mannitol, Microcrystalline Cellulose, Silicon Dioxide, Stearic Acid, Colloidal Silicon Dioxide, Magnesium Stearate, Hypromellose

Manufactured for/Distributed by:

Marlex Pharmaceuticals, Inc.,
 65 Lukens Drive
 New Castle, DE 19720

PRINCIPAL DISPLAY PANEL

NDC 10135-0652-50
 B-12
 (Cyanocobalamin)
 1000 mcg
 50 TABLETS

Supplement Facts	
Amount Per Tablet	% Daily Value
Vitamin B-12 (as Cyanocobalamin)	1,000 mcg41,667%
<i>Active Ingredient (in each tablet)</i>	
Vitamin B-12 (as Cyanocobalamin) Dietary Supplement

Warning: Do not exceed recommended dosage. Consult your physician before taking this product if you have vascular disease (such as heart disease or history of stroke) or diabetes, are pregnant or nursing, taking medication, having surgery, have bleeding problems, or undergoing any treatment which may affect the ability of blood to clot.

Keep out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately. (1-800-222-1222)

Directions: AGE	
Adults 18 years of age or older	1,000 mcg (1 tablet) daily preferably with a meal or as directed by your doctor
Persons under 18 years of age	Consult your doctor

Other Information

- Store in a cool, dry place at controlled room temperature 15-30°C (58-86°F)
- Protect from moisture
- Store in original container for better identification
- Use by expiration date on package

Inactive Ingredients: Dicalcium Phosphate, Mannitol, Microcrystalline Cellulose, Silicon Dioxide, Stearic Acid, Colloidal Silicon Dioxide, Magnesium Stearate, Hypromellose.

Manufactured for/Distributed by:
 Marlex Pharmaceuticals, Inc.,
 New Castle, DE 19720
 Rev. 04/18 HP

N 3 10135 65250 1

PRINCIPAL DISPLAY PANEL

NDC 10135-0652-01
 B-12
 (Cyanocobalamin)
 1000 mcg
 100 TABLETS

Supplement Facts	
Amount Per Tablet	% Daily Value
Vitamin B-12 (as Cyanocobalamin)	1,000 mcg41,667%
<i>Active Ingredient (in each tablet)</i>	
Vitamin B-12 (as Cyanocobalamin) Dietary Supplement

Warning: Do not exceed recommended dosage. Consult your physician before taking this product if you have vascular disease (such as heart disease or history of stroke) or diabetes, are pregnant or nursing, taking medication, having surgery, have bleeding problems, or undergoing any treatment which may affect the ability of blood to clot.

Keep out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately. (1-800-222-1222)

Directions: AGE	
Adults 18 years of age or older	1,000 mcg (1 tablet) daily preferably with a meal or as directed by your doctor
Persons under 18 years of age	Consult your doctor

Other Information

- Store in a cool, dry place at controlled room temperature 15-30°C (58-86°F)
- Protect from moisture
- Store in original container for better identification
- Use by expiration date on package


Inactive Ingredients: Dicalcium Phosphate, Mannitol, Microcrystalline Cellulose, Silicon Dioxide, Stearic Acid, Colloidal Silicon Dioxide, Magnesium Stearate, Hypromellose.

Manufactured for/Distributed by:
 Marlex Pharmaceuticals, Inc.,
 New Castle, DE 19720
 Rev. 04/18 HP

N 3 10135 65201 3

PRINCIPAL DISPLAY PANEL

NDC 10135-0652-63
 B-12
 (Cyanocobalamin)
 1000 mcg
 130 TABLETS



B - 12

cyanocobalamin tablet

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:10 135-652
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	1000 ug

Inactive Ingredients

Ingredient Name	Strength
ANHYDRO US DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
MANNITOL (UNII: 3OWL53L36A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NHRIC:10 135-652-01	100 in 1 BOTTLE		
2	NHRIC:10 135-652-50	50 in 1 BOTTLE		
3	NHRIC:10 135-652-63	130 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		04/01/2018	

Supplement Facts

Serving Size : **Serving per Container :**

	Amount Per Serving	% Daily Value
color		
imprint		
scoring	1	
shape		
size (solid drugs)	10 mm	

Labeler - Marlex Pharmaceuticals Inc (782540215)

Revised: 2/2020

Marlex Pharmaceuticals Inc