

LOW DOSE ASPIRIN- aspirin tablet, coated H E B

Drug Facts

Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)*

***nonsteroidal anti-inflammatory drug**

Purpose

Pain reliever

Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. **Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.**
- ask your doctor about other uses for safety coated 81 mg aspirin

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer.
- if you have ever had an allergic reaction to his product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stool
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever get worse or lasts more than 3 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs
- new symptoms occur

These could be signs of a serious condition

If pregnant or breast-feeding,

ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, D&C yellow #10, lactose monohydrate, methacrylic acid copolymer, microcrystalline cellulose 102, polacrillin potassium, polyethylene glycol 6000, polyvinyl alcohol, purified talc, silicon dioxide, sodium lauryl sulfate, soybean, titanium dioxide, triethyl citrate

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Bayer® Low Dose Aspirin active ingredient†

EASY OPEN CAP

Low Dose

Aspirin 81 mg

Pain reliever (**NSAID**)

- **Enteric Safety Coated**≠≠
- **Aspirin Regimen**≠

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

ENTERIC COATED TABLETS

†This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Bayer® Low Dose Aspirin.

≠Talk to your doctor or other healthcare provider before using this product for your heart. Aspirin is not right for everyone.

≠≠Coating helps protect against stomach upset

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

MADE WITH PRIDE AND CARE FOR H-E-B®

SAN ANTONIO, TX 78204

Product Label

Compare to Bayer® Low Dose Aspirin active ingredient†

EASY OPEN CAP

NDC 37808-630-30

H-E-B

Low Dose
Aspirin
81 mg

Pain Reliever (NSAID)

- Enteric Safety Coated††
- Aspirin Regimen†

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

actual size

300 ENTERIC COATED TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each tablet)
Aspirin 81 mg (NSAID)*
*nonsteroidal anti-inflammatory drug

Purpose
Pain reliever

Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. **Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.**
- ask your doctor about other uses for safety coated 81 mg aspirin

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn

Drug Facts (continued under label)

MADE WITH PRIDE AND CARE FOR H-E-B®

SAN ANTONIO, TX 78204

20709 - 2108

100% Satisfaction Guarantee
If you aren't completely satisfied with your purchase, we'll refund your money. No return or restock on our part.

PLD-A730A L8089559

Lot No.:
Exp. Date:

0 4 1220 27875 6

PEEL HERE

†This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Bayer® Low Dose Aspirin.
††Talk to your doctor or other healthcare provider before using this product for your heart. Aspirin is not right for everyone.
††Coating helps protect against stomach upset

Drug Facts (continued)

- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients croscarmellose sodium, D&C yellow #10, lactose monohydrate, methacrylic acid, microcrystalline cellulose 102, polyacrilin potassium, polyethylene glycol 6000, polyvinyl alcohol, purified talc, silicon dioxide, sodium lauryl sulphate, soybean, titanium dioxide, triethyl citrate

Questions or comments?
Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

H-E-B Low Dose Aspirin 81 mg

LOW DOSE ASPIRIN

aspirin tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-630
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)
METHACRYLIC ACID (UNII: 1CS02G8656)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
POLACRILIN POTASSIUM (UNII: 0BZ5A00FQU)
SODIUM LAURYL SULFATE (UNII: 368GB5141J)
TALC (UNII: 7SEV7J4R1U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)
SOYBEAN (UNII: L7HT8F1ZOD)
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-630-30	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/03/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/03/2021	

Labeler - H E B (007924756)