

OXYGEN - oxygen gas Purepoint, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OXYGEN COMPRESSED USP LABEL

OXYGEN COMPRESSED USP UN1072 C.A.S. NO. 7782-44-7 OXYGEN-2 WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS R_x ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION.



OXYGEN REFRIGERATED LIQUID USP LABEL

OXYGEN REFRIGERATED LIQUID USP UN1073 ALWAYS KEEP CONTAINER IN UPRIGHT

POSITION. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. KEEP OIL, GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY.

FIRST AID: IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY. KEEP OUT OF THE REACH OF CHILDREN. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. FEDERAL LAW REQUIRES THAT THIS CONTAINER BE REFILLED WITH LIQUID OXYGEN USP ONLY BE ESTABLISHED REGISTERED AS A DRUG PRODUCER IN ACCORDANCE WITH THE FEDERAL FOOD DRUG AND COSMETIC ACT. PRODUCED BY AIR LIQUEFACTION. DO NOT REMOVE THIS PRODUCT LABEL.

LOT NUMBER _____ SERIAL NUMBER _____ AMOUNT _____ INS, LBS., GALS., LITERS, CU. FT.

USP TESTS

TEST ID ODOR ASSAY

LIMITS OK NONE LESS THAN 99.2%

RESULT

FOR CUSTOMER TO USE TO DOCUMENT TESTS PERFORMED ON THIS VESSEL

METHOD OF ANALYSIS FOR ASSAY IS THE PARAMAGNETIC OXYGEN ANALYZER
MANUFACTURER _____ MODEL _____ CUSTOMER WITNESSED TESTS YES
NO SUPPLIERS SIGNATURE _____ DATE _____ CUSTOMERS
SIGNATURE _____ DATE _____

LIQUID MEDICAL GASES LIQUID OXYGEN DELIVERY TAG FILLED AND DISTRIBUTED BY _____ THIS VESSEL CONTAINS OXYGEN USP (SEE REVERSE SIDE FOR TEST RESULTS) OXYGEN PRODUCED BY THE AIR LIQUEFACTION PROCESS

Oxygen Refrigerated Liquid U. S. P.

UN1073

WARNING!
High Pressure Oxidizing Liquid
and gas under pressure.
Vigorously Accelerates
Combustion. May explode on
ignition or impact. Can cause severe
Frostbite.
PRODUCED BY AIR LIQUEFACTION



WARNING! Always Keep Containers in Upright Position.

RX ONLY

Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid Spills. Do not walk or roll equipment over spills. Close valve after each use and when empty. In Case of Frostbite, obtain medical treatment IMMEDIATELY.
KEEP OUT OF REACH OF CHILDREN. Contents under pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen service. Federal law requires that this container be refilled with Liquid Oxygen, U.S.P., only be established registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.

PurepOint Inc. 9125 Irvington-Bayou Lafitte Hwy.
Irvington, AL 36344
1-800-943-PURE

DO NOT REMOVE THIS LABEL

<p>8611 Heliberry Road Suite B-9 Panama, FL 32304</p> <p>PurepOint Inc. 9125 Irvington - Bayou La Batre Hwy. Irvington, AL 36344 1-800-943-PURE (7372)</p> <p>Co-Era Medical Oxygen (Canada) www.purepointoxygen.com</p>	UNIT NUMBER _____	SERIAL NUMBER _____																																		
	AMOUNT _____ INS., LBS., GALS., LITERS, CU.FT.																																			
	<table border="1" style="width:100%; border-collapse: collapse;"> <tr><th colspan="4">USP TESTS</th></tr> <tr><th>TEST</th><th>ID</th><th>ODOR</th><th>ASSAY</th></tr> <tr><td>LIMITS</td><td>OK</td><td>NONE</td><td>≥99.2%</td></tr> <tr><td>RESULT</td><td></td><td></td><td></td></tr> </table>		USP TESTS				TEST	ID	ODOR	ASSAY	LIMITS	OK	NONE	≥99.2%	RESULT				<table border="1" style="width:100%; border-collapse: collapse;"> <tr><th colspan="4">FOR CUSTOMER USE TO DOCUMENT TESTS PERFORMED ON THIS VESSEL IF TESTING WAS NOT WITNESSED</th></tr> <tr><th>TEST</th><th>ID</th><th>ODOR</th><th>ASSAY</th></tr> <tr><td>LIMITS</td><td>OK</td><td>NONE</td><td>≥99.2%</td></tr> <tr><td>RESULT</td><td></td><td></td><td></td></tr> </table>		FOR CUSTOMER USE TO DOCUMENT TESTS PERFORMED ON THIS VESSEL IF TESTING WAS NOT WITNESSED				TEST	ID	ODOR	ASSAY	LIMITS	OK	NONE	≥99.2%	RESULT			
	USP TESTS																																			
TEST	ID	ODOR	ASSAY																																	
LIMITS	OK	NONE	≥99.2%																																	
RESULT																																				
FOR CUSTOMER USE TO DOCUMENT TESTS PERFORMED ON THIS VESSEL IF TESTING WAS NOT WITNESSED																																				
TEST	ID	ODOR	ASSAY																																	
LIMITS	OK	NONE	≥99.2%																																	
RESULT																																				
CUSTOMER WITNESSED TESTS: <input type="radio"/> YES <input type="radio"/> NO OXYGEN PURITY TESTED WITH A _____ ANALYZER MODEL NO. _____ SUPPLIER'S SIGNATURE _____ DATE _____ CUSTOMER'S SIGNATURE _____ DATE _____																																				

ENTER LOT NUMBER OR PLACE STICKER HERE

EXP. DATE _____

OXYGEN
oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:46088-010
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46088-010-01	113 L in 1 CYLINDER		
2	NDC:46088-010-02	170 L in 1 CYLINDER		
3	NDC:46088-010-03	139 L in 1 CYLINDER		
4	NDC:46088-010-04	248 L in 1 CYLINDER		

5	NDC:46088-010-05	647 L in 1 CYLINDER		
6	NDC:46088-010-06	1724 L in 1 CYLINDER		
7	NDC:46088-010-07	255 L in 1 CYLINDER		
8	NDC:46088-010-08	426 L in 1 CYLINDER		
9	NDC:46088-010-09	671 L in 1 CYLINDER		
10	NDC:46088-010-10	3462 L in 1 CYLINDER		
11	NDC:46088-010-11	7981 L in 1 CYLINDER		
12	NDC:46088-010-12	21 L in 1 DEWAR		
13	NDC:46088-010-13	31 L in 1 DEWAR		
14	NDC:46088-010-14	36 L in 1 DEWAR		
15	NDC:46088-010-15	41 L in 1 DEWAR		
16	NDC:46088-010-16	45 L in 1 DEWAR		
17	NDC:46088-010-17	180 L in 1 DEWAR		
18	NDC:46088-010-18	181 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/2008	

Labeler - Purepoint, Inc (831833707)

Registrant - Purepoint, Inc (831833707)

Establishment

Name	Address	ID/FEI	Business Operations
Purepoint, Inc		831833707	manufacture

Revised: 8/2011

Purepoint, Inc