

## **SALICYLIC ACID- liquid wart remover liquid**

### **Target Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Liquid Wart Remover**

#### ***Active ingredient***

Salicylic acid 17%w/w

#### ***Purpose***

Wart remover

#### ***Uses***

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

#### ***Warnings***

**For external use only.**

#### **Flammable**

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

#### **Do not use**

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

#### **Do not use on**

- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

#### **☐When using this product**

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

#### **☐Stop use and ask doctor if**

discomfort persists

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### ***Directions***

- wash or soak the affected area and dry area thoroughly
- apply wart remover liquid with enclosed applicator, until wart is covered; then let dry
- reapply subsequent applications over existing application
- repeat this procedure once or twice daily until wart is completely removed, for up to 12 weeks

**Other information**

store between 20°C to 30°C (68°F to 86°F)

**Inactive ingredients**

flexible collodion containing alcohol and ether

**Questions?**

Call 1-800-910-6874

**Principal Display Panel**

Liquid Wart Remover


salicylic acid

**Compare to Compound W® Wart Remover**

maximum strength  
 helps remove common and plantar warts  
 convenient applicator  
 painless, safe and effective

liquid wart remover  
 salicylic acid  
 .5 FL OZ (14.7mL)





**liquid wart  
remover**

salicylic acid

.5 FL OZ (14.7 mL)

NO VARNISH  
AREA

245 06 049 1 ID321466  
Distributed by Target Corporation  
Minneapolis, MN 55403  
Made in U.S.A.  
© 2013 Target Brands, Inc.  
All Rights Reserved Shop Target.com



This product is not manufactured or distributed by Mediatech Products, Inc.  
Jackson, WY 83001 owner of the registered trademark Compund Wk

**Drug Facts**

**Active ingredient** Salicylic acid 17% w/w. Wart remover

**Purpose**

**Use** ■ for the removal of common and plantar warts. The common wart has a rough, cauliflower-like appearance. The plantar wart exists only on the bottom of the foot and interrupts the footprint pattern.

**Warnings**

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

**Do not use**

- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**Do not use on**

- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

**When using this product**

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
- avoid irritating vapors

**Stop use and ask a doctor if discomfort persists.**

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ wash or soak the affected area and dry thoroughly

- apply wart remover liquid with enclosed applicator, until wart is covered; then let dry
- reapply subsequent applications over existing application
- repeat this procedure once or twice daily, until wart is completely removed, for up to 12 weeks


**Other information** store between 20° to 30°C (68° to 86°F)

**Inactive ingredient** flake like colloid containing alcohol and ether

**Questions?** Call 1-800-910-6874

PRINT SIDE

DO NOT USE IF NECKBAND IS BROKEN



## SALICYLIC ACID

liquid wart remover liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-443
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2.1 g in 14.7 mL

Inactive Ingredients	
Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-443-21	14.7 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	12/31/2008	03/15/2015
2	NDC:11673-443-09	9.0 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	03/15/2015	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358B	12/31/2008	

