

SLEEP AID- diphenhydramine hcl capsule
TARGET Corporation

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store between 15-30°C (59°-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitol, sorbitan, white ink

Questions or comments?

Call 1-800-910-6874

Principal Display Panel

Compare to the active ingredient in Unisom® SleepGels®*

Nighttime Sleep-Aid

50 mg Diphenhydramine HCl

Non habit-forming

SOFTGELS

ONE SOFTGEL PER DOSE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

Distributed by

Target Corporation

Minneapolis, MN 55403

Package Label

Lot No.: P.L.D.-A632A FC008753
 Exp. Date:

094 01 0134 R00 C-002282-01-034-0000
 3 597226 91634 9

Drug Facts

Active ingredient (in each softgel)
 Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

Purpose
 Use For relief of occasional sleeplessness.

Warnings
 Do not use
 ■ for children under 12 years of age
 ■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ glaucoma
 ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking
 sedatives or tranquilizers.

When using this product, avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists
 continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions
 ■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information
 ■ store between 15-30°C (59-86°F)

Inactive ingredients FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?
 Call 1-800-910-6874

Satisfaction guaranteed – Love it or your money back.

NDC:11673-360-32

Distributed by Target Corporation
 Minneapolis, MN 55403

Product of China
 TM & ©2024 Target Brands, Inc.

*This product is not manufactured or distributed by Chatterm, Inc., distributor of Unisom® SleepGels®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Compare to active ingredient in Unisom® SleepGels®*

Nighttime Sleep Aid

50 mg Diphenhydramine HCl



Non-habit forming

32 SOFTGELS
 ONE SOFTGEL PER DOSE



Actual Size
 32 Softgels

TARGET Nighttime Sleep Aid

SLEEP AID			
diphenhydramine hcl capsule			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-360
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MANNITOL (UNII: 3OWL53L36A)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	PC5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-360-32	1 in 1 BOX	08/01/2023	
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:11673-360-60	1 in 1 BOX	08/01/2023	
2		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	08/01/2023	

Labeler - TARGET Corporation (006961700)