OLEANDER- oleander pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

OLEANDER 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

OLEANDER 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

OLEANDER

30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, CA

OLEANDER 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

OLEANDER

100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

OLEANDER 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

OLEANDER

200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, CA

OLEANDER 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

OLEANDER

500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, C./
TWIST TO OPEN - USE ONLY IF SEALE

OLEANDER 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

OLEANDER

1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, CA TWIST TO OPEN - USE ONLY IF SEALE

OLEANDER 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



OLEANDER 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

OLEANDER 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

OLEANDER

oleander pellet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-1988

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NERIUM OLEANDER LEAF (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII: 7KV510R6H6)	NERIUM OLEANDER LEAF	100 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1988-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022	
2	NDC:37662- 1988-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022	
3	NDC:37662- 1988-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022	
4	NDC:37662- 1988-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	11/21/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1985
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

NERIUM OLEANDER LEAF (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII:7KV510R6H6)

NERIUM OLEANDER LEAF

6 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

			_	
Produ	ct (cha	racto	rictice
riuuu		ula	ıacte	1131163

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

ı		ackaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:37662- 1985-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022	
	2	NDC:37662- 1985-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022	
	3	NDC:37662- 1985-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022	

Marketing Information

1-larketing in	101 IIIacioii		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/21/2022	

OLEANDER

oleander pellet

Product Informat	tion

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1986

Route of Administration ORAL

	-		/	
Activa.	Inara	TIANT	/Activa	Moietv
ACLIVE	HIGHE	aie i i c	ACLIVE	MUCIELY

ricare mgreatering tears i locally				
Ingredient Name	Basis of Strength	Strength		
NERIUM OLEANDER LEAF (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII: 7KV510R6H6)	NERIUM OLEANDER LEAF	12 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains	Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 1986-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022				
2	NDC:37662- 1986-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022				
3	NDC:37662- 1986-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022				

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	11/21/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1987		
Route of Administration	ORAL				

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
NERIUM OLEANDER LEAF (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII:7KV510R6H6)	NERIUM OLEANDER LEAF	30 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1987-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022			
2	NDC:37662- 1987-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022			
3	NDC:37662- 1987-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022			
4	NDC:37662- 1987-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
unapproved homeopathic		11/21/2022		

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1989
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
NERIUM OLEANDER LEAF (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII: 7KV510R6H6)	NERIUM OLEANDER LEAF	200 [hp_C]	

Strength

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1989-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022	
2	NDC:37662- 1989-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022	
3	NDC:37662- 1989-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022	
4	NDC:37662- 1989-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022	

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing E Category Citation Date Date				
unapproved homeopathic		11/21/2022		
потпеорание				

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1990
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
NERIUM OLEANDER LEAF (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII: 7KV510R6H6)	NERIUM OLEANDER LEAF	500 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1990-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022		
2	NDC:37662- 1990-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022		
3	NDC:37662- 1990-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022		
4	NDC:37662- 1990-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		11/21/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1991	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
NERIUM OLEANDER LEAF (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII: 7KV510R6H6)	NERIUM OLEANDER LEAF	1 [hp_M]		

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		

Contains

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1991-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022			
2	NDC:37662- 1991-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/21/2022			
3	NDC:37662- 1991-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022			
4	NDC:37662- 1991-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/21/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		11/21/2022		
homeopathic		11,21,2022		

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1985, 37662-1986, 37662-1987, 37662-1988, 37662-1989, 37662-1990, 37662-1991)	

Revised: 11/2022 Hahnemann Laboratories, INC.