DOCUSATE SODIUM- docusate sodium liquid Cardinal Health 107, LLC

Docusate Sodium

Drug Facts

Active ingredient (in each 5 mL)

Docusate sodium 50 mg

Purpose

Stool softener

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

• if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week
- rash occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Dose once daily
- take with 6 to 8 oz of milk, juice or infant formula to mask the bitter taste.

adults and children 12	5 to 20 mL (1 to 4
years and older	teaspoonfuls)
children 6 to under 12	5 to 10 mL (1 to 2
years of age	teaspoonfuls)
children 3 to under 6	2.5 to 5 mL (1/2 to 1
years of age	teaspoonful)
children under 3 years	ask a doctor

Other information

- • Sodium content: 14 mg/ 5 mL
 - Store at controlled room temperature, 20° to 25°C (68° to 77°F)
 - Protect from freezing
 - Protect from light
 - Clear pink to purple-pink colored, cherry flavored liquid supplied in the following:

Overbagged with 5 x 10 mL unit dose cups in each bag, NDC 55154-2346-5

Inactive ingredients

artificial cherry vanilla flavoring, citric acid anhydrous, D&C Red No. 33, glycerin, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, saccharin sodium, sodium citrate, and sorbitol.

Questions or comments?

Call 1-800-845-8210

R06/22

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

Distributed By:

Cardinal Health

Dublin, OH 43017

L58458961223

Principal Display Panel

DOCUSATE SODIUM LIQUID

100 MG / 10 mL



D112

NDC 55154-2346-5

DOCUSATE SODIUM LIQUID 100 MG / 10 mL

5 CUPS

STOOL SOFTENER LAXATIVE

Delivers 10mL

Alcohol Free/Sugar Free

Usual Dosage: See product insert for prescribing information, precautions and warnings.

STORAGE: Store at controlled room temperature,

20° to 25° C (68° to 77° F) Protect from freezing Protect from light

WARNING: This Unit Dose package is not child resistant

and is Intended for Institutional Use Only.

Keep this and all drugs out of the reach of children.

MAJOR® PHARMACEUTICALS Indianapolis, IN 46268

Distributed by Cardinal Health

Dublin, OH 43017

L58458961223

Lot: Exp:

DOCUSATE SODIUM

docusate sodium liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-2346(NDC:0904-7279)	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
GLYCERIN (UNII: PDC6A3C0OX)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SORBITOL SOLUTION (UNII: 8KW3E207O2)		

Product Characteristics			
Color	pink (Clear pink to purple-pink)	Score	
Shape		Size	
Flavor	CHERRY (Cherry-Vanilla)	Imprint Code	
Contains			

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154- 2346-5	5 in 1 BAG	12/26/2023	
1		10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/26/2023	

Revised: 7/2024 Cardinal Health 107, LLC