

TOPCARE ANTACID- aluminum hydroxide, magnesium hydroxide, simethicone suspension
Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Antacid Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

- shake well before using

- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
- do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- protect from freezing

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-888-423-0139

Principal Display Panel

REGULAR STRENGTH

Antacid Advanced

ANTACID & ANTIGAS

Fast relief of:

Heartburn

Acid indigestion

Pressure

Bloating (gas)

MINT FLAVORED

QUALITY GUARANTEED

COMPARE TO MAALOX® ADVNACED active ingredients

12 FL OZ (355 mL)

TopCare®

NDC 36800-851-40

REGULAR STRENGTH

Antacid Advanced

ANTACID & ANTIGAS

Fast relief of:

- **Heartburn**
- **Acid indigestion**
- **Pressure**
- **Bloating (gas)**

**MINT
FLAVORED**



**COMPARE TO
MAALOX® ADVANCED
active ingredients***


12 FL OZ (355 ml)

: 85140 88 F6

GLUTEN FREE

QUALITY GUARANTEED

*This product is not manufactured or distributed by Novartis Consumer Health, Inc., distributor of Maalox® Advanced.



36800 92213 6

Drug Facts

Active ingredients (in each 10 mL)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 400 mg.....	Antacid
Magnesium hydroxide 400 mg.....	Antacid
Simethicone 40 mg.....	Antigas

Uses for the relief of ■ acid indigestion ■ heartburn ■ sour stomach
 ■ upset stomach associated with these symptoms
 ■ pressure and bloating commonly referred to as gas

Warnings
Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions ■ shake well before using ■ only use the dose cup provided
 ■ adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
 ■ do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
 ■ children under 12 years: consult a physician

Other information
 ■ each 10 mL contains: magnesium 175 mg
 ■ does not meet USP requirements for preservative effectiveness
 ■ store at 20-25°C (68-77°F) ■ protect from freezing

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution ▶

Drug Facts (continued)

Questions or comments?
 1-888-423-0139

DISTRIBUTED BY
 TOPCO ASSOCIATES LLC
 ELK GROVE VILLAGE, IL 60007
 ©TOPCO PER916
 QUESTIONS? 1-888-423-0139
 topcare@topco.com
 www.topcarebrand.com

**DO NOT USE IF
 PRINTED NECKBAND IS
 BROKEN OR MISSING**

: 85140 88 B6

TOPCARE ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-851
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLPARABEN (UNII: 3QP1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

Product Characteristics

Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-851-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/03/2002	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	12/03/2002	

Labeler - Topco Associates LLC (006935977)

Revised: 8/2017

Topco Associates LLC