

TOPCARE ANTACID- aluminum hydroxide, magnesium hydroxide, simethicone liquid
Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Antacid Drug Facts

Active ingredients (in each 5 mL = 1 teaspoonful)

Aluminum hydroxide (equiv. to dried gel, USP) 200 mg

Magnesium hydroxide 200 mg

Simethicone 20 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not exceed 16 teaspoonsful (80 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

Directions

- shake well before using

- adults and children 12 years and older: take 2 to 4 teaspoonsful (10-20 mL) four times a day or as directed by a physician
- do not take more than 16 teaspoonsful in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each teaspoonful contains: magnesium 85 mg
- does not meet USP requirements for preservative effectiveness

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-888-423-0139

Principal Display Panel

REGULAR STRENGTH

Antacid

Advanced

ANTACID & ANTIGAS

Fast relief of:

Heartburn

Acid Indigestion

Pressure

Bloating (gas)

MINT FLAVORED LIQUID

COMPARE TO MAALOX® ADVANCED active ingredients

TopCare®

NDC 36800-851-40

REGULAR STRENGTH

Antacid Advanced

ANTACID & ANTIGAS

Fast relief of:

- **Heartburn**
- **Acid indigestion**
- **Pressure**
- **Bloating (gas)**

**MINT
FLAVORED
LIQUID**



COMPARE TO

MAALOX® ADVANCED



MAALOX® ADVANCED
active ingredients*

12 FL OZ (355 ml)

: 85140 88 F5

Drug Facts

Active ingredients (in each 5 mL = 1 teaspoonful)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 200 mg.....	Antacid
Magnesium hydroxide 200 mg.....	Antacid
Simethicone 20 mg.....	Antigas

Uses for the relief of ■ acid indigestion ■ heartburn ■ sour stomach
■ upset stomach associated with these symptoms
■ pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 16 teaspoonsful (80 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

Directions

- shake well before using
- adults and children 12 years and older: take 2 to 4 teaspoonsful (10-20 mL) four times a day or as directed by a physician
- do not take more than 16 teaspoonsful in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each teaspoonful contains: magnesium 85 mg
- does not meet USP requirements for preservative effectiveness

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments? 1-888-423-0139

*This product is not manufactured or distributed by Novartis Consumer Health, Inc., distributor of Maalox® Advanced.

This TOPCARE® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO PER712 topcare@topco.com

DO NOT USE IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING

Store at 20°-25°C (68°-77°F).

GLUTEN FREE



: 85140 88 B5

TOPCARE ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-851
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	200 mg in 5 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

Product Characteristics

Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-851-40	355 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	12/03/2002	

