

**LEADER SENNA LAXATIVE - sennosides tablet**  
**Cardinal Health**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Leader Senna Laxative**

**Active Ingredients (in each tablet)**

Sennosides 8.6mg

**Purpose**

Stool softener  
Stimulant Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 6 to 12hours.

**Warnings - Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor.

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that continues over a period of 2 weeks.

**Stop use and ask a doctor if**

- you have rectal bleeding
- you fail to have a bowel movement after use. These could be signs of a serious condition

**If pregnant or breastfeeding**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Take preferably at bedtime or as directed by a doctor

age; starting dosage; maximum dosage

- **adults and children 12 years of age:** 2 tablets once a day; 4 tablets twice a day.
- **children 6 to under 12 years of age:** 1 tablet once a day; 2 tablets twice a day
- **children 2 to under 6 years of age:** 1/2 tablet once a day; 1 tablet twice a day
- **children under 2:** ask a doctor; ask a doctor

## Other information

- each tablet contains: **calcium 25mg/tablet**
- store at 25C (77F); excursions permitted between 15 - 30 degrees C (59-86 degrees F)
- do not use if imprinted safety seal under cap is broken or missing.
- \*This product is not manufactured or distributed by Purdue Products, LP, owner of the registered trademark Senokot.

## Inactive Ingredients

colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, \*dicalcium phosphate anhydrous, hypromellose, maltodextrin, magnesium stearate, microcrystalline cellulose, \*mineral oil, \*polyethylene glycol (PEG), stearic acid, talk, triacetin. \*May also contain.

## Questions or comments?

call toll free:1-800-200-6313

Comapre to Senokot active ingredient \*

Leader

Senna Laxative

Sennosides, 8.6mg

Natural Vegetable Laxative for Relief of Constipation

100 Tablets

Distributed by Cardinal Health

Dublin, Ohio 43017

CIN 1382639

[www.myleader.com](http://www.myleader.com)

1-800-200-6313

All Leader Brand Products are 100% satisfaction guaranteed or return to place of purchase for a full refund.

## Product Labeling

NDC 37205-0241-78

**LEADER**

Compare to Senokot® active ingredient \*

# Senna Laxative

Sennosides, 8.6 mg

Natural Vegetable Laxative  
For Relief of Constipation

**100 TABLETS**

SATISFACTION GUARANTEED

NDC 37205-0241-78

**LEADER**

Compare to Senokot® active ingredient \*

# Senna Laxative

Sennosides, 8.6 mg

Natural Vegetable Laxative  
For Relief of Constipation

**100 TABLETS**

SATISFACTION GUARANTEED

### Drug Facts

**Active ingredient (in each tablet)** Sennosides 8.6 mg

**Purpose** Laxative

**Uses** ■ relieves occasional constipation (irregularity) ■ generally causes bowel movement in 6-12 hours

**Warnings**  
**Do not use** ■ laxative products for longer than 1 week, unless directed by a doctor  
**Ask a doctor before using** if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel movements that continues over a period of 2 weeks  
**Stop use and ask a doctor if** ■ you have rectal bleeding ■ you fail to have a bowel movement after use. These may indicate a serious condition.  
**If pregnant or breast-feeding**, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children over 12 years of age	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years of age	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years of age	1/2 tablet once a day	1 tablet twice a day
children under 2 years of age	ask a doctor	ask a doctor

**Other information** ■ each tablet contains: **calcium 25 mg/tablet** ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ do not use if imprinted safety seal under cap is broken or missing ■ \*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot®.

**Inactive ingredients** colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, \*dicalcium phosphate anhydrous, hypromellose, maltodextrin, magnesium stearate.

### Drug Facts (continued)

microcrystalline cellulose, \*mineral oil, \*polyethylene glycol (PEG), stearic acid, talc, triacetin. \*May also contain.

**Questions or comments?** Call toll free **1-800-200-6313**

DISTRIBUTED BY CARDINAL HEALTH,  
DUBLIN, OHIO 43017  
CIN 2239689  
www.myleader.com 1-800-200-6313

All Leader® Brand Products are  
100% satisfaction guaranteed or return  
to place of purchase for a full refund.

LEADER SENNA LAXATIVE			
sennosides tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37205-241
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
SENNOSIDES A AND B (UNII: 1B5FPI42EN) (SENNOSIDES - UNII:3FYP5M0IUX)		SENNOSIDES A AND B	8.6 mg
Inactive Ingredients			
Ingredient Name			Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
MINERAL OIL (UNII: T5L8T28FGP)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TALC (UNII: 7SEV7J4R1U)			

TRIACETIN (UNII: XHX3C3X673)

### Product Characteristics

<b>Color</b>	brown (BROWN)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	S3;TLC080;S8
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37205-241-78	100 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/01/2012	

**Labeler** - Cardinal Health (097537435)

Revised: 3/2012

Cardinal Health