

FUNGICURE LIQUIDGEL- undecylenic acid gel
Alva-Amco Pharmcal Companies, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Undecylenic acid 25% w/w

Purpose

Antifungal

Uses

For the cure of most

- ringworm (tinea corporis)
- athlete's foot (tinea pedis)

For relief of

- itching
- scaling
- cracking
- burning
- redness
- soreness
- irritation
- discomforts which may accompany these conditions.

Warnings

For external use only

Ask a doctor before use on children under 2 years of age.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if

- Irritation occurs
- There is no improvement within 4 weeks.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

- Read all package directions and warnings before use.
- Use only as directed.
- Clean the affected area with soap and warm water and dry thoroughly.
- Apply a thin layer of FUNGICURE over the affected area twice daily (morning and night), or as directed by a doctor.
- **This product is not effective on scalp or nails.**
- For athlete's foot, pay special attention to spaces between toes; wear well fitting, ventilated shoes and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor.
- Intended for use by normally healthy adults only.
- Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.
- Supervise children in the use of this product.

Other information

- FUNGICURE may be applied to cuticles, around nail edges and under nail tips where reachable with its applicator brush.
- This product is not intended to, nor will it, penetrate hard nail surfaces.
- While not all finger and toe fungal infections are curable with OTC topical medications, if you see improvement within 4 weeks of use, you may continue to use FUNGICURE until satisfactory results are obtained.
- You may report serious side effects to the phone number provided under *Questions?* below.

Inactive ingredients

Aloe vera gel, cyclomethicone, fragrance, isopropyl palmitate, silicon dioxide and vitamin E acetate.

Questions? 1-800-792-2582

COMP,
0316

Maximum Strength
**Fungi
CURE**

**Kills Exposed
Nail-Bed Fungus
Cures and Heals**

Drug Facts

Active ingredient **Purpose**
Undecylenic Acid 25% w/w Antifungal

Uses For the cure of most: ■ ringworm (tinea corporis) ■ athlete's foot (tinea pedis). For relief of: ■ itching ■ scaling ■ cracking ■ burning ■ redness ■ soreness ■ irritation ■ discomforts which may accompany these conditions.

Warnings

For external use only.
Ask a doctor before use on children under 2 years of age.
When using this product avoid contact with eyes.
Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions ■ Read all package directions and warnings before use. ■ Use only as directed. ■ Clean the affected area with soap and warm water and dry thoroughly. ■ Apply a thin layer of FUNGICURE over the affected area twice daily (morning and night), or as directed by a doctor. ■ This product is not effective on scalp or nails. ■ For athlete's foot, pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily. ■ For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. ■ Intended for use by normally healthy adults only. ■ Persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor. ■ Supervise children in the use of this product.

Other information ■ FUNGICURE may be applied to cuticles, around nail edges and under nail tips where reachable with its applicator brush. ■ This product is not intended to, nor will it, penetrate hard nail surfaces. ■ While not all finger and toe fungal infections are curable with OTC topical medications, if you see improvement within 4 weeks of use, you may continue to use FUNGICURE until satisfactory results are obtained. ■ You may report serious side effects to the phone number provided under Questions? below.

Inactive ingredients Aloe vera gel, cyclomethicone, fragrance, isopropyl palmitate, silicon dioxide, and vitamin E acetate.

Questions? 1-800-792-2582 www.Fungicure.com



KEEP CONTAINER
TIGHTLY CLOSED WHEN
NOT IN USE. STORE
AWAY FROM EXCESSIVE
HEAT AND COLD.



Maximum Strength
**Fungi
CURE**
LIQUID GEL
ANTI-FUNGAL TREATMENT




**Kills Exposed
Nail-Bed Fungus
Cures and Heals**

**Contains an ingredient that kills
6 common types of fungus**

Precision QuickBrush™ Applicator
Ideal for Fingers and Toes

0.35 FL OZ (10.5 mL)

Maximum Strength
**Fungi
CURE**
LIQUID GEL
ANTI-FUNGAL TREATMENT



**FUNGICURE Liquid Gel is
ideal for treating finger &
toe area fungal infections:**

Kills exposed nail-bed
fungus. Cures and heals.

Innovative Liquid Gel
adheres to infected surfaces,
locking in medication with
the targeted, no mess
applicator.

Works on exposed nail-bed
surfaces where nails are
missing, cracked open or
otherwise breached, as well
as around, adjacent to and
under nail-tips wherever
reachable with the precision
QuickBrush™ applicator.

Dist:
 ALVA-AMCO Pharmaceutical Cos., Inc.
Niles, IL 60714, U.S.A.
© 2012-2016 ALVA
® Reg. U.S. Patent and Trademark Office

LOT:

EXP:

FUNGICURE LIQUIDGEL

undecylenic acid gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52389-633
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Undecylenic acid (UNII: K3D86KJ24N) (Undecylenic acid - UNII:K3D86KJ24N)	Undecylenic acid	250 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Aloe vera leaf (UNII: ZY81Z83H0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52389-633-09	1 in 1 BOX	06/05/2016	
1		9 g in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	11/30/2012	

Labeler - Alva-Amco Pharmaceutical Companies, Inc. (042074856)

Revised: 9/2017

Alva-Amco Pharmaceutical Companies, Inc.