

**CITY BLOCK SHEER OIL FREE DAILY FACE PROTECTOR BROAD SPECTRUM SPF 25- titanium dioxide and zinc oxide cream**  
**CLINIQUE LABORATORIES LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CITY BLOCK SHEER OIL FREE DAILY FACE PROTECTOR BROAD SPECTRUM SPF 25**

***Drug Facts***

**Active ingredients**

Titanium dioxide 7.3%  
Zinc oxide 6.9%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

### **Inactive ingredients**

water/aqua/eau • trioctyl dodecyl citrate • butylene glycol • cyclopentasiloxane • dimethicone • c12-15 alkyl benzoate • steareth-2 • stearyl heptanoate • silica • lecithin • ammonium acryloyl dimethyl taurate/vp copolymer • gentiana lutea (gentian) root extract • rosmarinus officinalis (rosemary) leaf extract • hordeum vulgare (barley) extract/extrait d'orge • betula alba (birch) bark extract • cucumis sativus (cucumber) fruit extract • laminaria saccharina extract • saccharomyces lysate extract • helianthus annuus (sunflower) seedcake • sodium hyaluronate • sorbitan tristearate • linoleic acid • polyquaternium-51 • caprylyl methicone • sorbitol • sodium rna • peg-40 stearate • caprylyl glycol • tocopheryl acetate • phytantriol • stearic acid • hydrogenated lecithin • cellulose • magnesium ascorbyl phosphate • stearyl dimethicone • ascorbyl tocopheryl maleate • nordihydroguaiaretic acid • linolenic acid • pantethine • bisabolol • ceteth-2 • peg/ppg-18/18 dimethicone • polyglyceryl-6 polyricinoleate • steareth-20 • isopropyl titanium triisostearate • propylene glycol dicaprates • sodium stearate • nylon-12 • citric acid • aluminum hydroxide • nylon-6 • hexylene glycol • xanthan gum • disodium edta • bht • phenoxyethanol • titanium dioxide (ci 77891) • iron oxides (ci 77491, ci 77492, ci 77499) [iln37355]

### **Other information**

protect the product in this container from excessive heat and direct sun

### **PRINCIPAL DISPLAY PANEL - 40 ml Tube Carton**

sun protection

CITY BLOCK

SHEER

oil-free daily face protector

BROAD

SPECTRUM

25 SPF

CLINIQUE

1.4 FL.OZ.LIQ./

40 ml e

ALL SKIN TYPES

1, 2, 3, 4

sun protection

# CITY BLOCK SHEER

oil-free daily face protector

BROAD  
SPECTRUM  
25 SPF

CLINIQUE

1.4 FL.OZ. LIQ./  
40 ml e

Allergy Tested.  
100% Fragrance Free.  
No Chemical  
Sunscreens.

Sheer, high-level broad-spectrum UVA/UVB daily sun protection. Lightweight formula helps wick away perspiration and absorb excess oil so makeup looks fresher, longer. Antioxidant-enriched. Wear alone, or as an invisible under-makeup primer. Appropriate for eye area, sensitive skins.



### Drug Facts (cont'd)

#### Inactive Ingredients

water/aqua/eau • triocylododecyl citrate • butylene glycol • cyclopentasiloxane • dimethicone • c12-15 alkyl benzoate • steareth-2 • stearyl heptanoate • silica • lecithin • ammonium acryloyldimethyltaurate/vp copolymer • gentiana lutea (gentian) root extract • rosmarinus officinalis (rosemary) leaf extract • hortaleum vulgare (barley) extract/extrait d'orge • betula alba (birch) bark extract • cucumis sativus (cucumber) fruit extract • laminaria saccharina extract • saccharomyces lysate extract • hellianthus annuus (sunflower) seedcake • sodium hyaluronate • sorbitan tristearate • linoleic acid • polyquaternium-61 • caprylyl methicone • sorbitol • sodium rna • peg-40 stearate • caprylyl glycol • tocopheryl acetate • phytantriol • stearic acid • hydrogenated lecithin • cellulose • magnesium ascorbyl phosphate • stearyl dimethicone • ascorbyl tocopheryl maleate • nordihydrogalareic acid • linolenic acid • panthenol • bisabolol • ceteth-2 • peg/ppg-18/18 dimethicone • polyglyceryl-6 polyricinoleate • steareth-20 • isopropyl titanium triisostearate • propylene glycol dicaprate • sodium stearate • nylon-12 • citric acid • aluminum hydroxide • nylon-6 • hexylene glycol • xanthan gum • disodium edta • bht • phenoxyethanol • titanium dioxide (ci 77891) • iron oxides (ci 77491, ci 77492, ci 77499) [ln37355]

#### Other information

protect the product in this container from excessive heat and direct sun

### Drug Facts

Active Ingredients	Purpose
Titanium dioxide 7.3%	Sunscreen
Zinc oxide 6.9%	

**Use**  
helps prevent sunburn

**Warnings**  
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

• children under 6 months of age: ask a doctor ▶

91276  
TP 397  
1



CLINIQUE LABORATORIES, DIST.  
NEW YORK, N.Y. 10022  
WLB LTD, GU32 3DD, UK  
WLB NV, DEVEL BE-2280  
NEW YORK • LONDON • PARIS  
6KF5 MADE IN BELGIUM



6KF5-01-1116

# CITY BLOCK SHEER OIL FREE DAILY FACE PROTECTOR BROAD SPECTRUM SPF 25

titanium dioxide and zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49527-023
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	73 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	69 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRIOCTYLDODECYL CITRATE</b> (UNII: 35X8CT063R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>STEARYL HEPTANOATE</b> (UNII: 2M4UGL1NCN)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>GENTIANA LUTEA ROOT</b> (UNII: S72O3284MS)	
<b>ROSEMARY</b> (UNII: IJ67X351P9)	
<b>BARLEY</b> (UNII: 5PWM7YLI7R)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>SACCHAROMYCES LYSATE</b> (UNII: R85W246Z1C)	
<b>HELIANTHUS ANNUUS SEEDCAKE</b> (UNII: 482WYF7XLC)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SORBITAN TRISTEARATE</b> (UNII: 6LUM696811)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>PEG-40 STEARATE</b> (UNII: ECU18C66Q7)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>STEARYL DIMETHICONE (400 MPA.S AT 50C)</b> (UNII: R327X197HY)	

<b>ASCORBYL TOCOPHERYL MALEATE</b> (UNII: D2G6259XR5)
<b>LINOLENIC ACID</b> (UNII: ORBV727H71)
<b>PANTETHINE</b> (UNII: 7K81IL792L)
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)
<b>CETETH-2</b> (UNII: 7H8VAM7778)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)
<b>PROPYLENE GLYCOL DICAPRATE</b> (UNII: U783H9JHWY)
<b>SODIUM STEARATE</b> (UNII: QU7E2XA9TG)
<b>NYLON-12</b> (UNII: 446U8J075B)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-023-01	1 in 1 CARTON	12/19/2019	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	12/19/2019	

**Labeler** - CLINIQUE LABORATORIES LLC (044475127)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(49527-023) , pack(49527-023) , label(49527-023)