

**VALIANT EXPRESS- lactic acid and dodecyl benzene sulfonic acid solution**  
**ABS Global Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**Danger**

**Causes severe skin burns and eye damage.**

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

**DIRECTIONS FOR USE**

**Mix Directions:** If not using an automated pump system, then mix according to the following directions.

1. Measure one part of Express 1 Concentrate component into a clean empty, non-metallic container.
2. Add 20 parts cool potable water (at or below 77°F/25°C.)
3. Add one part Express 3 Concentrate component and mix.
4. This mixed solution Express 1 & 3 RTU (ready-to-use) will remain stable for 24 hours. After 24 hours discard any remaining solution and mix a new solution.

**IMPORTANT:** Do not add mixed Express 1 & 3 RTU ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Express 1 & 3 RTU. Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

**DIRECTIONS FOR TEAT DIPPING**

**Pre-Milking:** Fill teat dip cup with Express 1 & 3 RTU. Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Express 1 & 3 RTU. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Udder and teats which are heavily soiled should be washed before using a pre-milking teat dip. Teats should be dried with a single-service towel and dipped in Express 1 & 3 RTU, wiping teats dry before milking.

**Post-Milking:** Immediately after milking, use Express 1 & 3 RTU at full strength. Submerge teat 2/3 their length in Express 1 & 3 RTU teat dip. Allow to air dry. Do not wipe.

Always use fresh full strength Express 1 & 3 RTU. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return unused product to the original

container.

Do not turn cows into freezing weather until Express 1 & 3 RTU is completely dry.

**NOTE:** Express 1 & 3 RTU is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian. Pre-Milking: Fill teat dip cup with Express 1 & 3 RTU. Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Express 1 & 3 RTU. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).**

**Representative label and principal display panel**

**Valiant**

**Express™ 1 Concentrate**

quality milk system

**ABS**

**Unique Teat Dip Concentrate Compound**

**DO NOT MIX EXPRESS 1 AND EXPRESS 3 DIRECTLY TOGETHER**

When properly mixed with potable water and Express 3, this solution is an aid in reducing the spread of organisms which may cause mastitis.

**ACTIVE INGREDIENTS:**

Lactic Acid.....9.5%  
Linear Dodecyl Benzene Sulfonic Acid.....1.6%

**INERT INGREDIENTS:**..... 88.9%

(contains lanolin, propylene glycol)

**TOTAL:**.....100.0%

**6300622**

**208 L (55 US GAL)**

Distributed by:

ABS Global, Inc. · P.O. Box 459

DeForest, Wisconsin USA 53532

[www.absglobal.com](http://www.absglobal.com)

Manufactured by:

Ecolab · 1 Ecolab Place · St. Paul MN 55102 USA ·

tel: 1 800 392 3392

© 2017 Ecolab USA Inc · All rights reserved | Todos los derechos reservados

Made in U.S.A. | Hecho en EE.UU

[www.ecolab.com](http://www.ecolab.com) · 753671/5302/0418

# Express™ 1 Concentrate



# Valiant™

quality milk  
system



## Unique Teat Dip Concentrate Component

### DO NOT MIX EXPRESS 1 AND EXPRESS 3 DIRECTLY TOGETHER

When properly mixed with potable water and Express 3, this solution is an aid in reducing the spread of organisms which may cause mastitis.

#### ACTIVE INGREDIENTS:

Lactic Acid.....9.5%  
Linear Dodecyl Benzene Sulfonic Acid.....1.6%

#### INERT INGREDIENTS:

(contains lanolin, propylene glycol).....88.9%  
**TOTAL:**.....100.0%

## Componente concentrado único sellador de pezones

### NO MEZCLE DIRECTAMENTE EXPRESS 1 Y EXPRESS 3

Cuando se mezcla apropiadamente con agua potable y Express 3, se obtiene una solución que ayuda a reducir la diseminación de organismos causantes de mastitis.

#### INGREDIENTES ACTIVOS:

Acido láctico.....9.5%  
Acido dodecilbencensulfónico lineal.....1.6%

#### INGREDIENTES INERTES

(contiene lanolina, glicol propileno).....88.9%  
**TOTAL:**.....100.0%

6300622  
208 L (55 US GAL)

KEEP OUT OF REACH OF CHILDREN  
NOT FOR HUMAN USE

## Danger

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
Do not mix with bleach or other chlorinated products – will cause chlorine gas.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

#### DIRECTIONS FOR USE

Mix Directions: If not using an automated pump system, then mix according to the following directions.  
1. Measure one part of Express 1 Concentrate component into a clean empty, non-metallic container.  
2. Add 20 parts cool potable water (at or below 77°F/25°C).

3. Add one part Express 3 Concentrate component and mix.  
4. This mixed solution Express 1 & 3 RTU (ready-to-use) will remain stable for 24 hours. After 24 hours discard any remaining solution and mix a new solution.

IMPORTANT: Do not add mixed Express 1 & 3 RTU ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labelling for Express 1 & 3 RTU.

Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

#### DIRECTIONS FOR TEAT DIPPING

Pre-Milking: Fill teat dip cup with Express 1 & 3 RTU.

Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Express 1 & 3 RTU. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Udder and teats which are heavily soiled should be washed before using a pre-milking teat dip. Teats should be dried with a single-service towel and dipped in Express 1 & 3 RTU, wiping teats dry before milking.

Post-Milking: Immediately after milking, use Express 1 & 3 RTU at full strength. Submerge teat 2/3 their length in Express 1 & 3 RTU teat dip. Allow to air dry. Do not wipe. Always use fresh full strength Express 1 & 3 RTU. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return unused product to the original container.

Do not turn cows into freezing weather until Express 1 & 3 RTU is completely dry.  
NOTE: Express 1 & 3 RTU is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Distributed by:  
ABS Global, Inc. - P.O. Box 459  
DeForest, Wisconsin USA 53532  
www.absglobal.com

Manufactured by:  
Ecolab - 1 Ecolab Place - St. Paul MN 55102 USA -  
tel: 1 800 392 3392  
© 2018 Ecolab USA Inc. All rights reserved | Todos los derechos reservados  
Made in U.S.A. | Hecho en EE.UU.  
www.ecolab.com - 753671/5302/0418

MANTÉNGASE FUERA DEL ALCANCE DE  
LOS NIÑOS

NO ES PARA USO HUMANO

## Peligro

Provoca graves quemaduras en la piel y lesiones oculares.

Lavarse la piel cuidadosamente después de la manipulación. Usar guantes/ropa de protección/equipo de protección para los ojos/ la cara.

No se mezcle con el blanqueador u otros productos tratados con cloro - causará el gas de cloro.

EN CASO DE INGESTIÓN: Enjuagar la boca. NO provocar el vómito. EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitar inmediatamente la ropa contaminada. Enjuagar la piel con agua/ ducharse. EN CASO DE INHALACIÓN: Transportar la víctima al aire libre y mantenerla en reposo en una posición que le facilite la respiración. EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA o a un médico. Lavar la ropa contaminada antes de volverla a usar.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD:  
1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

#### INSTRUCCIONES DE USO

Instrucciones de mezcla: Si no está utilizando un sistema de bomba automatizado para mezclar el producto, realice la mezcla de acuerdo a las siguientes instrucciones.  
1. Mida una parte de Express 1 en un recipiente limpio y vacío. Esta solución no puede ser metálica.

2. Añada 20 partes de agua potable. (La temperatura del agua debe ser menor de 25°C.)

3. Añada una parte del componente Express Concentrado N°3 y luego mezcle.

4. Esta solución ya mezclada de Express 1 & 3 LPU (listo para usar) permanecerá estable por 24 horas. Después de 24 horas descarte el producto que haya quedado y prepare una nueva solución.

IMPORTANTE: No agregue Express 1 & 3 LPU mezclado y listo para usar a ningún otro sellador de pezones o a otros productos. Si lo transfiriere de este recipiente a otro, verifique que el otro esté minuciosamente limpio y que tenga la etiqueta de Express 1 & 3 LPU.

El uso de un programa completo para el cuidado de vacas, incluyendo el pre y post sellado, puede reducir la diseminación de organismos que pueden causar mastitis.

INSTRUCCIONES PARA EL SELLADO  
Pre ordeño: Llene la copa selladora con Express 1 & 3 LPU. Antes de que cada vaca sea ordeñada sumerja los pezones con Express 1 & 3 LPU tanto como sea posible. Después de aplicar Express 1 & 3 LPU seque los pezones con una toalla individual para así evitar contaminación en la leche.

Las ubres y pezones que estén sobrecargados de material orgánico deben ser lavados antes de utilizar el pre sellador. Después de lavados seque los pezones y sumérjelos en la solución Express 1 & 3 LPU. Posteriormente, y antes de que cada vaca sea ordeñada seque los pezones con una toalla individual.

Post ordeño: Inmediatamente después del ordeño utilice Express 1 & 3 LPU. Sumerja 2/3 partes de los pezones en la solución. No seque los pezones. Siempre utilice Express 1 & 3 LPU a toda su capacidad. Si el producto en la copa comienza a estar visiblemente sucio descártelo y replacelo. No vuelva a utilizar el producto o devolver producto no utilizado al envase original.

Si es que hay temperaturas de congelamiento no saque las vacas a la intemperie hasta que Express 1 & 3 LPU este totalmente seco.

NOTA: Express 1 & 3 LPU no intenta curar o ayudar a cicatrizar pezones irritados o agrietados. En caso de irritación o agrietamiento, consulte a su médico veterinario.

## VALIANT EXPRESS

lactic acid and dodecyl benzene sulfonic acid solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59 282-103
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	95 mg in 1 mL
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DODECYLBENZENESULFONIC ACID	16 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-103-17	56780 mL in 1 DRUM		
2	NDC:59282-103-21	208200 mL in 1 DRUM		
3	NDC:59282-103-44	1134000 mL in 1 CONTAINER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/24/1999	

**Labeler** - ABS Global Inc. (835053570)

Revised: 5/2018

ABS Global Inc.