

VALIANT EXPRESS - lactic acid and dodecyl benzene sulfonic acid solution
ABS Global Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE

WARNING: Causes respiratory tract, eye and skin irritation. Not for internal use. Contains tartrazine. If ingested or inhaled may cause asthmatic-like reactions or dermal symptoms in tartrazine-sensitive individuals. Avoid contact with eyes, skin and clothing. Avoid breathing vapors, spray or mists. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. For external use on dairy cows.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists.

Skin contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation: If inhaled, remove to fresh air. Get medical attention if irritation persists.

Ingestion: Get medical attention if symptoms occur. Read Material Safety Data Sheet (MSDS) before using this product.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).

DIRECTIONS FOR USE

Avoid contact with skin and eyes. Wear chemical splash goggles and rubber gloves when handling the concentrated product.

Mix Directions: If not using an automated pump system, then mix according to the following directions.

1. Measure one part of Express 1 Concentrate component into a clean empty, non-metallic container.
2. Add 20 parts cool potable water (at or below 77°F/ 25°C.)
3. Add one part Express 3 Concentrate component and mix.
4. This mixed solution Express 1 & 3 RTU (ready-to-use) will remain stable for 24 hours. After 24 hours discard any remaining solution and mix a new

solution.

IMPORTANT: Do not add mixed Express 1 & 3 RTU (ready-to-use) to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Express 1 & 3 RTU.

Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Pre-Milking: Fill teat dip cup with Express 1 & 3 RTU.

Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Express 1 & 3 RTU. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Udder and teats which are heavily soiled should be washed before using a pre-milking teat dip. Teats should be dried with a single-service towel and dipped in Express 1 & 3 RTU, wiping teats dry before milking.

Post-Milking: Immediately after milking, use Express 1 & 3 RTU at full strength. Submerge teat 2/3 their length in Express 1 & 3 RTU teat dip. Allow to air dry. Do not wipe. Always use fresh full strength Express 1 & 3 RTU. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return unused product to the original container.

Do not turn cows into freezing weather until Express 1 & 3 RTU is completely dry.

NOTE: In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Principal Display Panel and Representative Label

Valiant

Express™ 1 Concentrate

quality milk system

ABS

Unique Teat Dip Concentrate Compound

DO NOT MIX EXPRESS 1 AND EXPRESS 3 DIRECTLY TOGETHER

When properly mixed with potable water and Express 3, this solution is an aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid.....	9.5%
Linear Dodecyl Benzene Sulfonic Acid.....	1.6%
Contains an emollient system (lanolin and propylene glycol)	48%

NET CONTENTS:
55 U.S. GAL/208.2 L

6300622

ABS Global, Inc., P.O. Box 459
DeForest, Wisconsin 53532
www.absglobal.com

Express™ 1 Concentrate




Unique Teat Dip Concentrate Component

DO NOT MIX EXPRESS 1 AND EXPRESS 3 DIRECTLY TOGETHER
When properly mixed with potable water and Express 3, this solution is an aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid	9.5%
Linear Dodecyl Benzene Sulfonic Acid	1.6%
Contains an emollient system (lanolin and propylene glycol) 48%	

Componente concentrado único sellador de pezones

NO MEZCLE DIRECTAMENTE EXPRESS 1 Y EXPRESS 3
Cuando Express 1 se mezcla apropiadamente con agua potable y Express 3, se obtiene una solución que ayuda a reducir la diseminación de organismos causantes de mastitis.

INGREDIENTES ACTIVO:

Acido láctico	9.5%
Acido dodecibencensulfónico lineal	1.6%
Contiene un sistema emollient (lanolino y glicol propileno) 48%	

NET CONTENTS: 55 U.S. GAL/208.2 L **CONTENIDO NETO: 55 U.S. GAL/208.2 L**

6300622

Patent Pending

ABS Global, Inc., P.O. Box 459
DeForest, Wisconsin 53532
www.absglobal.com

DIRECTIONS FOR USE
Avoid contact with skin and eyes. Wear chemical splash goggles and rubber gloves when handling the concentrated product.
Mix Directions: If not using an automated pump system, then mix according to the following directions:
1. Measure one part of Express 1 Concentrate component into a clean empty, non-metallic container.
2. Add 70 parts cool potable water (at or below 77°F/25°C).
3. Add one part Express 3 Concentrate component and mix.
4. This mixed solution Express 1 & 3 RTU (ready-to-use) will remain stable for 24 hours. After 24 hours, discard any remaining solution and mix a new solution.
IMPORTANT: Do not add mixed Express 1 & 3 RTU (ready-to-use) to any other test dip or other products. If transferred from the container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Express 1 & 3 RTU.
Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.
DIRECTIONS FOR TEAT DIPPING
Pre-Milking: Fill teat dip cup with Express 1 & 3 RTU. Before each cow is milked, dip the teats as far as possible into the teat dip cup containing Express 1 & 3 RTU. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.
Udders and teats which are heavily coated should be washed before using a pre-milking test dip. Teats should be dried with a single-service towel and dipped in Express 1 & 3 RTU, wiping teats dry before milking.
Post-Milking: Immediately after milking, use Express 1 & 3 RTU at full strength. Submerge teat 2/3 their length in Express 1 & 3 RTU teat dip. Allow to air dry. Do not wipe. Always use fresh full strength Express 1 & 3 RTU. If product in dip cup becomes visibly dirty, discard contents and replace with fresh product. Do not reuse or return unused product to the original container.
Do not run cows into freezing weather until Express 1 & 3 RTU is completely dry.
NOTE: In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**

WARNING: Causes respiratory tract, eye and skin irritation. Not for internal use. Contains triazine. If ingested or inhaled may cause asthma-like reactions or dermal symptoms in triazine-sensitive individuals. Avoid contact with eyes, skin and clothing. Avoid breathing vapors, spray or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. For external use on dairy cows.

FIRST AID
Eye contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists.
Skin contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation: If inhaled, remove to fresh air. Get medical attention if irritation persists.
Ingestion: Get medical attention if symptoms occur. Read Material Safety Data Sheet (MSDS) before using this product.
FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.
FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-661-222-6362 (IN THE USA).

© 2012 - All rights reserved.
Made in United States - 754110/6300/1112

Formal ingredients contain no Phosphors.

VALIANT EXPRESS

lactic acid and dodecyl benzene sulfonic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59282-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	100.89 mg in 1 mL
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DODECYLBENZENESULFONIC ACID	16.99 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LANOLIN (UNII: 7EV65EAW6H)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59282-103-16	18930 mL in 1 PAIL		
2	NDC:59282-103-17	56780 mL in 1 DRUM		
3	NDC:59282-103-21	208200 mL in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/24/1999	

Labeler - ABS Global Inc. (835053570)

Revised: 4/2013

ABS Global Inc.