CHILDRENS CHEWABLE ACETAMINOPHEN- acetaminophen tablet, chewable BLESSINGS INTERNATIONAL

BLE 148

Active ingredient (in each tablet)

Acetaminophen 80 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Chew tablets thoroughly before swallowing.

This product does not contain directions or complete warnings for adults.

Follow dosage on table or use as doctor directs. If possible use weight to dose; otherwise use age. Give every 4 hours as needed; do not give more than 5 doses in 24 hours. Administer only under adult supervision.

DO NOT EXCEED DOSE SHOWN. See Overdose Warning.

Weight (lbs)	Under 24	24-35	36-47	48-59	60-71	72-95
Age	Under 2	2-3	4-5	6-8	9-10	11
Tablets	Ask Doctor	2	3	4	5	6

Other information

- TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.
- store at 20°C-25°C (68°F-77°F); avoid high humidity
- Keep tightly closed
- Phenylketonurics: contains phenylalanine 5mg per tablet.

Inactive ingredients

Aspartame (contains phenylalanine), cellulose, D&C Red #27, Dextrose, FD&C Yellow #6, fruit flavor,

magnesium stearate, Prosweet, stearic acid, sugar.

Principal display panel

Drug Facts

Active ingredient (in each tablet) Purposes

Fever Reducer

INTERNATIONAL **MEDICINESFORMISSIONS**

NDC 51376-130-10

Uses • temporarily relieves minor aches and pains • temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- . more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: . skin reddening blisters • rash If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

. if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease. Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- · new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

CHILDREN'S ACETAMINOPHEN 80 mg

PAIN RELIEVER/ FEVER REDUCER Chewable, Flavored Tablets

KEEP OUT OF REACH OF CHILDREN FOR INSTITUTIONAL USE ONLY

Distributed by: **Blessings International** 1650 N Indianwood Ave Broken Arrow, OK 74012 www.blessing.org

1000 Tablets

Drug Facts (continued)

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions: Chew tablets thoroughly before swallowing. This product does not contain directions or complete warnings for adults.

Follow dosage on table or use as doctor directs. If possible use weight to dose; otherwise use age. Give every 4 hours as needed; do not give more than 5 doses in 24 hours. Administer only under adult supervision.

DO NOT EXCEED DOSE SHOWN. See Overdose Warning.

Weight (lbs)	Under 24	24-35	36-47	48-59	60-71	72-95
Age	Under 2	2-3	4-5	6-8	9-10	11
Tablets	Ask Doctor	2	3	4	5	6

Other information • TAMPER EVIDENT: Do not use

- if imprinted seal under cap is missing or broken.

 store at 20-25°C (68-77°F); avoid high humidity

 Keep tightly closed
- Phenylketonurics: contains phenylalanine 5mg per tablet.

Inactive ingredients: Aspartame (contains phenylalanine), cellulose, D&C Red #27, Dextrose, FD&C Yellow #6, fruit flavor, magnesium stearate, Prosweet, stearic acid, sugar.

REV 0623



Strength

CHILDRENS CHEWABLE ACETAMINOPHEN

Þ

acetaminophen tablet, chewable

Product Information

HUMAN OTC DRUG NDC:51376-130 **Product Type** Item Code (Source)

ORAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) **ACETAMINOPHEN** 80 mg

Inactive Ingredients

ASPARTAME (UNII: Z0H242BBR1) **INVERT SUGAR** (UNII: ED959S6ACY) **D&C RED NO. 27** (UNII: 2LRS185U6K)

FD&C YELLOW NO. 6 (UNII: H77VEI93A8) MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

STEARIC ACID (UNII: 4ELV7Z65AP)

DEXTROSE (UNII: IY9XDZ 35W2)

Product Characteristics

Color pink (light) Score 2 pieces

Ingredient Name

Shape	ROUND	Size	10mm
Flavor	FRUIT	Imprint Code	AP;051
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:51376- 130-10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	11/01/2022		

Labeler - BLESSINGS INTERNATIONAL (064965742)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023 BLESSINGS INTERNATIONAL