

LANSOPRAZOLE- lansoprazole capsule, delayed release
Major Pharmaceuticals

Drug Facts

Active ingredient (in each capsule)

Lansoprazole 15 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to lansoprazole.

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- liver disease
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking

- warfarin (blood-thinning medicine)
- prescription antifungal or anti-yeast medicines
- digoxin (heart medicine)
- theophylline (asthma medicine)
- tacrolimus (immune system medicine)
- atazanavir (medicine for HIV infection)

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

- you get diarrhea

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor. Patients should use the lowest dose and shortest duration of this therapy.**
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions, warnings and package insert before use
- keep the carton and package insert. They contain important information.
- store at 20°-25°C (68°-77°F)
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients

colloidal silicon dioxide, D&C red No. 33, D&C yellow No. 10, FD&C blue No. 1, FD&C red No. 40, gelatin, hypromellose, magnesium carbonate, methacrylic acid copolymer dispersion, polyethylene glycol, polysorbate 80, sucrose, sugar spheres, talc, titanium dioxide

Questions or comments?

Call 1-800-616-2471

Principal Display Panel

Heartburn Relief 24 Hour™

Lansoprazole Delayed-Release Capsules, 15 mg

Acid Reducer

- May take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours
- Clinically Proven To Treat Frequent Heartburn

Capsules

Sodium Free

*Compare to the active ingredient of **Prevacid®24HR**

*This product is not manufactured or distributed by Takeda Pharmaceuticals North America, Inc., owner of the registered trademark Prevacid®, or by Novartis Consumer Health, Inc., distributor of the Prevacid®24HR product.

KEEP OUTER CARTON AND PACKAGE INSERT. THEY CONTAIN IMPORTANT INFORMATION.

TAMPER-EVIDENT BOTTLE: DO NOT USE IF INNER FOIL SEAL IMPRINTED WITH "SEALED FOR YOUR PROTECTION" OR DARK BLUE TO BLACK GELATIN BAND AROUND THE CENTER OF EACH CAPSULE IS MISSING OR BROKEN.

Distributed By **MAJOR® PHARMACEUTICALS**

31778 Enterprise Drive

Livonia, MI 48150 USA

Product of India

Product Label

Acid Reducer

TAMPER-EVIDENT BOTTLE: DO NOT USE IF INNER FOIL SEAL IMPRINTED WITH "SEALED FOR YOUR PROTECTION" OR DARK BLUE TO BLACK GELATIN BAND AROUND THE CENTER OF EACH CAPSULE IS MISSING OR BROKEN.

NDC 0904-6282-42

MAJOR®

Heartburn Relief 24 Hour™

Lansoprazole Delayed-Release Capsules, 15 mg

Acid Reducer

- May take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours
- Clinically Proven To Treat Frequent Heartburn

42 Capsules
Three 14-Day Courses of Treatment

Sodium Free

*Compare to the active ingredient of **Prevacid®24HR**

KEEP OUTER CARTON AND PACKAGE INSERT. THEY CONTAIN IMPORTANT INFORMATION.

Distributed By
MAJOR® PHARMACEUTICALS
31778 Enterprise Drive
Livonia, MI 48150, USA

Re-Order No. 263702
Rev. 09/13 M-58
PLD-C
FD000682 Product of India **3 BOTTLES INSIDE**

3 09046 28242 6

Lot No.:
Exp. Date:

Drug Facts

Active ingredient (in each capsule)
Lansoprazole 15 mg.

Purpose
Acid reducer

Use

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to lansoprazole.

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- liver disease
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck, or shoulder; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are taking

- warfarin (blood-thinning medicine)
- prescription antifungal or anti-yeast medicines
- digoxin (heart medicine)
- theophylline (asthma medicine)
- tacrolimus (immune system medicine)
- zalcitabine (medicine for HIV infection)

Stop use and ask a doctor if

- your heartburn continues or worsens

Drug Facts (continued)

- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeat 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

Patients should use the lowest dose and shortest duration of this therapy.

- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions, warnings, and package insert before use
- keep the carton and package insert. They contain important information.
- store at 20°-25°C (68°-77°F)
- keep product out of high heat and humidity
- protect product from moisture

Drug Facts (continued)

Inactive ingredients colloidal silicon dioxide, D&C red No. 35, D&C yellow No. 10, FD&C blue No. 1, FD&C red No. 40, gelatin, hydroxymethylcellulose, magnesium carbonate, methacrylic acid copolymer dispersion, polyethylene glycol, polyorbital 80, sucrose, sugar spheres, talc, titanium dioxide

Questions or comments?
Call 1-800-616-2471

*This product is not manufactured or distributed by Takeda Pharmaceuticals North America, Inc., owner of the registered trademark Prevacid®, or by Novartis Consumer Health, Inc., distributor of the Prevacid®24HR product.

Major Heartburn Relief 24 Hour Capsules

LANSOPRAZOLE

lansoprazole capsule, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6282(NDC:55648-140)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LANSOPRAZOLE (UNII: 0K5C5T2QPG) (LANSOPRAZOLE - UNII:0K5C5T2QPG)	LANSOPRAZOLE	15 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	

Product Characteristics

Color	PINK (Opaque dark pink cap) , GREEN (Opaque dark green body)	Score	no score
Shape	CAPSULE	Size	16mm
Flavor		Imprint Code	W;140
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6282-41	1 in 1 CARTON		
1		14 in 1 BOTTLE		
2	NDC:0904-6282-71	2 in 1 CARTON		
2		14 in 1 BOTTLE		
3	NDC:0904-6282-42	3 in 1 CARTON		
3		14 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA202727	03/29/2012	

Labeler - Major Pharmaceuticals (191427277)

Registrant - P and L Development of New York Corporation (800014821)

Revised: 4/2013

Major Pharmaceuticals