

RED-KOTE VETERINARY SCARLET-RED OIL - phenol, scarlet red aerosol, spray
H. W. Naylor Company Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

RED-KOTE[®] VETERINARY SCARLET RED OIL

Active Ingredients

Phenol 3.25%, Biebrich Scarlet Red .19%.

Purpose

Antiseptic Wound Dressing for Horses and Dogs for Superficial:

- Scratches
- Lacerations
- Rope Burns
- Slow-healing Ulcers
- Wire Cuts
- Abrasions
- Chafes
- Surface Cuts

Directions

Clean and dry affected area thoroughly before spraying. Keep wound clean and dry.

Shake Well. Remove protective cap. Hold container upright 4 to 6 inches from animal and direct spray at site to be treated by pressing down valve. Only a light coat is needed. Use either as an open wound treatment or under bandage. Repeat once or twice daily or as indicated until healing takes place.

Safety

LIVESTOCK REMEDY - NOT FOR HUMAN USE

CAUTION: For external veterinary use only. Use only as directed. Avoid contact with eyes and mucous membranes. Do not use on cats. Prevent dogs from licking treated area.

If redness, irritation, or swelling persists or increases, discontinue use and consult veterinarian.

In case of serious burns, deep or puncture wounds, consult a veterinarian.

Not for use on food-producing animals.

Avoid inhalation.

Contents under pressure.

Do not use or store near heat or open flame.

Exposure to temperature above 120° F. may cause bursting.

Do not puncture or incinerate can.

KEEP OUT OF REACH OF CHILDREN

Other Ingredients

Vegetable Oil Base, Isopropyl Alcohol

Questions?

www.drnaylor.com

Principal Display Panel

Dr. Naylor®

RED-KOTE® VETERINARY SCARLET RED OIL

Antiseptic Wound Dressing

Non-Drying • Softening

DANGER: EXTREMELY FLAMMABLE

Net Weight: Five ozs. (142 grams)

H.W. NAYLOR CO., INC.

www.drnaylor.com

Morris N.Y. 13808


U.S.A.

Made in U.S.A.

SP5026

KEEP OUT OF REACH OF CHILDREN

CAUTION: For external veterinary use only. Use only as directed. Avoid contact with eyes and mucous membranes. Do not use on cats. Prevent dogs from licking treated area. If redness, irritation, or swelling persists or increases, discontinue use and consult veterinarian. In case of serious burns, deep or puncture wounds, consult a veterinarian. Not for use on food-producing animals. Avoid inhalation. Contents under pressure. Do not use or store near heat or open flame. Exposure to temperature above 120°F. may cause bursting. Do not puncture or incinerate can.



0 32584 94510 1

Dr. Naylor®

RED-KOTE®

VETERINARY SCARLET RED OIL

Antiseptic Wound Dressing
Non-Drying • Softening

Active Ingredients: Phenol 3.25%, B ebrich Scarlet Red .19%. In a soothing, softening vegetable oil base. Isopropyl alcohol 4.2% by volume.

DANGER: EXTREMELY FLAMMABLE

Net Weight: Five ozs. (142 grams)

H.W. NAYLOR CO., INC.
www.drnaylor.com
Morris, N.Y. 13808
U.S.A.

SPRAY IT ON HORSES • DOGS

Superficial:

- Scratches
- Lacerations
- Rope Burns
- Slow-healing Ulcers
- Wire Cuts
- Abrasions
- Chafes
- Surface Cuts

ADHERING • SOOTHING PROTECTIVE FIGHTS INFECTION

DIRECTIONS: Clean and dry affected area thoroughly before spraying. Keep wound clean and dry. Shake Well. Remove protective cap. Hold container upright 4 to 6 inches from animal and direct spray at site to be treated by pressing down valve. Only a light coat is needed. Use either as an open wound treatment or under bandage. Repeat once or twice daily or as indicated until healing takes place.

LIVESTOCK REMEDY - NOT FOR HUMAN USE

Made in U.S.A. SP5026

RED-KOTE VETERINARY SCARLET-RED OIL

phenol, scarlet red aerosol, spray

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:15878-233
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Phenol (UNII: 339NCG44TV) (Phenol - UNII:339NCG44TV)	Phenol	3.25 g in 100 g
Scarlet Red (UNII: I35E9QU96C) (Scarlet Red - UNII:I35E9QU96C)	Scarlet Red	.19 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Linseed Oil (UNII: 84XB4DV00W)	
Castor Oil (UNII: D5340Y2I9G)	
Isopropyl Alcohol (UNII: ND2M416302)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15878-233-12	142 g in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/1962	

Labeler - H. W. Naylor Company Inc. (002080190)

Establishment

Name	Address	ID/FEI	Business Operations
H. W. Naylor Company Inc.		002080190	API MANUFACTURE, MANUFACTURE

Revised: 1/2013

H. W. Naylor Company Inc.