

CLE DE PEAU BEAUTE CONCEALER N 1- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 2- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 3- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 4- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 5- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 7- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 8- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 9- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 10- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 11- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 12- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER N 13- titanium dioxide stick
SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

clé de peau BEAUTÉ CONCEALER N

Drug Facts

Active ingredients

TITANIUM DIOXIDE 1.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE•DIMETHICONE•KAOLIN•NEOPENTYL GLYCOL
DIHEPTANOATE•DIPHENYLSILOXY PHENYL TRIMETHICONE•LITHIUM MAGNESIUM
SODIUM SILICATE•POLYETHYLENE•PARAFFIN•COPERNICIA CERIFERA (CARNAUBA)
WAX•SORBITAN SESQUIISOSTEARATE•MICROCRYSTALLINE WAX•GLYCERIN•BARIUM
SULFATE•PHYTOSTERYL MACADAMIATE•ARGANIA SPINOSA KERNEL OIL•TOCOPHERYL
ACETATE•SODIUM ACETYLATED HYALURONATE•ROSA ROXBURGHII FRUIT
EXTRACT•ZINGIBER AROMATICUS EXTRACT•ALUMINUM HYDROXIDE•DIPROPYLENE
GLYCOL•PEG-10 DIMETHICONE•WATER•STEARIC ACID•ALCOHOL•BUTYLENE
GLYCOL•TOCOPHEROL•SIMETHICONE•BHT•CHLORPHENESIN•FRAGRANCE•TITANIUM
DIOXIDE•IRON OXIDES•MICA•

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 1

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.

CONCEALER N



1
IVORY
GLO. 18181

クローフ

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.

www.cledepeau-beaute.com

2次元コード

Drug Facts (continued)

Directions

■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE-DIMETHICONE-KAOLIN-NEOPENTYL GLYCOL DIHEPTANOATE-DIPHENYLSILOXY PHENYL TRIMETHICONE-LITHIUM MAGNESIUM SODIUM SILICATE-POLYETHYLENE-PARAFFIN-COPERNICIA CERIFERA (CARNAUBA) WAX-SORBITAN SESQUISOESTEARATE-MICROCRYSTALLINE WAX-GLYCERIN-BARIUM SULFATE-PHYTOSTERYL MACADAMIA-ARGANIA SPINOSA KERNEL OIL-TOCOPHERYL ACETATE-SODIUM ACETYLATED HYALURONATE-ROSA ROXBURGHII FRUIT EXTRACT-

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT-ALUMINUM HYDROXIDE-DIPROPYLENE GLYCOL-PEG-10 DIMETHICONE-WATER-STEARIC ACID-ALCOHOL-BUTYLENE GLYCOL-TOCOPHEROL-SIMETHICONE-BHT-CHLORPHENESIN-FRAGRANCE-TITANIUM DIOXIDE-IRON OXIDES-MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M098116-31>



総小サイズ0.65倍 6mm/10mm
10mm 32mm

7 30852 18181 6

AAA

http://ca18181.com/18181cjp
See our website
for more information

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 2

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



CONCEALER N



Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.

www.cledepeau-beaute.com

2次元コード

Drug Facts (continued)

Directions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503
<MO96113-811>



純小サ+ス0.65倍 6mm/1- 10mm x 32mm
7 30852 18181 6

AAA

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 3

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
 ■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.
 www.cledepeau-beaute.com

2次元コード

Drug Facts (continued)

Directions

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

QRコード

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>



純小サノス0.65倍 6mm/1- 10mm X 32mm

7 30852 18181 6

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 4

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.
 www.cledepeau-beaute.com

2次元
 コード

Drug Facts (continued)

Directions

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

QRコード

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>



純小サ+ス0.65倍 6mm/1-
 10mm x 32mm

7 30852 18181 6

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 5

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.
 www.cledepeau-beaute.com

2次元
 コード

Drug Facts (continued)

Directions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

QRコード

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>



純小サ+ス0.65倍 6mm/1-
 10mm x 32mm

7 30852 18181 6

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 7

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.
 www.cledepeau-beaute.com

2次元コード

Drug Facts (continued)

Directions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

QRコード

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>



純小サノス0.65倍 6mm/1- 10mm X 32mm

7 30852 18181 6

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 8

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



CONCEALER N



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.

www.cledepeau-beaute.com

2次元コード

Drug Facts (continued)

Directions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>



純小サ+ス0.65倍 6mm/1-
 10mm x 32mm
 7 30852 18181 6

AAA

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 9

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.

www.cledepeau-beaute.com

2次元コード

Drug Facts (continued)

Directions

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

QRコード

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>



純小サ+ス0.65倍 6mm/1- 10mm x 32mm

7 30852 18181 6

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - 10

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
 ■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.
 www.cledepeau-beaute.com

2次元コード

Drug Facts (continued)

Directions

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503
 <MO96113-811>



純小サ+ス0.65倍 6mm/1- 10mm x 32mm
 7 30852 18181 6



clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.
 www.cledepeau-beaute.com

2次元
 コード

Drug Facts (continued)

Directions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

QRコード

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>

純小サ+ス0.65倍 6mm/1-
 10mm x 32mm
 7 30852 18181 6



clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.



Drug Facts

Active Ingredient Purpose
 TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.
 www.cledepeau-beaute.com

2次元
 コード

Drug Facts (continued)

Directions

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

CONCEALER N



clé de peau
 BEAUTÉ

CONCEALER N
 BROAD SPECTRUM
 SPF 27
 SUNSCREEN

seamless finish
 long-lasting

5g NET WT. .17 OZ.

AAA

QRコード

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<MO96113-811>



純小サ+ス0.65倍 6mm/1-
 10mm x 32mm

7 30852 18181 6

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.

CONCEALER N



1
IVORY
GLO. 18181



http://cledepeau.com/18181cp
See our website
for more information.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A.

www.cledepeau-beaute.com

2次元
コード

Drug Facts (continued)

Directions

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE- DIMETHICONE- KAOLIN- NEOPENTYL GLYCOL DIHEPTANOATE- DIPHENYLSILOXY PHENYL TRIMETHICONE- LITHIUM MAGNESIUM SODIUM SILICATE- POLYETHYLENE- PARAFFIN- COPERNICIA CERIFERA (CARNAUBA) WAX- SORBITAN SESQUISOESTEARATE- MICROCRYSTALLINE WAX- GLYCERIN- BARIUM SULFATE- PHYTOSTERYL MACADAMIMATE- ARGANIA SPINOSA KERNEL OIL- TOCOPHERYL ACETATE- SODIUM ACETYLATED HYALURONATE- ROSA ROXBURGHII FRUIT EXTRACT-

clé de peau
BEAUTÉ

CONCEALER N
BROAD SPECTRUM
SPF 27
SUNSCREEN

seamless finish
long-lasting

5g NET WT. .17 OZ.

Drug Facts (continued)

Inactive Ingredients

ZINGIBER AROMATICUS EXTRACT- ALUMINUM HYDROXIDE- DIPROPYLENE GLYCOL- PEG-10 DIMETHICONE- WATER- STEARIC ACID- ALCOHOL- BUTYLENE GLYCOL- TOCOPHEROL- SIMETHICONE- BHT- CHLORPHENESIN- FRAGRANCE- TITANIUM DIOXIDE- IRON OXIDES- MICA-

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503
<MO96113-811>



純小サ+ス0.65倍 6mm/1-
10mm x 32mm
7 30852 18181 6

AAA

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-658
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-658-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 2

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-659
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	

ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
WATER (UNII: 059QF0KO0R)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALCOHOL (UNII: 3K9958V90M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CHLORPHENESIN (UNII: I670DAL4SZ)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-659-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 3

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-660
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)
DIMETHICONE (UNII: 92RU3N3Y1O)
KAOLIN (UNII: 24H4NWX5CO)
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
LAPONITE (UNII: D703131383)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
PARAFFIN (UNII: I9O0E3H2ZE)
CARNAUBA WAX (UNII: R12CBM0EIZ)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
GLYCERIN (UNII: PDC6A3C0OX)
BARIUM SULFATE (UNII: 25BB7EKE2E)
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)
ARGAN OIL (UNII: 4V59G5UW9X)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
WATER (UNII: 059QF0KO0R)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALCOHOL (UNII: 3K9958V90M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CHLORPHENESIN (UNII: I670DAL4SZ)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-660-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 4

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-661
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-661-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 5

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-662
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	

SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
WATER (UNII: 059QF0KO0R)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALCOHOL (UNII: 3K9958V90M)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CHLORPHENESIN (UNII: I670DAL4SZ)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-662-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 7

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-663
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-663-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 8

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-664
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-664-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 9

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-665
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	

.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
WATER (UNII: 059QF0KO0R)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALCOHOL (UNII: 3K9958V90M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CHLORPHENESIN (UNII: I670DAL4SZ)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-665-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 10

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-666
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKWBC543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-666-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 11

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-667
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-667-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 12

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-668
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	

ARGAN OIL (UNII: 4V59G5UW9X)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
WATER (UNII: 059QF0KO0R)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALCOHOL (UNII: 3K9958V90M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CHLORPHENESIN (UNII: I670DAL4SZ)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-668-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	01/01/2022	

CLE DE PEAU BEAUTE CONCEALER N 13

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-669
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
LAPONITE (UNII: D703131383)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: I9O0E3H2ZE)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-669-20	1 in 1 CARTON	01/01/2022	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT		01/01/2022	

FINAL

part 532

01/01/2022

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Revised: 11/2021

SHISEIDO AMERICAS CORPORATION