

SCARGUARD MD - hydrocortisone silicone liquid

Scarguard Labs, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

- Silicone 12.0%
- Hydrocortisone 0.5%

Purpose

Scar Management

Anti-Pruritic

Uses

- scar management
- for the temporary relief of itching associated with minor skin irritations, inflammation and rashes

Warnings

For external use only

Do Not Use

- on children under 2 years of age. Consult a doctor.
- on mucous membranes

When using this product

- avoid contact with the eyes
- use in a well ventilated area
- flammable until dry

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean affected area with mild soap and water, dry thoroughly
- brush on twice daily
- allow to dry for 1 minute before coming into contact with clothing
- reapply if peeling
- children from 2-12 years of age ask a doctor

Other Information

- store at 15° to 30° C (59° to 86°F)
- Keep bottle tightly closed or product will evaporate

Inactive Ingredients

vitamin E, specially-formulated flexible collodion

Questions?

call
1-877-566-5935

15 mL carton



Scarguard MD

Scarguard MD® was created by a plastic surgeon who realized that even doctors don't have total control of the healing process. Some people will heal very well with little scarring, while others will not be that fortunate.

Scarguard MD® is an important breakthrough. Doctors have known for decades that there are ways to improve scar appearance. Scarguard MD® is a patented formulation that combines multiple technologies into a product that is easy-to-use. That is why so many doctors use Scarguard MD® for old, raised scars, keloids, and to help prevent scar tissue from forming after surgery or injury.

CLINICALLY PROVEN
Scarguard MD® is the #1 choice of plastic surgeons and dermatologists, since 2001 to help new scars and flatten and shrink old scars.

EASY-TO-USE
Scarguard MD® is a fast-drying, brush-on, clear liquid. Once dry, it is waterproof, nearly invisible and can even be covered by makeup.

HOW SCARGUARD MD® WORKS

Only Scarguard MD® uses our patented SSGS™ technology. Our multiple technologies combine medically endorsed treatments into an easy-to-use solution.

SILICONE Topical silicone has been clinically proven to help shrink scar tissue.

CORTISONE A low strength hydrocortisone helps reduce the irritation often associated with scarring.

VITAMIN E Helps in the healing process by softening and moisturizing the scar.

HOW RAISED SCARS FORM

When the skin is injured, scar tissue forms to fill the gap. Your body produces collagen, a strong protein that reconnects the broken skin. Raised scars and keloids form during the healing when we do not produce enough collagenase (the body's natural scar inhibitor).

NEW SCARS Scarguard MD® helps reduce the formation of scar tissue when used after surgery or injury. Follow your doctor's instructions.

OLD SCARS Scarguard MD® works to reduce existing thickened or raised scars.

RESULTS GUARANTEED
Scarguard MD is used by so many plastic surgeons and dermatologists for one reason... IT WORKS!

SG.FC.15ML-10.08

- INSTRUCTIONS FOR REPLACING THE CAP:**
1. REMOVE APPLICATOR CAP AND BOTTLE FROM TRAY
 2. HOLD BOTTLE UPRIGHT FROM BOTTLE - DISCARD
 3. REMOVE CAP AND RED PLUG
 4. REPLACE WITH APPLICATOR CAP

Drug Facts

Active Ingredients

Silicone 12.0%.....Scar Management
Hydrocortisone 0.5%.....Anti-Pruritic

Uses

- scar management
- for the temporary relief of itching associated with minor skin irritations, inflammation & rashes

Warnings

- For external use only
- Do not use
- on children under 2 years of age. Consult a doctor.
- on mucous membranes

When using this product

- avoid contact with the eyes
- use in a well ventilated area
- flammable until dry

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean affected area with mild soap and water, dry thoroughly
- apply to twice daily
- rub in for 1 minute before coming into contact with clothing
- reapply if peeling
- children from 2-12 years of age ask a doctor

Other Information

- store at 15° to 30° C (59° to 86°F)
- keep bottle tightly closed or product will evaporate

Inactive Ingredients

Vitamin E, specially-formulated flexible collodion

Questions? call 1-877-566-5935

scarguard PATENTED S

#1 CHOICE OF P
scarguard PATENTED S

DIMINISHE



Scar #1 OFF P final



SCARGUARD MD

hydrocortisone silicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64269-9903
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydrocortisone (UNII: W14X0X7BPJ) (Hydrocortisone - UNII:W14X0X7BPJ)	Hydrocortisone	5 mg in 1 mL
Phenyl Trimethicone (UNII: DR0K5NOJ4R) (PHENYL TRIMETHICONE - UNII:DR0K5NOJ4R)	Phenyl Trimethicone	12 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALPHA-TOCOPHEROL (UNII: H4N855PNZ1)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ETHER (UNII: 0F5N573A2Y)	
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64269-9903-7	15 mL in 1 BOTTLE, WITH APPLICATOR		
2	NDC:64269-9903-8	30 mL in 1 BOTTLE, WITH APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	11/01/2001	

Labeler - Scarguard Labs, LLC (842204575)**Registrant** - Scarguard Labs, LLC (842204575)

Revised: 6/2010

Scarguard Labs, LLC