DIPHENHYDRAMINE HYDROCHLORIDE- diphenhydramine hydrochloride capsule NuCare Pharmaceuticals,Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

0835&0836(box unit)-Major

Active Ingredient (in each banded capsule)

Diphenhydramine HCl... 25 mg

Diphenhydramine HCl... 50 mg

Purpose

Antihistamine

Use

25 MG

- Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itchy throat and nose
- Temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

50 MG

- Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies and common cold
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itchy throat and nose

WARNINGS

Do not use

25 MG

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

50 MG

- to make a child sleepy
- with any other product containing diphenhydramine, including one applied topically

Ask a doctor before use if you have

25 MG

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

50 MG

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist

before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take every 4-6 hours
- Do not take more than 6 doses in 24 hours

25 MG

adults and children 12 years of age	1 to 2 capsules
and over	
children 6 years to under 12 years	1 capsule
of age	

children	under	6	years	of	age
----------	-------	---	-------	----	-----

do not use this product in children under 6 years of age

50 MG

adults and children 12 years	1 capsule
of age and over	
children 6 years to under 12	Ask a doctor, the proper dosage strength is not
years of age	available in this package**

^{**}Do not attempt to break capsules. The proper dosage strength and dosing information for children under 12 years of age is available on the 25 mg package.

Other Information

- Store at 20°C 25°C (68°F 77°F); excursions permitted to 15° 30°C (59° 86°F) [See USP Controlled Room Temperature]
- Protect from moisture
- Contains lactose

Inactive Ingredients

D&C Red #28, FD&C Blue #1, FD&C Red #40, Gelatin, Lactose and Starch.

Questions?

Questions or comments? (800) 616-2471

Distributed by


MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive, Suite 233,

Livonia, MI 48152

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

NuCare Pharmaceuticals, Inc.



may increase drowsiness, be careful when driving a motor vehicle or operating machinery, excitability may occur, especially in children. If pregnant or breast-feeding, ask a health professional before use Oblong Clear Pink Cap/Clear Body w/Red band Capsule Imprint Code "CPC" on cap and "835" on body

Product #: P0080030

WARNING: KEEP OUT OF REACH OF CHILDREN

Diphenhydramine HCI 25mg

Lot: 00000 NDC: 68071-2895-03 MFR NDC: 0904-5306-60 Exp.: 00-00

Serial# 0000000002

Diphenhydramine HCI 25mg

Lot: 00000 NDC: 68071-2895-03 MFR NDC: 0904-5306-60 Exp.: 00-00 Serial# 0000000002



GTIN 00368071289534 Serial# 0000000002

Exp. Date 00-00 LOT#: 00000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

STORE AT CONTROLLED TEMPERATURE 68-77°F.

DIPHENHYDRAMINE HYDROCHLORIDE

diphenhydramine hydrochloride capsule

Product Information

Rev 01/01/19

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68071-2895(NDC:0904-5306)

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength **DIPHENHYDRAMINE DIPHENHYDRAMINE HYDROCHLORIDE** (UNII: TC2D6|AD40) 25 mg (DIPHENHYDRAMINE - UNII:8GTS82S83M) **HYDROCHLORIDE**

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	pink (half pink and half clear with white powder inside)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	CPC;835
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071- 2895-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	12/06/2022	
2	NDC:68071- 2895-4	24 in 1 BOTTLE; Type 0: Not a Combination Product	12/06/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/02/2009	

Labeler - NuCare Pharmaceuticals,Inc. (010632300)

Establishment			
Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	repack(68071-2895)

Revised: 12/2022 NuCare Pharmaceuticals,Inc.