HISTAMINE DIHYDROCHLORIDE- histamine dihydrochloride cream USA Hemp Store LLC

Broadway Joe's Pain Cream .5 oz

Broadway Joe's Pain Cream

Histamine dihydrochloride

Braodway Joe's Pain Cream

Water, Glyceryl Stearate, Caprylic/Capric, Triglyceride, Cetyl Alcohol, Butylene Glycol, Cannabidiol, Cetearyl 2- thylhexanoate, Sodium Hyaluronate, Glycerin, Tapioca Starch, Polymethylsilsesquioxane, Stearic Acid, Cannabis Sativa (Hemp) Seed Oil, 3-glyceryl Ascorbate (Vitamin C), Isonononyl Isononanoate, Tocopheryl Acetate (Vitamin E), Dimethicone, Polysorbate 80, Carbomer, Sodium Hydroxide, Caprylyl Glycol, Phenoxyethanol, Hexylene Glycol

Broadway Joe's Pain Cream

- For use by adults and children over 13 yrs old.
- Gently massage the product on to clean dry skin as needed.
- For topical use only, do not ingest.
- Provides temporary relief from aches and pains associated with simple backaches, strains, sprains, arthritis, bruises.
- Apply a thin layer to pain site and massage until thoroughly absorbed into skin.

Broadway Joe's Pain Cream

Topical Analgesic

Broadway Joe's Pain Cream

Store between 40 degrees F and 86 degrees F (4 degrees C and 30 degrees C).

Broadway Joe's Pain Cream

Warnings · For external use only.

Do not use on open wounds or damaged skin or with a heating pad.

When using this product · avoid contact with eyes or mucous membranes. If product contacts your eyes, rinse thoroughly with water. Do not bandage tightly. · Do not use with other ointments, creams, or sprays.

Stop use and ask a doctor if you experience redness or excessive skin irritation

over the affected area. If the condition worsens, or symptoms persist for more than 7 days please consult a Dr.

Keep out of reach of children. If swallowed, seek medical help, or contact a Poison Control Center immediately.

If pregnant or breast feeding, ask a health professional before use.

Broadway Joe's Pain Cream

Stop use and ask a doctor if you experience redness or excessive skin irritation over the affected area. · If the condition worsens, or symptoms persist for more than 7 days, please consult a Dr.

Broadway Joe's Pain Cream

Side label and Drug Fact

Broadway Joe's Pain Cream

Keep out of reach of children. If swallowed, seek medical help or contact a poison control center immediately.

Broadway Joe's Pain Cream



Drug Facts

Active Ingredient amine Dihydrochloride 0.025%...Topical

Divections

- For use by adults and children over 12 years old.

- Cently massage the product on to clean dry skin as needed. For topical use only, do not injest.

- Apply a thin layer to pain stee and massage until throughly absorbed into the skin bear of massage until throughly absorbed into the skin bear of the owned so dramaged skin or with a heating pad.

When using this product - avoid contact with eyes or when the product is a skin bear of the owned with the owned to the owned with the own

Stop use and ask a doctor - if you experience redness or excessive skin irritation over the affected area if the condition

Keep out of reach of children. If swallowed, seek medical help, or contact a Poison Control Center immediately.

If pregnant or breast feeding, ask a health professional before use.

Detroe use.

Other Information

Store between 40 degrees F and 86 degrees F (4 degrees C and 30 degrees C).

Other Ingredients
Water, Gycen/ Stearate, Capylic/Capric Trighyceride, Cetyl
Alchole Burlylene Glycol, Cannabidiol, Cetearyl
2-Ethylhexanoate, Sodium Hyaluronate, Glycerin, Tapioca
3 arch, Polymethysileseguiovane, Searic Acid, Cannabidiol,
Satha Hjemp Seed Oil, 3-glyceryl Ascorbate (Witamin
C), Isonononyl Stoon-avoette, Coopheyl Acetale
(Watamin B), Dimethicone, Polysorbate 80, Carbomer,
Sodium Hydrodyick, Capylyl Glycol,
Phenoxyethanol, Hoxylene Glycol

HISTAMINE DIHYDROCHLORIDE

histamine dihydrochloride cream

Product Information			
HUMAN OTC DRUG	Item Code (Source)	NDC:83088-8120	
TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	0.00025 g in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ0O6294)	
CANNABIDIOL (UNII: 19GBJ60SN5)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
HYALURONIC ACID (UNII: S270N0TRQY)	
3-GLYCERYL ASCORBATE (UNII: 3R1Q5X5GGO)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
CAPRYLIC/CAPRIC ACID (UNII: DI775RT244)	
ETHYL ACRYLATE/METHACRYLIC ACID/STEARETH-20 METHACRYLATE COPOLYMER (UNII: EPA1872R1N)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL DICAPRATE (UNII: 3Z317CA098)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TOCOPHERYL RETINOATE (UNII: 0WN694NBMM)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Product Characteristics			
Color	white (Cream)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83088- 8120-8	14.8 mL in 1 JAR; Type 0: Not a Combination Product	02/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/01/2023	

Labeler - USA Hemp Store LLC (036959608)

Registrant - Lexia LLC (050186540)

Establishment			
Name	Address	ID/FEI	Business Operations
Lexia LLC		015552120	manufacture(83088-8120)

Revised: 12/2023 USA Hemp Store LLC