

CLARITIN- loratadine tablet
REMEDYREPACK INC.

Non-Drowsy*Claritin®

loratadine tablets 10 mg/antihistamine

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 | 1 tablet daily; not more than 1 tablet in

years and over	24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information (Blister foil units)

- safety sealed: do not use if the individual blister unit imprinted with Claritin[®] is open or torn
- store between 20° to 25°C (68° to 77°F)
- protect from excessive moisture

Other information (Bottles)

- Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate

Questions or comments?

Repackaged and Distributed By:

Remedy Repack, Inc.

625 Kolter Dr. Suite #4 Indiana, PA 1-724-465-8762

PRINCIPAL DISPLAY PANEL

DRUG: Claritin

GENERIC: Loratadine

DOSAGE: TABLET

ADMINISTRATION: ORAL

NDC: 70518-2951-0

COLOR: white

SHAPE: ROUND

SCORE: No score

SIZE: 6 mm

IMPRINT: 458;Claritin10

PACKAGING: 10 in 1 BLISTER PACK



OUTER PACKAGING: 1 in 1 CARTON

ACTIVE INGREDIENT(S):

- LORATADINE 10mg in 1

INACTIVE INGREDIENT(S):

- STARCH, CORN
- MAGNESIUM STEARATE
- LACTOSE MONOHYDRATE

<h1>Claritin</h1> <p>Loratadine Antihistamine</p> <p>10 mg</p> <p>Tablet</p> <p>QTY: 10</p> 	<p>NDC #: 70518-2951-00</p> <p>Expires:</p> <p>LOT #:</p> <p>Source NDC: 11523-7160-02</p> <p>MFG: Bayer Healthcare, Whippany, NJ 07981</p> <p>Keep this and all medication out of the reach of children</p>  <p>Directions For Use: See Package Insert</p> <p>Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F) [See USP]</p> <p>Repackaged by: RemedyRepack Inc., Indiana, PA 15701, 724.465.8762</p> <p>NOT FOR RETAIL SALE</p>
---	---

CLARITIN			
loratadine tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70518-2951(NDC:11523-7160)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
LORATADINE (UNII: 7AJ03B07QN) (LORATADINE - UNII:7AJ03B07QN)		LORATADINE	10 mg
Inactive Ingredients			
Ingredient Name			Strength
STARCH, CORN (UNII: O8232NY3SJ)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	6mm
Flavor		Imprint Code	458;Claritin10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70518-2951-0	1 in 1 CARTON	12/01/2020	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019658	12/01/2020	

Labeler - REMEDYREPACK INC. (829572556)

Revised: 2/2022

REMEDYREPACK INC.