

VICKS DAYQUIL KIDS HONEY AND VICKS NYQUIL KIDS HONEY COLD AND COUGH PLUS- doxylamine succinate, phenylephrine hydrochloride, dextromethorphan hydrobromide
The Procter & Gamble Manufacturing Company

Vicks DayQuil Kids HONEY COLD & COUGH / Vicks NyQuil Kids HONEY COLD & COUGH plus

Liquid Convenience Pack

NyQuil Kids HONEY COLD & COUGH + CONGESTION

Drug Facts

Active ingredients (in each 15 mL)

Dextromethorphan HBr 10 mg
Doxylamine succinate 6.25 mg
Phenylephrine HCl 5 mg

Purpose

Cough suppressant
Antihistamine
Nasal decongestant

Uses

temporarily relieves common cold symptoms:

- nasal congestion • sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep • runny nose & sneezing
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease

- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **do not use more than directed.**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose,

get medical help or contact a Poison Control Center right away.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information

- **each 15 mL contains:** sodium 14 mg
- store at no greater than 25°C

Inactive ingredients

citric acid, D&C Yellow No. 10, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 6, flavor (with honey), glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

Questions?

1-800-362-1683

DayQuil Kids HONEY COLD & COUGH + MUCUS

Drug Facts

Active ingredients (in each 15 mL)

Dextromethorphan HBr 10 mg
Guaifenesin 100 mg
Phenylephrine HCl 5 mg

Purpose

Cough suppressant
Expectorant
Nasal decongestant

Uses

- temporarily relieves common cold symptoms:
- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease • high blood pressure
- thyroid disease • diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product,

do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over
children 6 to under 12 yrs

30 mL every 4 hrs
15 mL every 4 hrs

children 4 to under 6 yrs
children under 4 yrs

ask a doctor
do not use

Other information

- **each 15 mL contains:** sodium 14 mg
- store at no greater than 25°C

Inactive ingredients

citric acid, D&C Yellow No. 10, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 6, flavor (with honey), glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

Questions?

1-800-362-1683

TAMPER EVIDENT: Do not use if printed shrinkband seal around the neck is broken or missing.

PRINCIPAL DISPLAY PANEL - Convenience Pack

VALUE COMBO PACK

1 DAY + 1 NIGHT

VICKS®

DayQuil™ Kids HONEY

COLD & COUGH + MUCUS

Guaifenesin, Phenylephrine HCl, Dextromethorphan HBr

Chest Congestion

Nasal Congestion

Cough

Non-Drowsy

FREE OF ALCOHOL
& ACETAMINOPHEN

NyQuil™ Kids HONEY

COLD & COUGH + CONGESTION

Doxylamine Succinate, Phenylephrine HCl, Dextromethorphan HBr

Sneezing, Runny Nose

Nasal Congestion

Cough

Nighttime Relief

2 BOTTLES - 1 DAYQUIL/1 NYQUIL 8 FL OZ (236 mL) EACH; TOTAL 16 FL OZ (473 mL)



**VICKS DAYQUIL KIDS HONEY AND VICKS NYQUIL KIDS HONEY
COLD AND COUGH PLUS**

doxylamine succinate, phenylephrine hydrochloride, dextromethorphan hydrobromide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69423-993
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-993-16	1 in 1 PACKAGE; Type 0: Not a Combination Product	07/12/2022	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity	
Part 1	1 BOTTLE, PLASTIC	236 mL	
Part 2	1 BOTTLE, PLASTIC	236 mL	
Part 1 of 2			
VICKS DAYQUIL KIDS COLD COUGH PLUS MUCUS			
guaifenesin, phenylephrine hydrochloride and dextromethorphan hydrobromide liquid			
Product Information			
Item Code (Source)	NDC:69423-946		
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	100 mg in 15 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL
Inactive Ingredients			
Ingredient Name			Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)			
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
XANTHAN GUM (UNII: TTV12P4NEE)			
Product Characteristics			
Color	brown	Score	
Shape		Size	
Flavor	HONEY	Imprint Code	

Contains

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-946-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/08/2021	

Part 2 of 2

VICKS NYQUIL KIDS HONEY COLD COUGH CONGESTION

doxylamine succinate, phenylephrine hydrochloride and dextromethorphan hydrobromide liquid

Product Information

Item Code (Source)	NDC:69423-983
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor	HONEY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-983-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/07/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/12/2021	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2023

The Procter & Gamble Manufacturing Company