

MAGNESIUM CITRATE- magnesium citrate liquid
WALGREEN COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens Magnesium Citrate Oral Solution - Lemon

Active Ingredient

Magnesium citrate 1.745 g (in each fl oz)

Purpose

Saline laxative

Uses

- For relief of occasional constipation (irregularity)
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- Kidney disease
- a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30° C)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other Information

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

Inactive Ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions?

1-888-235-2466

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 1005
SATISFACTION GUARANTEED

walgreens.com © Walgreen Co.

L0000685 R0922

ITEM 946719 W00000-0000-0 W3ORG1222-F

NDC 0363-0415-98

Walgreens

Dye-Free

Magnesium Citrate

SALINE LAXATIVE/ ORAL SOLUTION

Sugar Free Low Sodium

Alcohol content 0.025%

(from flavouring)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Drug Facts

Active ingredient (in each fl oz) Purpose
 Magnesium citrate 1.745 gSaline laxative

Uses: ■ For relief of occasional constipation (irregularity)
 ■ Generally produces bowel movement in ½ to 6 hours

Warnings:
 Ask a doctor before use if you have
 ■ Kidney disease ■ a magnesium restricted diet
 ■ Abdominal pain, nausea, or vomiting
 ■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks
 ■ Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are
 ■ Taking any other drug.
 ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures 46° and 86°F (8° and 30°C)

Continued ►

NDC 0363-0415-98



Dye-Free

Magnesium Citrate

SALINE LAXATIVE / ORAL SOLUTION

Sugar Free
Low Sodium

• Alcohol content 0.025% (from flavoring)



Lemon flavor

10 FL OZ (296 mL)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

Drug Facts (continued)

Directions: ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other Information:
 ■ each fl oz contains: magnesium 290 mg
 ■ each fl oz contains: sodium 1 mg

Inactive ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions? 1-888-235-2466

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED
 walgreens.com ©2022 Walgreen Co.

L000685
R0922



3
11917 00576
8

ITEM 946719 W00000-0000-0
W3ORG1222-F

MAGNESIUM CITRATE

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0415
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0415-98	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	01/31/2023	

Labeler - WALGREEN COMPANY (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0363-0415)

Revised: 1/2023

WALGREEN COMPANY