WALGREENS BABY SPF50- titanium dioxide and zinc oxide lotion Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

WAG Sun Baby Lotion SPF50 6oz

1491-23(V) Rev 01

Walgreen Baby SPF 50 Lotion

Active Ingredients

Titanium Oxide 3.30%, Zinc Oxide 4.2%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or

higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Deionized Water, Caprylic/Capric Triglycerides, Tridecyl Neopentanoate, Sorbitol, Cetyl PEG/PPG 10/1 Dimethicone, Butly Octyl Salicylate, Glycerin, Octyldodecyl Citrate Copolymer, C28-52 Olefin/Undecylenic Acid Copolymer, PEG 8, Dimethicone, Aloe Barbadensis Leaf Juice, Ethylhexyl Methoxycrylene, Tocopherol Acetate, Lauryl PEG-8 Dimethicone, Caprylyl Glycol, Sodium Chloride, Phenoxyethanol, Sodium Citrate

Other Information

- for use on skin only. Avoid contact with fabric
- protect this product from excessive heat and direct sun

Questions or comments?

www.walgreens.com or call toll free 1-800-XX-XXXX

PRINCIPAL DISPLAY PANEL

Walgreens
50
Baby
Broad spectrum SPF 50
Sunscreen UVA/UVB
HYPOALLERGENIC
OXYBENZONE FREE
TEAR FREE
6 FL OZ (176 mL)



WALGREENS BABY SPF50

titanium dioxide and zinc oxide lotion

Product Information	uct Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9936	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	3.1 mg in 100 mg	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 mg in 100 mg	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
TRIDECYL NEO PENTANO ATE (UNII: 3Z8 H1DA7J5)		
SORBITOL (UNII: 506T60A25R)		

CETYL PEG/PPG-10/1 DIMETHICO NE (HLB 3) (UNII: G300307ZXP)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYOXYL 8 STEARATE (UNII: 2P9L47VI5E)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
ETHYLHEXYL METHO XYCRYLENE (UNII: S3KFG6Q5X8)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENO XYETHANOL (UNII: HIE49 2ZZ3T)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:0363-9936-26	178 mg in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	11/15/20 17	

Labeler - Walgreen Company (008965063)

Registrant - Walgreen Company (008965063)

Revised: 8/2017 Walgreen Company