

WARTS- antimon. crud., bryonia, calc.carb., causticum, dulcamara, graphites, lycopodium, merc. sulph. rub., nat. carb., nitricum ac., nux vom., rhus toxicodendron, sabina, sepia, silicea, staphysag., sulphur, thuja occ., taraxacum pellet
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Warts 4850P

INDICATIONS & USAGE SECTION

Formulated for moist, cauliflower-like skin growths, warty growths, skin eruptions, fig warts and smooth warts.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. **WARNING: If bleeding or change in color or appearance occur, consult a licensed health professional.**

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Taraxacum 6x, Thuja occ. 6x, Antimon. crud. 15x, Bryonia 15x, Calc.carb. 15x, Causticum 15x, Dulcamara 15x, Graphites 15x, Lycopodium 15x, Merc. sulph. rub. 15x, Nat. carb. 15x, Nitricum ac.15x, Nux vom. 15x, Rhus tox 15x, Sabina 15x, Sepia 15x, Silicea 15x, Staphysag. 15x, Sulphur 15x, Thuja occ. 15x.

OTC - PURPOSE SECTION

Formulated for moist, cauliflower-like skin growths, warty growths, skin eruptions, fig warts and smooth warts.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

QUESTIONS SECTION

newtonlabs.net ~ Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

WARNINGS SECTION

WARNINGS: If bleeding or change in color or appearance occur, consult a licensed health professional.

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30013

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

NEWTON
homeopathics®
PRO

NDC#
55714-4850-1

Warts

Formulated for moist,
cauliflower-like skin growths,
wart-like growths, skin eruptions,
fig warts and smooth warts.

1 OZ (28 G)

Dispensed by health professionals - not sold over-the-counter.
Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.
Warning: If bleeding or change in color or appearance occur, consult a licensed health professional.
Active Ingredients: Equal parts of Taraxacum 6x, Thuja occ. 6x, Antimon. crud. 15x, Bryonia 15x, Calc. carb. 15x, Causticum 15x, Dulcamara 15x, Graphites 15x, Lycopodium 15x, Merc. sulph. rub. 15x, Nat. carb. 15x, Nitricum ac. 15x, Nux vom. 15x, Rhus tox 15x, Sabina 15x, Sepia 15x, Silicea 15x, Staphysag. 15x, Sulphur 15x, Thuja occ. 15x.
Inactive Ingredients: Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

Stock# **R067** Lot#

WARTS

antimon. crud., bryonia, calc.carb., causticum, dulcamara, graphites, lycopodium, merc. sulph. rub., nat. carb., nitricum ac., nux vom., rhus toxicodendron, sabina, sepia, silicea, staphysag., sulphur, thuja occ., taraxacum pellet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:55714-4850

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 g
MERCURIC SULFIDE (UNII: ZI0T668SF1) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC SULFIDE	15 [hp_X] in 1 g
SODIUM CARBONATE (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ5OPE7D)	SODIUM CARBONATE	15 [hp_X] in 1 g
NITRIC ACID (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	15 [hp_X] in 1 g
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	15 [hp_X] in 1 g
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 g
JUNIPERUS SABINA LEAFY TWIG (UNII: Z5BEX9K2G1) (JUNIPERUS SABINA LEAFY TWG - UNII:Z5BEX9K2G1)	JUNIPERUS SABINA LEAFY TWG	15 [hp_X] in 1 g
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	15 [hp_X] in 1 g
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	15 [hp_X] in 1 g
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	15 [hp_X] in 1 g
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	15 [hp_X] in 1 g
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWG	15 [hp_X] in 1 g
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	6 [hp_X] in 1 g
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	15 [hp_X] in 1 g
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 g
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	15 [hp_X] in 1 g
CAUSTICUM (UNII: DD5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)	CAUSTICUM	15 [hp_X] in 1 g
SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	15 [hp_X] in 1 g
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	15 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4850-1	28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/19/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/19/2022	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4850)

Revised: 12/2022

Newton Laboratories, Inc.