ZINCUM METALLICUM- zincum metallicum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ZINCUM METALLICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

ZINCUM METALLICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

ZINCUM METALLICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ZINCUM **METALLICUM 30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5

pellets orally once Inactive ingredients: sucrose

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ZINCUM METALLICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

ZINCUM METALLICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ZINCUM METALLICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ZINCUM METALLICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ZINCUM METALLICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nnemann Labs Inc. 1940 Fourth St. San Rafael, C

ZINCUM METALLICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ZINCUM METALLICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ZINCUM METALLICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ZINCUM METALLICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: Sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, CA

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

ZINCUM METALLICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ZINCUM METALLICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ZINCUM METALLICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ZINCUM METALLICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients:

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

ZINCUM METALLICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ZINCUM **METALLICUM** 10M

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose 00000

Inactive ingredients:

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

ZINCUM METALLICUM 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ZINCUM METALLICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

ZINCUM METALLICUM

zincum metallicum pellet

_									
•	roc	М	ct	3±4	ari	m:	3 t i	\mathbf{n}	
Г.	roc	44	LL	ш			- 1 -	UII	

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

N OTC DRUG Item Code (Source)

NDC:37662-2144

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	500 [hp_C]

Strength

Inactive Ingredients Ingredient Name

SUCROSE (UNII: C151H8M554)

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 2144-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022				
2	NDC:37662- 2144-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022				
3	NDC:37662- 2144-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022				
4	NDC:37662- 2144-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022				

Marketing Information							
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
	12/20/2022						
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date					

ZINCUM METALLICUM

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2143				
Route of Administration	ORAL						

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	200 [hp_C]				

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics							
Color	white	Score	no score				
Shape	ROUND	Size	2mm				
Flavor		Imprint Code					
Contains							

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 2143-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022				
2	NDC:37662- 2143-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022				
3	NDC:37662- 2143-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022				
4	NDC:37662- 2143-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022				

	Marketing Information						
Number or Monograph Citation	Marketing Start Date	Marketing End Date					
	12/20/2022						
		Citation Date					

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2139				
Route of Administration	ORAL						

Active Ingredient/Active Moiety				
Ingredient Name Basis of Strength Strengt				
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	6 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	3mm			
Flavor	Flavor Imprint Code					
Contains						

P	Packaging						
#	Item Code	Marketing Start Date	Marketing End Date				
1	NDC:37662- 2139-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022				
2	NDC:37662- 2139-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022				
3	NDC:37662- 2139-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022				

Marketing Information				
Marketing Application Number or Monograph Marketing Start Market Category Citation Date Date				
unapproved homeopathic		12/20/2022		

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2146
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name Basis of Strength Strengt			
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	10 [hp_M]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
ColorwhiteScoreno scoreShapeROUNDSize2mm					

Flavor	In	mprint Code	
Contains			

ı	P	Packaging			
	#	# Item Code Package Description		Marketing Start Date	Marketing End Date
	1	NDC:37662- 2146-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022	
	2	NDC:37662- 2146-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022	
	3	NDC:37662- 2146-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022	
	4	NDC:37662- 2146-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/20/2022	
homeopathic		12/20/2022	

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2145
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 2145-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022	
2	NDC:37662- 2145-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022	
3	NDC:37662- 2145-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022	
4	NDC:37662- 2145-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/20/2022	
copuuc			

zincum metallicum pellet

Droduct	Information
PIOUUCL	IIIIOIIIIalioii

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2140

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC (UNII: 141CSO7ODS) (ZINC - UNII:141CSO7ODS)	ZINC	12 [hp. C]

Inactive Ingredients

Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Pac	

#	Item Code	Code Package Description	Marketing Start	Marketing End
77	itelli code	rackage Description	Date	Date

1	NDC:37662- 2140-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022	
2	NDC:37662- 2140-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022	
3	NDC:37662- 2140-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022	

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	12/20/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

zincum metallicum pellet

ı	Product Information			
	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2141

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2141-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022		
2	NDC:37662- 2141-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022		
3	NDC:37662- 2141-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022		

TLE, GLASS; Type 0: Not a 12/20/2022	
--------------------------------------	--

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		12/20/2022		

zincum metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2142
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	100 [hp C]

Inactive Ingredients

- 1		
	Ingredient Name	Strength
ı		

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
t Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:37662- 2142-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022		
NDC:37662- 2142-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/20/2022		
NDC:37662- 2142-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022		
NDC:37662- 2142-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022		
	# Item Code NDC:37662- 2142-1 NDC:37662- 2142-2 NDC:37662- 2142-3 NDC:37662-	Package Description NDC:37662- 2142-1 NDC:37662- 2142-2 NDC:37662- 2142-3 NDC:37662- 2142-3 NDC:37662- 2142-3 NDC:37662- 2142-3 NDC:37662- 2142-3 NDC:37662- 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product NDC:37662- 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	NDC:37662- 2142-2 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product 12/20/2022 12/	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	12/20/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

zincum metallicum pellet

Product Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-2147

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		4 51 63

ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS) ZINC 1 [hp_Q]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:37662- 2147-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/20/2022	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved homeopathic		12/20/2022	

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2139, 37662-2140, 37662-2141, 37662-2142, 37662-2143, 37662-2144, 37662-2145, 37662-2146, 37662-2147)

Revised: 12/2022 Hahnemann Laboratories, INC.