ACETAFLU DAYTIME- acetaminophen, dextromethorphan hbr, phenylephrine hcl powder Advanced Pharmaceutical Services, Inc. Dba Affordable Quality Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients (in each packet)

Purposes

Uses

- temporarily relieves these symptoms due to a cold:
- minor aches and pains minor sore throat pain headache
- nasal and sinus congestion cough due to minor throat and bronchial irritation
- •temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 packets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever,

headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use • in a child under 12 years of age • if you are allergic to acetaminophen

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease heart disease high blood pressure thyroid disease diabetes
- trouble urinating due to an enlarged prostate gland cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are • taking the blood thinning drug warfarin

When using this product • do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs fever gets worse or lasts more than 3 days
- redness or swelling is present new symptoms occur symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. These could be signs or serious condition.

If pregnant or breast-feeding, ask a health care professional before use.

KEEP OUT OF REACH OF CHILDREN.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is

critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- take every 4 hours; do not take more than 6 packets in 24 hours unless directed by a doctor

Age Dose

children under 4 years of age do not use children 4 to under 12 years of age do not use unless directed by a doctor adults and children 12 years of age and over one packet

- \bullet dissolve contents of one packet into 8 oz. hot water: sip while hot. Consume entire drink within 10-15 minutes.
- if using a microwave, add contents of one packet to 8 oz. of cool water: stir briskly before and after heating.

Do not overheat.

Other information

- each packet contains: sodium 20 mg
- store at controlled room temperature 20-25°C (68-77°F). Protect from excessive heat and moisture.

Inactive ingredients

sodium citrate, mannitol, aspartame, hydroxypropyl cellulose, citric acid, tween 80, acesulfame potassium, flavors, sodium bicarbonate

Product Label

Daytime 🌘

READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE. KEEP CARTON FOR REFERENCE. DO NOT DISCARD.

Drug Facts Active ingredients (in each packet) Purposas Uses - Insporally referent hise symptoms due to a odd: - Insporally referent hises symptoms and pains - micro sale hises he inside she - micro sale hises he inside she inside s Warnings User warning. The product combins acclaminophers. Severa liver damage may occur if you lake **note than 6 products in 24 hours, which is the maintain of also parties of the product **with other drugs combining accelaringhers = 3 or more into thick divers every day while using this product Sere Invast warning: If note threat is severa, preside for more than 2 days, is accompanied or followed by fence, handlacks, with reside or morthing counts a dorder promote the The authority is a resist under 12 warm of age. *If you are allerge to accessminghers. Deposition in a relation of the Type and age of type are allegic placetaminophes. "will any other day containing scalaring-place (injection) are corporating in it in an advantage of the day containing scalaring-place (injection) are corporating-place (injection) and the state of the production of the containing-place (injection) and other plannating of the placetage (injection) and the state of the placetage of the placetage of the placetage (injection) and the placetage of th

Ask a doctor-brien use if you have visus disease + leart disease + they have presume + throad sixeses + diabetes + books sixeling due our relegacy postule gload - chooks but occurs with floormach strings (misoral + cough that but or is oknot used to occur with smaking, astimus, are replayered.

Ask a doctor or pharmacist before use if you are - laving the blood finning dray warfarin

When using this product -do not exceed recommended dosage

when fulling any arround - on and student encommentate consuge.

Sog use and sits of a clotter of
namoustiess, displaces, or altegrisants a socur - feurer gets wone or less more from 3 lags
indicestor swelling in great in - sex tyreplants occur - estrephand or calculabilitation wonan
name, copy or meals congestion gets ware set last nor of their 7 days
- cough comes back or cooks with mak or heartable hat bear. These cooks be signs or serious condition

If pregnent or breast-leading, ask a health care professional before use. KEEP OUT OF REACH OF CHILDREN

nezer duct for Read or CHECOMEN. In case of metales, get medical help or contact a Poson Costnol Center right away. Prompt medical attention is official for adults as well as children even if you do not notice any signs or symptoms.

Directions • do not use more than directed • take every 4 hours; do sat take more than 6 packets in 24 hours unless directed by a dedor

Age	Dose
children under 12 years of age	do not use
adults and chicken 12 years of age and over	ane packet



Directions

dissolve contents of one packet into 8 cc. hot voter: sip while hat. Consume estire dink within 10 – 15

minutes.

• if using a microvane, add contents of one packet to 8 oz. of cool water. sir brisily before and after heating. De not overheat.

Other information

each packet contains saleum 21 ng
 ether at controller room temperature
20-25°C (68-77°5) Protection
excessive heat and moisture.

Inactive ingradients solium circle, manstol asparane hydrocorscyl celulose, citic aod, tween 80, acesulame poissount, flavers, sodium bicerbonate

Questions or Comments? call 1-800-494-5560 (Max-tri2AM-5FMPST)

Distributed by:

Affordable Quality Pharmaceuticals Gerden Gross • CA 92641 • USA

AcetaFlu

Daytime 🍬

SEVERE COLD

ACETAMINOPHEN - PAIN RELIEVER FEVER REDUCER DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT HENYLEPHRINE HCI - NASAL DECONGESTANT

Nasal & Sinus Congestion Cough • Body Ache Sore Throat Pain

NDC 13411-838-06

6 PACKETS



























ACETAFLU DAYTIME

acetaminophen, dextromethorphan hbr, phenylephrine hcl powder

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:13411-838

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	650 mg in 2 g
DEXTRO METHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH) (DEXTRO METHO RPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	25 mg in 2 g

10 mg in 2 g

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
MANNITOL (UNII: 3OWL53L36A)		
ASPARTAME (UNII: Z0H242BBR1)		
HYDRO XYPRO PYL CELLULO SE, UNSPECIFIED (UNII: 9 XZ8 H6 N6 OH)		
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)		
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
ACESULFAME POTASSIUM (UNII: 230 V73Q5G9)		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:13411-838-06	6 in 1 BOX	03/24/2020	
1	2 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/24/2020	

Labeler- Advanced Pharmaceutical Services, Inc. Dba Affordable Quality Pharmaceuticals (187498279)

Establishment					
Name	Address	ID/FEI	Business Operations		
S.P.M CORPORATION		555279715	manufacture(13411-838)		

Revised: 3/2020 Advanced Pharmaceutical Services, Inc. Dba Affordable Quality Pharmaceuticals