

**MAGNESIUM CITRATE- freskaro magnesium citrate oral solution -  
cherry liquid  
Pharma Nobis, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Freskaro Magnesium Citrate Oral Solution - Cherry**

**Active Ingredient**

Magnesium citrate 1.745g per fl oz

**Purpose**

Saline Laxative

**Use**

for relief of occasional constipation (irregularity).  
Generally produces bowel movement in 1/2 to 6 hours

**Warnings**

kidney disease  
a magnesium restricted diet  
abdominal pain, nausea, or vomiting  
noticed a sudden change in bowel habits that persists over a period of 2 weeks  
already used a laxative for a period longer than 1 week

**ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE**

taking any other drug.  
Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**STOP USE AND ASK A DOCTOR IF**

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**IF PREGNANT OR BREAST-FEEDING**

ask health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Other Information**

Store at temperatures between 46° and 86°F (8° and 30° C)

**Directions**

shake well before using

drink a full glass (8 ounces) of liquid with each dose

may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

**Other Information**

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

**Inactive Ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Questions?**

1-833-551-0932

**Drug Facts**

**Active ingredient (in each fl oz) Purpose**  
Magnesium citrate 1.745 g ..... Saline laxative

**Uses:** ■ For relief of occasional constipation (irregularity).  
■ Generally produces bowel movement in ½ to 6 hours

**Warnings:**

Ask a doctor before use if you have

- Kidney disease ■ a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Do not use if tamper evident twist-off cap is missing, broken, or separated from neckring

**Freskaro**  
refresh & revitalize



**Magnesium Citrate**

Saline Laxative Oral Solution

- Sugar Free
- For relief of occasional constipation
- For use in bowel cleanings systems for surgery or exam preparation



**Cherry Flavor**

10 fl. oz (296ml)

Alcohol content  
0.005%  
(From flavoring)

**Drug Facts (continued)**

Store at temperatures 46° and 86°F (8° and 30°C)

**Directions:** ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

**Other Information:**

- each fl oz contains: magnesium 290 mg
- each fl oz contains: sodium 1 mg

**Inactive ingredients:** benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Questions?** 1-833-551-0932

Distributed by: Pharma Nobis 7400 Alumax Dr. Texarkana, TX 75501 R102022



**MAGNESIUM CITRATE**

freskaro magnesium citrate oral solution - cherry liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82645-312
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM CITRATE</b> (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKNOB0MIM)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

**Packaging**

Marketing Start      Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-312-10	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/27/2022	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	12/27/2022		

**Labeler** - Pharma Nobis, LLC (118564114)

**Registrant** - Pharma Nobis, LLC (118856114)

**Establishment**

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	label(82645-312) , manufacture(82645-312) , analysis(82645-312) , pack(82645-312)

Revised: 12/2022

Pharma Nobis, LLC