ALLEGRA ALLERGY- fexofenadine hydrochloride tablet, coated Chattem, Inc.

Allegra Allergy

Allegra Allergy® Gelcaps - 24 HOUR

Drug Facts

Active ingredient (in each tablet)

Fexofenadine HCI 180 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, water eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

Inactive ingredients

croscarmellose sodium, D&C red 28, D&C red 33, FD&C blue 1, gelatin, hydroxypropylcellulose, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, PEG-135, pharmaceutical ink, pregelatinized starch, titanium dioxide

Questions or comments?

call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection.

Dist. By: Chattem, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 © 2014

PRINCIPAL DISPLAY PANEL

NDC 41167-4122-0 Allegra® ALLERGY fexofenadine HCI tablet 180 mg/antihistamine 24 HR 8 GELCAPS Allegra

NON-DROWSY

8 GELCAPS

NON-DROWSY

NDC 41167-4122-0

egra

fexofenadine HCl tablet 24 HR

INDOOR / OUTDOOR ALLERGY RELIEF

5

- Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

8 GELCAPS





The makers of Allegraß do not make store brand products. The trade dress of this Allegraß package is subject to trademark protection. Bist. By: Chuthen, trc., a Senofi Company, Chuthonoga, Thi 37409-0219. @2016. Grigin Germany.

CSI (OI)-1155 1-800-933-1810 OL MANUSIJEDLE COLL Questions or comments?

magnesium stearate, microcrystaline cellulose, PEG-135, croscarmellose sodum, D&C red 28, D&C red 33, FD&C blue 1, gelufin, hydroxypropylcellulose, hydroxypropyl methylcellulose,

- bister units are form or opened store between 20° and 25°C (68° and 77°F)
- · safety sealed: do not use it carton is opened or it individual

consumers with	лороор и мях
adults 65 years of age and older	sek a doctor
children under 12 years of age	een jou op
adults and children 12 years of age and over	take one 180 mg tablet with worter once a day; do not take more than tablet in 24 hours
Directions	Annual Printer on Other control

gund yacts (confinned)

medical help or contact a Poison Control Center right away. Keep out of reach of children, in case of overdose, get


If pregnant or breast-feeding, ask a health professional

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

Drug Facts







ALLEGRA ALLERGY

fexofenadine hydrochloride tablet, coated

Product	Inform	ation
Product		ation

Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII: E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients				
Ingredient Name	Strength			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)				
D&C RED NO. 28 (UNII: 767IP0Y5NH)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)				
STARCH, CORN (UNII: O8232NY3SJ)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				

Product Characteristics			
Color	purple (White band in the middle)	Score	no score
Shape	OVAL (Caplet)	Size	20mm
Flavor		Imprint Code	AG;AG
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:41167- 4122-5	1 in 1 CARTON	12/17/2014			
1		24 in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:41167- 4122-6	1 in 1 CARTON	12/17/2014			
2		32 in 1 BOTTLE; Type 0: Not a Combination Product				
3	NDC:41167- 4122-9	2 in 1 CARTON	12/17/2014	06/23/2019		

3	NDC:41167- 4122-7	40 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:41167- 4122-2	1 in 1 CARTON	12/17/2014	
4		60 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:41167- 4122-0	1 in 1 CARTON	12/17/2014	
5		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing Category Citation Date Date			
NDA	NDA020872	12/17/2014	

Labeler - Chattem, Inc. (003336013)

Revised: 8/2021 Chattem, Inc.