COBALTUM SULPHURICUM- cobaltum sulphuricum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

COBALTUM SULPHURICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

COBALTUM SULPHURICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

TWIST TO OPEN - USE ONLY IF SEAI

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

COBALTUM SULPHURICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children
Directions: Take 5

pellets orally once Inactive ingredients:

sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C.

TWIST TO OPEN - USE ONLY IF SEALE

COBALTUM SULPHURICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



COBALTUM SULPHURICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

COBALTUM SULPHURICUM 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



COBALTUM SULPHURICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

COBALTUM SULPHURICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C

TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



COBALTUM SULPHURICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

COBALTUM SULPHURICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael,

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

COBALTUM SULPHURICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

COBALTUM SULPHURICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

COBALTUM SULPHURICUM

cobaltum sulphuricum pellet

100		100	ori	2	-10	210
				116		

Product Type HUMAN OTC DRUG

Item Code (Source)

NDC:37662-2199

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COBALTOUS SULFATE HEPTAHYDRATE (UNII: Y8N698ZE0T) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS SULFATE HEPTAHYDRATE	12 [hp_C]

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 2199-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022				
2	NDC:37662- 2199-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022				
3	NDC:37662- 2199-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		12/22/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2205		
Route of Administration	ORAL				

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
COBALTOUS SULFATE HEPTAHYDRATE (UNII: Y8N698ZE0T) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS SULFATE HEPTAHYDRATE	1 [hp_Q]			

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	1mm			
Flavor		Imprint Code				
Contains						

ı	P	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
		NDC:37662- 2205-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		12/22/2022				

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2203	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
	COBALTOUS SULFATE HEPTAHYDRATE	500 [hp_C]

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characterist	ics		
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 2203-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022	
2	NDC:37662- 2203-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022	
3	NDC:37662- 2203-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022	
4	NDC:37662- 2203-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022	

Category Citation Date Date unapproved	Marketing In			
			_	Marketing End Date
nomeopathe	unapproved homeopathic		12/22/2022	

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2202		
Route of Administration	ORAL				

l	Active Ingredient/Active Moiety		
l	Ingredient Name	Basis of Strength	Strength
	COBALTOUS SULFATE HEPTAHYDRATE (UNII: Y8N698ZE0T) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS SULFATE HEPTAHYDRATE	200 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2202-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022			
2	NDC:37662- 2202-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022			
3	NDC:37662- 2202-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022			
4	NDC:37662- 2202-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
unapproved homeopathic		12/22/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2198	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength		
	COBALTOUS SULFATE HEPTAHYDRATE (UNII: Y8N698ZE0T) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS SULFATE HEPTAHYDRATE	6 [hp_C]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2198-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022			
2	NDC:37662- 2198-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022			
3	NDC:37662- 2198-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing Category Citation Date Date				
unapproved homeopathic		12/22/2022		
потпеоранне				

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2204	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
COBALTOUS SULFATE HEPTAHYDRATE (UNII: Y8N698ZE0T) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS SULFATE HEPTAHYDRATE	1 [hp_M]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains	Contains				

F	Packaging				
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2204-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022		

2	NDC:37662- 2204-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022	
3	NDC:37662- 2204-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022	
4	NDC:37662- 2204-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	rt Marketing End Date	
	12/22/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

cobaltum sulphuricum pellet

Product	Information	

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2200
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COBALTOUS SULFATE HEPTAHYDRATE (UNII: Y8N698ZE0T) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS SULFATE HEPTAHYDRATE	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging Packag			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 2200-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022	
2	NDC:37662- 2200-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022	
,	NDC:37662-	1200 in 1 BOTTLE, GLASS; Type 0: Not a	12/22/2022	

3	2200-3	Combination Product	12/22/2022	
4	NDC:37662- 2200-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022	

formation				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	12/22/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

cobaltum sulphuricum pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2201

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
COBALTOUS SULFATE HEPTAHYDRATE (UNII: Y8N698ZE0T) (COBALTOUS CATION - UNII:AI1MR454XG)	COBALTOUS SULFATE HEPTAHYDRATE	100 [hp_C]		

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:37662- 2201-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022	
	NDC:37662- 2201-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/22/2022	
	NDC:37662- 2201-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022	
4	NDC:37662- 2201-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/22/2022	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	12/22/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2198, 37662-2199, 37662-2200, 37662-2201, 37662-2202, 37662-2203, 37662-2204, 37662-2205)

Revised: 12/2022 Hahnemann Laboratories, INC.